

ANSI Compliant Shipper Imbalance Working Document

Discussed at the following meetings:

- 12/13/1999
- 01/28/2000
- 02/29/2000
- 04/20/2000
- 05/05/2000
- 09/08/2000 (change P1 to 41 and add segment notes to PER)

mapped to ASC X12 811; used version 4030 as a base X12 standard

GISB Shipper Imbalance (2.4.4)

Position	Segment	Element	ANSI req des / max use	Literal contents or GISB data element name (and usage)	GISB segment/element note [or other comments]	ANSI data type	GISB Min/ Max *
----------	---------	---------	------------------------	--	---	----------------	-----------------

Heading:

0100	ST		M/1				
0200	BIG		M/1				
		BIG01 - 373	M		The date the statement was generated.	DT	8/8
		BIG02 - 76	M		The statement number assigned by the statement preparer.	AN	1/22
		BIG07 - 640	O	F6		ID	2/2
0800	DTM		O/10	(1st occurrence)	For GISB, this segment is mandatory.		
		DTM01 - 374	M	102		ID	3/3
		DTM05 - 1250	X	DT		ID	2/3
		DTM06 - 1251	X	Statement Date/Time (M)		AN	1/35
0800	DTM			(2nd occurrence)			
		DTM01 - 374	M	582		ID	3/3
		DTM05 - 1250	X	CM D8 RD8		ID	2/3
		DTM06 - 1251	X	Accounting Period (M)		AN	1/35
		N1 loop	>1	(1st occurrence)			
1000	N1		O/1				

ANSI Compliant Shipper Imbalance Working Document

Position	Segment	Element	ANSI req des / max use	Literal contents or GISB data element name (and usage)	GISB segment/element note [or other comments]	ANSI data type	GISB Min/ Max *
		N101 - 98	M	40		ID	2/3
		N103 - 66	X	1		ID	1/2
		N104 - 67	X	Statement Recipient ID (M)		AN	2/17 *
		N1 loop	>1	(2nd occurrence)			
1000	N1		O/1				
		N101 - 98	M	41 - Submitter		ID	2/3
		N103 - 66	X	1		ID	1/2
		N104 - 67	X	Preparer ID (M)		AN	2/17 *
1500	PER		O/3		For GISB, this segment may only be used in the N1 loop for the Preparer ID (N101 = '41').		
		PER01 - 366	M	IC		ID	2/2
		PER02 - 93	O	Contact Person (Name) (M)		AN	1/35 *
		PER03 - 365	X	TE		ID	2/2
		PER04 - 364	X	Contact Person (Phone) (M)		AN	1/80
Detail							
		HL loop	>1				
0100	HL		M/1				
		HL01 - 628	M	sequential line item number		AN	1/12
		HL03 - 735	M	IB		ID	1/2
		IT1 loop	999999				
2100	IT1		O/1				
		IT101 - 350	O	purchase order line item identification		AN	1/20
2600	REF		O/8				
		REF01 - 128	M	KSR - Service Requester Contract Identifier (new for the 873)	[this might go in a new REF within the NM1 loop, or it might stay here]	ID	2/3
		REF02 - 127	X	Service Requester Contract (M)		AN	1/30
pend- ing	LQ			(1st occurrence)	[added to this level with our Invoicing DMR (dmr06)]		
		LQ01-1270	O	IRT (new for this dmr)	mark as must use	ID	1/3

ANSI Compliant Shipper Imbalance Working Document

Position	Segment	Element	ANSI req des / max use	Literal contents or GISB data element name (and usage)	GISB segment/element note [or other comments]	ANSI data type	GISB Min/ Max *
		LQ02-1271	X	Imbalance Reporting Type (M) P, T, N, U	mark as must use	AN	1/30
pending	LQ			(2nd occurrence)	[added to this level with our Invoicing DMR (dmr06)]		
		LQ01-1270	O	SET (new for this dmr)		ID	1/3
		LQ02-1271	X	Settlement Type (MA) YCO, NCO		AN	1/30
pending	LQ			(3rd occurrence)			
		LQ01 - 1270	O	AJT (new for this dmr)		ID	1/3
		LQ02 - 1271	X	Adjustment Type (C) AQC, LQC, ADC, AMC, FQC, SQC		AN	1/30
		AMT loop	>1				
2850	AMT		O/1				
		AMT01-522	M	J8 - ending balance		ID	1/3
		AMT02-782	M	Ending Imbalance Value (C)		R	1/18
		QTY loop	>1	(1st occurrence)			
2900	QTY	I	O/1				
		QTY01-673	M	A5 - adjusted quantity		ID	2/2
		QTY02-380	X	Adjustment Quantity (C)		R	1/15
		QTY loop	>1	(2nd occurrence)			
2900	QTY		O/1				
		QTY01-673	M	CB - closing statement balance		ID	2/2
		QTY02-380	X	Ending Imbalance Quantity (C)		R	1/15
		NM1 loop	>1				
3400	NM1		O/1		mark as must use		
		NM101 - 98	M	78 - Service Requester		ID	2/3
		NM102 - 1065	M	3 - Unknown		ID	1/1
		NM108 - 66	X	1	mark as must use	ID	1/2
		NM109 - 67	X	Service Requester (M)	mark as must use	AN	2/17 *
Sub-detail							

ANSI Compliant Shipper Imbalance Working Document

Position	Segment	Element	ANSI req des / max use	Literal contents or GISB data element name (and usage)	GISB segment/element note [or other comments]	ANSI data type	GISB Min/ Max *
		HL loop	>1				
0100	HL		M/1				
		HL01 - 628	M	sequential line item number		AN	1/12
		HL02 - 734	O	sequential line item number	This element contains the sequential line item number (HL01) of the Contract level loop (HL03 = 'IB') to which this detail loop is subordinate.	AN	1/12
		HL03 - 735	M	9 - Line Detail		ID	1/2
		IT1 loop	999999				
2100	IT1		O/1				
		IT101 - 350	O	assigned identification		AN	1/20
pending	LQ			(1st occurrence)	[approved with our Invoicing DMR]		
		LQ01 - 1270	O	CQ - Capacity Type Indicator	[approved with our 873 dmr]	ID	1/3
		LQ02 - 1271	X	Capacity Type Indicator (C)		AN	1/30
pending	LQ			(2nd occurrence)			
		LQ01 - 1270	O	XD - Export Declaration	[approved with our Invoicing DMR]	ID	1/3
		LQ02 - 1271	X	Export Declaration (MA)		AN	1/30
2600	REF		O/8	(3rd occurrence)			
		REF01 - 128	M	6K - Zone		ID	2/3
		REF02 - 127	X	Zone Identifier (SO)		AN	1/30
2600	REF		O/8	(4th occurrence)			
		REF01 - 128	M	BE - Business Activity		ID	2/3
		REF02 - 127	X	Service Provider's Activity Code (MA)		AN	1/30
2600	REF		O/8	(5th occurrence)			
		REF01 - 128	M	PKG - Package ID		ID	2/3
		REF02 - 127	X	Package ID (MA)		AN	1/30
		NM1 loop	>1	(1st occurrence)			

ANSI Compliant Shipper Imbalance Working Document

Position	Segment	Element	ANSI req des / max use	Literal contents or GISB data element name (and usage)	GISB segment/element note [or other comments]	ANSI data type	GISB Min/ Max *
3400	NM1		O/1				
		NM101 - 98	M	US - Upstream		ID	2/3
		NM102 - 1065	M	3 - Unknown		ID	1/1
		NM108 - 66	X	1		ID	1/2
		NM109 - 67	X	Upstream Identifier Code (C)		AN	2/17 *
pending	LCD		O/>1		[LCD new for this DMR]		
		LCD02 - 98	O	RZ - Receipt Zone		ID	2/3
		LCD05 - 66	X	ZN - Zone		ID	1/2
		LCD06 - 67	X	Receipt Zone (SO)		AN	2/17 *
pending	LCD		O/>1		[LCD new for this DMR]		
		LCD02 - 98	O	M2		ID	2/3
		LCD05 - 66	X	DR SV	[use same element and code value notes as in SQOP]	ID	1/2
		LCD06 - 67	X	Receipt Location/Receipt Location Proprietary Code (C)		AN	2/17 *
pending	N9		O/>1		[N9 new for this DMR]		
		N901 - 128	M	UP - Upstream Shipper Contract		ID	2/3
		N902 - 127	X	Upstream Contract Identifier (C)		AN	1/30 *
		NM1 loop	>1	(2nd occurrence)			
3400	NM1		O/1				
		NM101 - 98	M	DW - Downstream		ID	2/3
		NM102 - 1065	M	3 - Unknown		ID	1/1
		NM108 - 66	X	1		ID	1/2
		NM109 - 67	X	Downstream Identifier Code (C)		AN	2/17 *
pending	LCD		O/>1		[LCD new for this DMR]		
		LCD02 - 98	O	DZ - Delivery Zone		ID	2/3
		LCD05 - 66	X	ZN - Zone		ID	1/2
		LCD06 - 67	X	Delivery Zone (SO)		AN	2/17 *
pending	LCD		O/>1		[LCD new for this DMR]		

ANSI Compliant Shipper Imbalance Working Document

Position	Segment	Element	ANSI req des / max use	Literal contents or GISB data element name (and usage)	GISB segment/element note [or other comments]	ANSI data type	GISB Min/ Max *
		LCD02 - 98	O	MQ		ID	2/3
		LCD05 - 66	X	DR SV	[use same element and code value notes as in SQOP]	ID	1/2
		LCD06 - 67	X	Delivery Location/Delivery Location Proprietary Code (C)		AN	2/17 *
pending	N9		O/>1		[N9 new for this DMR]		
		N901 - 128	M	DT - Downstream Shipper Contract Number		ID	2/3
		N902 - 127	X	Downstream Contract Identifier (C)		AN	1/30 *
Sub-sub-detail							
		HL loop	>1				
0100	HL		M/1				
		HL01 - 628	M	sequential line item number		AN	1/12
		HL02 - 734	O	sequential line item number	This element contains the sequential line item number (HL01) of the Line Detail loop (HL03 = '9') to which this loop is subordinate.	AN	1/12
		HL03 - 735	M	IA - Sub-line Item		ID	1/2
		IT1 loop	999999				
2100	IT1		O/1				
		IT101 - 350	O	assigned identification (1st occurrence)		AN	1/20
pending	LQ				[approved with our Invoicing DMR]		
		LQ01 - 1270	O	EAR - Statement Basis	[new for this dmr]	ID	1/3
		LQ02 - 1271	X	Statement Basis (M)		AN	1/30
pending	LQ			(2nd occurrence)	[approved with our Invoicing DMR]		
		LQ01 - 1270	O	TT - Natural Gas Transaction Type	[approved with our 873]	ID	1/3

ANSI Compliant Shipper Imbalance Working Document

Position	Segment	Element	ANSI req des / max use	Literal contents or GISB data element name (and usage)	GISB segment/element note [or other comments]	ANSI data type	GISB Min/ Max *
		LQ02 - 1271	X	Transaction Type (MA)		AN	1/30
2700	DTM		O/10				
		DTM01 - 374	M	405 - Production		ID	3/3
		DTM05 - 1250	X	RD8 RDT	[note: we did not include D8 (which was in version 1.4) because all dates and times are mandatory]	ID	2/3
		DTM06 - 1251	X	Beginning Flow Date, Beginning Flow Time, Ending Flow Date, Ending Flow Time (M)		AN	1/35
		AMT loop	>1				
2850	AMT		O/1				
		AMT01 - 522	M	RJ - Rate Amount		ID	1/3
		AMT02 - 782	M	Bid Transportation Rate (C)		R	1/18
		QTY loop	>1	(1st occurrence)			
2900	QTY		O/1				
		QTY01 - 673	M	G1 - (new for this dmr)		ID	2/2
		QTY02 - 380	X	Scheduled Receipt Quantity (SO)		R	1/15
		QTY loop	>1	(2nd occurrence)			
2900	QTY		O/1				
		QTY01 - 673	M	G2 - (new for this dmr)		ID	2/2
		QTY02 - 380	X	Scheduled Delivery Quantity (SO)		R	1/15
		QTY loop	>1	(3rd occurrence)			
2900	QTY		O/1				
		QTY01 - 673	M	G3 - (new for this dmr)		ID	2/2
		QTY02 - 380	X	Operational Receipt Quantity (SO)		R	1/15
		QTY loop	>1	(4th occurrence)			
2900	QTY		O/1				
		QTY01 - 673	M	G4 - (new for this dmr)		ID	2/2
		QTY02 - 380	X	Operational Delivery Quantity (SO)		R	1/15

ANSI Compliant Shipper Imbalance Working Document

Position	Segment	Element	ANSI req des / max use	Literal contents or GISB data element name (and usage)	GISB segment/element note [or other comments]	ANSI data type	GISB Min/ Max *
		QTY loop	>1	(5th occurrence)			
2900	QTY		O/1				
		QTY01 - 673	M	G5 - (new for this dmr)		ID	2/2
		QTY02 - 380	X	Allocated Receipt Quantity (C)		R	1/15
		QTY loop	>1	(6th occurrence)			
2900	QTY		O/1				
		QTY01 - 673	M	G6 - (new for this dmr)		ID	2/2
		QTY02 - 380	X	Allocated Delivery Quantity (C)		R	1/15
		QTY loop	>1	(7th occurrence)			
2900	QTY		O/1				
		QTY01 - 673	M	R9 - Fuel		ID	2/2
		QTY02 - 380	X	Fuel Quantity (C)		R	1/15
		QTY loop	>1	(8th occurrence)			
2900	QTY		O/1				
		QTY01 - 673	M	LH - Lost Gas		ID	2/2
		QTY02 - 380	X	Supplemental Quantity - Lost/Unaccounted For Gas (C)		R	1/15
		QTY loop	>1	(9th occurrence)			
2900	QTY		O/1				
		QTY01 - 673	M	FF - Flare or Flash		ID	2/2
		QTY02 - 380	X	Supplemental Quantity - Flash Gas (C)		R	1/15
		QTY loop	>1	(10th occurrence)			
2900	QTY		O/1				
		QTY01 - 673	M	G7 - (new for this dmr)		ID	2/2
		QTY02 - 380	X	Supplemental Quantity - Plant Thermal Reduction (C)		R	1/15
		QTY loop	>1	(11th occurrence)			
2900	QTY		O/1				
		QTY01 - 673	M	H1 - (new for this dmr)		ID	2/2
		QTY02 - 380	X	Scheduling Tolerance Receipt Quantity (SO)		R	1/15
		QTY loop	>1	(12th occurrence)			

ANSI Compliant Shipper Imbalance Working Document

Position	Segment	Element	ANSI req des / max use	Literal contents or GISB data element name (and usage)	GISB segment/element note [or other comments]	ANSI data type	GISB Min/ Max *
----------	---------	---------	------------------------	--	---	----------------	-----------------

2900	QTY		O/1				
		QTY01 - 673	M	H2 - (new for this dmr)		ID	2/2
		QTY02 - 380	X	Scheduling Tolerance Delivery Quantity (SO)		R	1/15

Summary							
0100	TDS		M/1				
		TDS01 - 361	M	0	For GISB, send zero.	N2	1/15
SE	SE		M/1				

* GISB Min/Max column will contain an * when the GISB values are different than the ANSI ASC X12 values

New items pending from DISA for other documents that also affect this document:

DMR # ??
 Add LQ to IT1 loop position 2100
 Add LCD to IT1 loop position 2100

New items requested from DISA in conjunction with this document:

DMR # 09
 new code value and definition for data element 640

F6 - Shipper Imbalance
 F7 - Producer Imbalance

DMR # 10
 new code values and definitions for data element 1270 (linked to Code Source 293):

SET Settlement Type
 AJT Adjustment Type
 EAR Statement Basis
 IRT Imbalance Reporting Type

ANSI Compliant Shipper Imbalance Working Document

DMR # 11

new N9 segment (position 3750) to be added to the NM1 loop at position 3400
usage optional, max use > 1

new LCD segment (position 3880) to be added to the NM1 loop at position 3400
usage optional, max use > 1

DMR # 12

new code values and definitions for data element 673

G1	Scheduled Receipt Quantity
G2	Scheduled Delivery Quantity
G3	Operational Receipt Quantity
G4	Operational Delivery Quantity
G5	Allocated Receipt Quantity
G6	Allocated Delivery Quantity
G7	Plant Thermal Reduction Quantity
H1	Scheduling Tolerance Receipt Quantity
H2	Scheduling Tolerance Delivery Quantity