

Proposed Modifications For EDIINT AS2 convergence

Introduction

This document describes the *minimal* set of changes needed to GISB's EDM technical implementation to align with the IETF EDIINT AS2 specification. All of the changes proposed in this document affect the section titled **Technical Implementation Internet EDI/EDM & Batch FF/EDM**. This document is NOT intended to provide a comprehensive set of all changes needed to the GISB EDM standards manual. Additional enhancements, germane to other sections of the EDM manual (e.g. Introduction, Executive Summary, Business Process and Practices, Related Standards), will be presented in a later document.

This document is intended for GISB EDM programmers.

Proposed Enhancements

Proposed Changes to Data Dictionary

Page 2, Data Dictionary for Internet EDM – include the following:

Business Name	Definition	Format	Usage	Condition
gisb-version	The GISB EDM version being used	numeric, decimal notation (e.g. 1.4)	in Request; M	used in file transmittal and in posting error notifications
receipt-disposition-to	the party to receive receipts, typically the same value as "from".	Common Code Identifier format	in Request; M	used in file transmittal and in posting error notifications
receipt-report-type	type of receipt type being requested by sender	GISB-Acknowledgement-Receipt	in Request; M	used in file transmittal and in posting error notifications

Proposed changes to section **SENDING TRANSACTIONS**, subsection **Sample of HTML document with a form to perform a multipart post using an interactive browser**:

Page 4, within the text of the example, following the To: <input ...> line insert the following:

GISB Version: <input TYPE="text" NAME="gisb-version" SIZE=5 VALUE="1.4">

Deliver Receipt To: <input TYPE="text" NAME="report-disposition-to" SIZE=20 VALUE="">

Receipt Type: <input TYPE="text" NAME="receipt-report-type" SIZE=30
VALUE="GISB-Acknowledgement-Receipt">

Proposed changes to section **SENDING TRANSACTIONS**, subsection **Server Response**

Page 5, replace the first sentence with the following:

"The receiving server will send a GISB-Acknowledgement-Receipt as an HTTP response to the client before dropping the client's connection."

Proposed changes to section **SENDING TRANSACTIONS**, subsection **HTTP Request Data Elements**

Page 6, insert the following rows into the Required Data Elements table, between the to and input-format rows:

gisb-version	The GISB EDM version being used by the sender, in decimal notation (e.g. 1.4)
receipt-disposition-to	Common Code Identifier of the party to receive the acknowledgement receipt
receipt-report-type	Type of receipt requested "GISB-Acknowledgement-Receipt"

Proposed changes to section **SENDING TRANSACTIONS**, subsection **Writing a Batch Browser**

Page 8, replace the example with the following:

```
-----87453838942833
Content-Disposition: form-data; name="from"

123456789
-----87453838942833
Content-Disposition: form-data; name="to"

234567890
-----87453838942833
Content-Disposition: form-data; name="gisb-version"

1.4
-----87453838942833
Content-Disposition: form-data; name="receipt-disposition-to"

123456789
-----87453838942833
Content-Disposition: form-data; name="receipt-report-type"

GISB-Acknowledgement-Receipt
-----87453838942833
Content-Disposition: form-data; name="input-format"

X12
-----87453838942833
Content-Disposition: form-data; name="input-data"; filename="c:\temp\smallnom.bin"
Content-Type: application/EDI-X12

ISA~00~ ~01~AAA6300300~14~1234567890000 ~14~2345678900000
... more data from the X12 file...
IEA~1~000003616
-----87453838942833—
```

Proposed changes to section **SENDING TRANSACTIONS**, subsection **Writing a Batch Browser**

Page 8, replace the last bulleted paragraph on the page with the following:

The data field containing the GISB standard file has two extra identifiers: first the name of the file sent from the source computer, filename="c:\temp\smallnom.bin", and second a content

type identifier on a separate line. This line should always be constructed to reflect the content-type of the data being transmitted, in accordance with accepted Internet standards. If the data file contains clear text, X12 data, as shown in the above example, the content-type identifier follows the recommendations of RFC 1767, "MIME Encapsulation of EDI Data", and the "Content-Type:application/EDI-X12" is used. However, for security purposes it is recommended that all data be encrypted and digitally signed prior to transmission over the Internet. There are IETF standards for describing and packaging encrypted data files, most notably, "MIME Security with Pretty Good Privacy (PGP)", RFC 2015 and "MIME-based Secure EDI", RFC TBD.

When the sender of a file intends to use encryption and digital signature functions to secure the contents of a data file the file must be prepared in accordance with the above mentioned IETF standards. ASC X12 data must first be *prepared* in canonical form as specified in RFC 1767. The ASC X12 data file would be concatenated with the MIME Content-type of application/EDI-X12 as the first line of the file, for example:

Content-type: application/EDI-X12

```
ISA~00~ ~01~AAA6300300~14~1234567890000 ~14~2345678900000
... more data from the X12 file...
IEA~1~000003616
```

This file, complete with EDI data and MIME header is encrypted, signed and packaged according to EDIINT AS1 and RFC 2015, which produces a file containing MIME headers and encrypted content as follows:

Content-Type: multipart/encrypted; boundary=8760; protocol="application/pgp-encrypted"

--8760

Content-Type: application/pgp-encrypted

Version: 1

--8760

Content-Type: application/octet-stream

-----BEGIN PGP MESSAGE-----

Version: PGP 6.5

```
hQCMAzRG1pEOIOvdAQP+JMr0m/9+8yOL60Z9Vr6fFV81FCExB/o0xmwiMkiwYsHs
z0e8sb7ErC340MrNA/dw3taGMjml+CXYRF/PLEdg1NZE1ZCtNeL4YdIHAMLWwODG
IQxhSucz8rMSgQ5mZzcOJwBdWLW70efgsu/9UljuJjYc1uZ6C03eFQv/43fkB+al
ATtgydxX4g8QK664ad+Jo/XUICSmWBL66fqJR1KLeL4wTaqGy174Aq48Wpwvg1E
h785zC03UAW0qq0ugMt86dPeyd91e2JigqwDYef/DYEKD0J9BGiGpS/uAupNKj8O
cp2IWCixKOGUbxpVNOntqWHS/GntegvDE/7/ewCxDxsnmQS95pOl141QZ1RQbeN
aqx2Dq/ra9g65HNchOCzjul5Vi8HHf6Yhg2WnROe+npByyCue6rihqgNVOJwj0cV
zpb4JE+gMDf3q4ISUb1Fv7/+SSFHddnhdC5YTpqf1Bc3B07hiLmtTXqNit31EbX9
UVEIObzSa9ZhxbC6/eSI7Nuf5ZTDsh9nrk+QQJ6FeC9W4cqXLj7IZySaRO8Vtff+
4ktqeuYust4kSpnk027aw4O/5jomUkfb22CAe4=
=Oiuo
```

-----END PGP MESSAGE-----

--8760--

This file is associated with the "input-data" data element of the multipart-form-data and is sent to the recipient using the HTTP POST method.

Proposed changes to section **SENDING TRANSACTIONS**, subsection **Writing a Batch Browser**

Page 9, replace the example with the following:

```
POST c:\execute HTTP/1.0
Referer: http://www.get.a.life/upl.htm
Connection: Keep-Alive
User-Agent: brow v0.1 XYZ Corp.
Host: localhost
Accept: image/gif, image/x-xbitmap, image/jpeg, image/pjpeg, */*
Content-type: multipart/form-data; boundary=-----87453838942833
Content-Length: 5379

-----87453838942833
Content-Disposition: form-data; name="from"

123456789
-----87453838942833
Content-Disposition: form-data; name="to"

234567890
-----87453838942833
Content-Disposition: form-data; name="gisb-version"

1.4
-----87453838942833
Content-Disposition: form-data; name="receipt-disposition-to"

123456789
-----87453838942833
Content-Disposition: form-data; name="receipt-report-type"

GISB-Acknowledgement-Receipt
-----87453838942833
Content-Disposition: form-data; name="input-format"

X12
-----87453838942833
Content-Disposition: form-data; name="input-data"; filename="c:\temp\smallnom.bin"
Content-Type: multipart/encrypted; boundary=8760; protocol="application/pgp-encrypted"

--8760
Content-Type: application/pgp-encrypted

Version: 1

--8760
Content-Type: application/octet-stream

-----BEGIN PGP MESSAGE-----
Version: PGP 6.5
```

hQCMAzRG1pEOIOvdAQP+JMr0m/9+8yOL60Z9Vr6fFV81FCExB/o0xmwiMkiwYsHs
z0e8sb7ErC340MrNA/dw3taGMjml+CXYRF/PLEdg1NZE1ZCtNeL4YdiHAMLWwODG
IQxhSucz8rMSgQ5mZzcOJwBdWLW70efgsu/9UljUjYc1uZ6C03eFQv/43fkB+al
ATtgydxX4g8QK664ad+Jo/XUICSmWBL66fqJR1KLeLf4wTaqGy174Aq48Wpwvg1E
h785zC03UAW0qg0ugMt86dPeyd91e2JigqwDYEf/DYEKD0J9BGiGpS/uApNKj8O
cp2IWCixKOGUbxpVNOntqWHS/GntegvDE/7/ewCxDxsnmQS95pOI141QZ1RQbeN
aqx2Dq/ra9g65HNchOCzjul5Vi8HHf6Yhg2WnROe+npByyCue6rihqgNVOJwj0cV
zpb4JE+gMDf3q4ISUb1Fv7/+SSFHDdnhdC5YTpqf1Bc3B07hiLmtTXqNit31EbX9
UVEIObzSa9ZhxbC6/eSI7Nuf5ZTDsh9nrk+QQJ6FeC9W4cqXLj7IZySaRO8Vtff+
4ktqeuHYust4kSpnk027aw4O/5jomUkfb22CAe4=
=Oiuo
-----END PGP MESSAGE-----
--8760--
-----87453838942833-----

Proposed changes to section **RECEIVING TRANSACTIONS**, subsection **General Flow**

Page 10, replace list items 5 and 6 with the following:

5. Create GISB Acknowledgement Receipt
6. Return HTTP response, the GISB Acknowledgement Receipt object, back to server

Proposed changes to section **RECEIVING TRANSACTIONS**, subsection **Writing the CGI Process**

Page 12, replace the example with the following:

```
-----87453838942833
Content-Disposition: form-data; name="from"

123456789
-----87453838942833
Content-Disposition: form-data; name="to"

234567890
-----87453838942833
Content-Disposition: form-data; name="gisb-version"

1.4
-----87453838942833
Content-Disposition: form-data; name="receipt-disposition-to"

123456789
-----87453838942833
Content-Disposition: form-data; name="receipt-report-type"

GISB-Acknowledgement-Receipt
-----87453838942833
Content-Disposition: form-data; name="input-format"

X12
-----87453838942833
Content-Disposition: form-data; name="input-data"; filename="c:\temp\smallnom.bin"
Content-Type: multipart/encrypted; boundary=8760; protocol="application/pgp-encrypted"

--8760
```

Content-Type: application/pgp-encrypted

Version: 1

--8760

Content-Type: application/octet-stream

-----BEGIN PGP MESSAGE-----

Version: PGP 6.5

hQCMAzRG1pEOIOvdAQP+JMr0m/9+8yOL60Z9Vr6fFV81FCExB/o0xmwiMkiwYsHs
z0e8sb7ErC340MrNA/dw3taGMjml+CXYRF/PLEdg1NZE1ZCtNeL4YdIHAMLWwODG
IQxhSucz8rMSgQ5mZzcOJwBdWLW70efgsu/9UljuJjYc1uZ6C03eFQv/43fkB+al
ATtgydxX4g8QK664ad+Jo/XUICSmWBL66fqJR1KLeLf4wTaqGy174Aq48Wpwvg1E
h785zC03UAW0qg0ugMt86dPeyd91e2JigqwDYef/DYEKD0J9BGiGpS/uAupNKj8O
cp2IWClxKOGUbxpVNOntqWHS/GntegvDE/7/ewCxDxsnmQS95pOl141QZ1RQbeN
aqx2Dq/ra9g65HNchOCzjul5Vi8HHf6Yhg2WnROe+npByyCue6rihqgNVOJwj0cV
zpb4JE+gMDf3q4ISUb1Fv7/+SSFHDDnhdC5YTpqf1Bc3B07hiLmtTXqNit31EbX9
UVEIObzSa9ZhxbC6/eSI7Nuf5ZTDsh9nrk+QQJ6FeC9W4cqXLj7IZySaRO8Vtff+
4ktqeuHYust4kSpnk027aw4O/5jomUkfb22CAe4=
=Oiuo

-----END PGP MESSAGE-----

--8760--

-----87453838942833-----

Proposed changes to section **RECEIVING TRANSACTIONS**, subsection **Writing the CGI Process**

Page 13, replace the last paragraph on the page with the following:

Immediately after the CGI validates (as above), parses, and saves the data, the CGI should record the time and construct a GISB Acknowledgement Receipt described in the following section. This GISB Acknowledgement Receipt is usually sent from the CGI by writing to the standard output (stdout) of the CGI process.

Proposed changes to section **URL/CGI Implementation Guidelines**

Page 14, replace the first sentence in the paragraph starting with “Error Notifications” with the following:

Error notifications include errors that occur some time after the GISB Acknowledgement Receipt is sent (such as a file decryption error) as well as errors on the transactions.

Proposed changes to section **URL/CGI Implementation Guidelines**, subsection **Server Specifications**

Page 15, replace the sentence starting with “The HTTP response must be enveloped” with the following:

The GISB Acknowledgement Receipt must be enveloped in a multipart/report, as specified in EDIINT AS2 following the rules for Generalized Receipts.

Proposed changes to section **URL/CGI Implementation Guidelines**, subsection **Server Specifications**

Page 15, remove the sentence "The HTTP response must be no more than 2048 characters."

Proposed changes to section **URL/CGI Implementation Guidelines**, subsection **Server Specifications**

Page 15, replace the paragraph starting with "If an HTML response is given" with the following:

If a response is given, a GISB Acknowledgement Receipt contains two body parts nested within a multipart/report outer envelope. The first body part contains human readable content in HTML. The second body part contains machine readable content in HTML.

Proposed changes to section **URL/CGI Implementation Guidelines**, subsection **HTTP Response Data Elements**

Page 16, replace the example given under "successful, plain text format:" with the following:

Content-Type: multipart/report; report-type="GISB-Acknowledgement-Receipt";
boundary="GISB7867"

--GISB7867

Content-type: text/html

<HTML><HEAD><TITLE>Acknowledgement Receipt Success</TITLE></HEAD>

<BODY><P>

time-c=19960619082855*

request-status=ok*

server-id=coolhost*

trans-id=234423897*

</P> </BODY></HTML> --GISB7867

Content-type: text/plain

time-c=19960619082855*

request-status=ok*

server-id=coolhost*

trans-id=234423897*

--GISB7867--

Proposed changes to section **URL/CGI Implementation Guidelines**, subsection **HTTP Response Data Elements**

Page 16, replace the example given under "error, plain text format:" with the following:

Content-Type: multipart/report; report-type="GISB-Acknowledgement-Receipt";
boundary="GISB7866"

--GISB7866

Content-type: text/html

```
<HTML><HEAD><TITLE>Acknowledgement Receipt Error</TITLE></HEAD>
<BODY><P>
time-c=19960619082855*
request-status=EEDM106: Invalid To Common Code Identifier*
server-id=coolhost*
trans-id=234423897*
</P> </BODY></HTML>
--GISB7866
Content-type: text/plain
```

```
time-c=19960619082855*
request-status=EEDM106: Invalid To Common Code Identifier*
server-id=coolhost*
trans-id=234423897*
--GISB7866--
```

Proposed changes to section **URL/CGI Implementation Guidelines**, subsection **HTTP Response Data Elements**

Page 16, replace the example given under “warning, plain text format:” with the following:

```
Content-Type: multipart/report; report-type="GISB-Acknowledgement-Receipt";
boundary="GISB7866"
```

```
--GISB7866
Content-type: text/html
```

```
<HTML><HEAD><TITLE>Acknowledgement Receipt Warning</TITLE></HEAD>
<BODY><P>
time-c=19960619082855*
request-status=WEDM100: Transaction Set Sent, Not Mutually Agreed*
server-id=coolhost*
trans-id=234423897*
</P> </BODY></HTML>
--GISB7866
Content-type: text/plain
```

```
time-c=19960619082855*
request-status= WEDM100: Transaction Set Sent, Not Mutually Agreed *
server-id=coolhost*
trans-id=234423897*
--GISB7866--
```

Proposed changes to section **URL/CGI Implementation Guidelines**, subsection **HTTP Response Data Elements**

Page 17, remove the example given under “HTML format”.

Proposed changes to section **Sending Error Notification Transactions**, subsection **Error Notification Data Elements**

Page 22, remove the sentence containing "The entire error notification must be no more than 2048 characters."

Proposed changes to section **Sending Error Notification Transactions**, subsection **Error Notification Data Elements**

Page 22, replace the paragraph starting with "If an HTML response is given" with the following:

If an error notification is given, a GISB Error Notification contains two body parts nested within a multipart/report outer envelope. The first body part contains human readable content in HTML. The second body part contains machine readable content in HTML.

Proposed changes to section **Sending Error Notification Transactions**, subsection **Error Notification Data Elements**

Page 23, replace the example given under Error Notification Example with the following:

```
POST c:\execute HTTP/1.0
Referer: http://www.get.a.life/upl.htm
Connection: Keep-Alive
User-Agent: brow v0.1 XYZ Corp.
Host: localhost
Accept: image/gif, image/x-xbitmap, image/jpeg, image/pjpeg, */*
Content-type: multipart/form-data; boundary=-----87453838942833
Content-Length: 1958
-----87453838942833
Content-Disposition: form-data; name="from"

234567890
-----87453838942833
Content-Disposition: form-data; name="to"

123456789
-----87453838942833
Content-Disposition: form-data; name="gisb-version"

1.4
-----87453838942833
Content-Disposition: form-data; name="receipt-disposition-to"

123456789
-----87453838942833
Content-Disposition: form-data; name="receipt-report-type"

GISB-Acknowledgement-Receipt
-----87453838942833
Content-Disposition: form-data; name="input-format"

error
-----87453838942833
Content-Disposition: form-data; name="input-data"; filename="c:\temp\error.not"
Content-Type: multipart/report; report-type="GISB-Error-Notification";
boundary="GISB7868"
```

--GISB7868
Content-type: text/html

<HTML><HEAD><TITLE>Error Notification</TITLE></HEAD> <BODY><P>
orig-from=123456789*
orig-to=234567890*
orig-input-format=X12*
resp-time-c=19960619102855*
resp-server-id=coolhost*
resp-trans-id=234423897*
request-status=EEDM601: Public Key Invalid*
comments=Please contact 1-800-555-1212 for correct public key*
</P> </BODY></HTML>

--GISB7868
Content-Type: text/plain

orig-from=123456789*
orig-to=234567890*
orig-input-format=X12*
resp-time-c=19960619102855*
resp-server-id=coolhost*
resp-trans-id=234423897*
request-status=EEDM601: Public Key Invalid*
comments=Please contact 1-800-555-1212 for correct public key*
--GISB7868--
-----87453838942833--