

**Gas Industry Standards Board EBB Internet Implementation Task Force
Standards Recommended by the Task Force as of January 20, 1999
Log as of January 23, 1999**

Rev. Std.	Meeting Date	Language	Date of Review	Status
REVISIONS TO EXISTING STANDARDS				
1.4.1	17-Sep-98 1-Oct-98 2-Nov-98	Nomination Transaction (1.4.1) for all models (original) for groupings and usage inclusions for EBB, EDI and FF.	10-12 11-13	
1.4.2	2-Nov-98	Nomination Quick Response (1.4.2) for groupings and usage inclusions for EBB, EDI and FF.	11-13	
1.4.3	2-Nov-98	Request for Confirmation (1.4.3) for groupings and usage inclusions for EBB, EDI and FF.	11-13	
1.4.4	2-Nov-98	Confirmation Response (1.4.4) for groupings and usage inclusions for EBB, EDI and FF.	11-13	
1.4.5	2-Nov-98	Scheduled Quantity (1.4.5) for groupings and usage inclusions for EBB, EDI and FF.	11-13	
1.4.6	2-Nov-98	Scheduled Quantity For Operator (1.4.6) for groupings and usage inclusions for EBB, EDI and FF.	11-13	
1.4.7	2-Nov-98	Confirmation Response Quick Response (1.4.7) for groupings and usage inclusions for EBB, EDI and FF.		
2.4.1	18-Dec-98	Pre-determined Allocation (2.4.1) for groupings and usage inclusions for EBB, EDI and FF.		
2.4.3	18-Dec-98	Allocation (2.4.3) for groupings and usage inclusions for EBB, EDI and FF.		
2.4.4	18-Dec-98	Shipper Imbalance (2.4.4) for groupings and usage inclusions for EBB, EDI and FF.		
2.4.5	18-Dec-98	Measurement Information (2.4.5) for groupings and usage inclusions for EBB, EDI and FF.		
4.2.7	16-Oct-98	"Navigational Area" is the term used to describe the area on the left side of the browser display providing links to the Content Area and other navigational links. Navigational Area is not required to be displayed on Customer Activities Web pages where data entry, reporting or inquiry are displayed.	11-13	c 10-18 e 12-17 r 1-23
4.2.8	3-Sep-98, 16-Oct-98	"Content Area" is the term used to describe the area directly to the right of the Navigational Area of the browser display. When the Navigational Area is not displayed the entire browser display is content area.	10-12	c 11-23 e 12-17 r 1-23
4.3.2	2-Nov-98	On time stamping, data leaves control of the originator by the same time (deadline), regardless of mechanism (3rd party service provider time stamp is acceptable) and 15 minutes of communication time should be available to allow accumulation of all transactions to the pipeline. A standard network protocol (TCP/IP) should be in service for direct connect to the pipeline designated site by 4/1/97.	11-13	c 11-23 e 12-17 r 1-23
4.3.8	2-Nov-98	The minimum acceptable protocol should be HTTP. All sending and receiving parties should be capable of sending and receiving using HTTP.	11-13	c 11-23 e 12-17 r 1-23

Status Codes: c - date sent out for industry comment, e - date item passed by Executive Committee, r - date ratified, f - date item failed by Executive Committee, p - date postponed

**Gas Industry Standards Board EBB Internet Implementation Task Force
Standards Recommended by the Task Force as of January 20, 1999
Log as of January 23, 1999**

Rev. Std.	Meeting Date	Language	Date of Review	Status
4.3.9	2-Nov-98	For GISB EDI/EDM and FF/EDM, there is a time stamp (HTTP Timestamp) that designates the time that a file is received at the designated site. The receiving party should generate a timestamp upon successful receipt of the complete file and send as an immediate response to the sending party. The timestamp should be generated by Common Gateway Interface (CGI) of the receiving party, prior to further processing by the CGI.	11-13	c 2-5
4.3.34	1-Oct-98	Columns and data fields that would contain data not supported by the Transportation Service Provider should be eliminated on display and/or entry, and left empty on download.	10-12	c 10-18 e 12-17 r 1-23
NEW DEFINITIONS				
d 1	14-Aug-98	"Standard Client Configuration" is the term used to describe the configuration that allows simultaneous access to multiple industry Web sites.	9-11, 10-12	c 10-18 e 12-17 r 1-23
d 2	14-Aug-98	"Customer Activities" is the term used to refer to the business function categories relating to Nominations, Flowing Gas, Invoicing, Capacity Release, Contracts and other business functions on industry Web sites.	9-11	c 10-18 e 12-17 r 1-23
d 3	20-Aug-98	"GISB EDI/EDM" is the term used to describe ANSI ASC X12 computer-to-computer electronic data interchange of information in files as mapped from the x.4.z GISB standards in the GISB Implementation Guides and communicated between trading partners over the Internet using the GISB Electronic Delivery Mechanism.	9-11, 10-12	c 10-18 e 12-17 r 1-23
d 4	20-Aug-98 2-Nov-98	"GISB FF/EDM" is the term used to describe a standardized flat file electronic data interchange of information in files as mapped from the x.4.z GISB standards. GISB FF/EDM is communicated between trading partners over the Internet using the GISB Electronic Delivery Mechanism.	9-11, 10-12, 11-13	c 10-18 e 12-17 r 1-23
d 5	20-Aug-98	'GISB EBB/EDM' is the term used to describe the GISB standardized electronic interchange of information for Customer Activities Web site presentations. GISB EBB/EDM is communicated between trading partners over the Internet using the GISB Electronic Delivery Mechanism for GISB EBB/EDM.	9-11, 10-12	c 10-18 e 12-17 r 1-23
d 6		[Shown in modifications to existing standard 4.2.8]	n/a	n/a
d 7	17-Sep-98	"Header" is the term used to describe the area at the top of the Content Area of the browser display.	10-12	c 10-18 e 12-17 r 1-23
d 8	17-Sep-98	"Detail" is the term used to describe the area directly below the Header in the Content Area of the browser display.	10-12	c 10-18 e 12-17 r 1-23
d 9	1-Oct-98 20-Nov-98 1-Dec-98 18-Dec-98	"Form" is the term used to describe the portion of the Content Area of the browser display on Customer Activities Web sites used for single transaction entry or display as well as, optionally, data selection. The Form should be either in the upper portion of the Content Area or, alternatively, a single page linked to the Matrix.	10-12	c 11-23 e 12-17 c 12-22 e 1-21

Status Codes: c - date sent out for industry comment, e - date item passed by Executive Committee, r - date ratified, f - date item failed by Executive Committee, p - date postponed

**Gas Industry Standards Board EBB Internet Implementation Task Force
Standards Recommended by the Task Force as of January 20, 1999
Log as of January 23, 1999**

Rev. Std.	Meeting Date	Language	Date of Review	Status
d 10	1-Oct-98 20-Nov-98	"Matrix" is the term used to describe the portion of the Content Area of the browser display on the Customer Activities Web sites used to display selected data entered on the Form and, when appropriate, for data entry. The Matrix should be either the lower portion of the Content Area (that area below the Form) or, alternatively, a single page linked to the Form.	10-12	c 11-23 e 12-17 r 1-23
d 11		[Shown in modifications to existing standard 4.2.7]	n/a	n/a
d 12	2-Nov-98	"Batch Flat File" is the term used within GISB FF/EDM to describe the automated computer-to-computer transfer of flat files.	11-13	c 2-5
d 13	2-Nov-98	"Interactive Flat File" is the term used within GISB FF/EDM to describe the transfer of flat files using an interactive browser.	11-13	c2-5
NEW PRINCIPLES				
p 1	14-Aug-98	Web site standards should not preclude various levels of user response and inter-activity. Minimum levels of user response or inter-activity should be developed.	9-11	c 10-18 e 12-17 r 1-23
p 2	14-Aug-98	Web site standards should not dictate or limit back-end development technology or systems. Industry Web sites should be accessible by a Standard Client Configuration.	9-11, 10-12	c 10-18 e 12-17 r 1-23
p 3	14-Aug-98	A standardized Web site navigational structure should be developed to provide access to business functions. The hierarchical relationship, structure and order for navigation on the Web site should be established in a standardized manner.	9-11	c 10-18 e 12-17 r 1-23
p 4	14-Aug-98	Additional Informational Postings under Standard No. 4.3.6 which are not yet standardized for Web sites should be communicated over the Internet via a "common look and feel" standardized Web page.	9-11	c 10-18 e 12-17 r 1-23
p 5	14-Aug-98	Customer Activities Web sites should be designed for ease of user interaction.	9-11	c 10-18 e 12-17 r 1-23
p 6	14-Aug-98	There should generally be a one-to-one relationship between data elements used for EDI and/or flat files and the data displayed on Customer Activities Web pages.	9-11	c 10-18 e 12-17 r 1-23
p 7	14-Aug-98	Standard field name descriptors or abbreviations, and navigation and functional screen layouts should be used on all Customer Activities Web pages. There should be no standards for font size, colors, etc. Functional screen layouts should be developed as standards which would divide each transactional screen into separate areas and define which data elements belong in each specific area.	9-11	c 10-18 e 12-17 r 1-23
p 8	20-Aug-98	Information that is constant for the displayed Content Area may be placed in the page Header.	9-11	c 10-18 e 12-17 r 1-23
p 9	20-Aug-98	Data elements that have default values may be placed last to minimize scrolling.	9-11	c 10-18 e 12-17 r 1-23

Status Codes: c - date sent out for industry comment, e - date item passed by Executive Committee, r - date ratified, f - date item failed by Executive Committee, p - date postponed

**Gas Industry Standards Board EBB Internet Implementation Task Force
Standards Recommended by the Task Force as of January 20, 1999
Log as of January 23, 1999**

Rev. Std.	Meeting Date	Language	Date of Review	Status
p 10	20-Aug-98	As a general guideline, the initial phase of each business function category (of a multiple phase implementation) of "common look and feel" for Internet transactions that are not currently standardized should begin subsequent to the implementation of the currently standardized data sets to the Web. This does not preclude the implementation of new standardized data sets as they become available.	9-11	c 11-23 e 12-17 r 1-23
p 11	20-Aug-98	There is displayed information on Customer Activities Web sites which does not have a comparable data element in EDI; however, the data (e.g. totals, reports, calculations) is derived from other EDI data elements. Provision of such information does not require the development of an EDI data set to accomplish a one-to-one match. However, any Customer Activities Web function should be derivable from information available in EDI data sets.	9-11	c 10-18 e 12-17 r 1-23
p 12	3-Sep-98	When standardized, all elements used in standard EBB/EDM, EDI/EDM and FF/EDM should be defined in the related GISB x.4.z standard.	10-12	c 10-18 e 12-17 r 1-23
p 13	3-Sep-98	For GISB FF/EDM, the content and usage of flat files should reasonably correspond to the GISB data sets used for GISB EDI/EDM.	10-12	c 10-18 e 12-17 r 1-23
p 14	3-Sep-98	If GISB FF/EDM is implemented, flat files should be exchanged via the GISB EDI/EDM site or the Customer Activities Web site.	10-12	c 10-18 e 12-17 r 1-23
p 15	17-Sep-98	Trading partners should maintain redundant connections to the public Internet for GISB EDM Web sites. These redundant connections should be topographically diverse (duality of) paths to minimize the probability of a single point of failure.	10-12	c 10-18 e 12-17 r 1-23
p 16	2-Nov-98	Transportation Service Provider EDM implementations should minimize the number of outbound ports required to be opened on the client-side firewall.	11-13	c 11-23 e 12-17 r 1-23
p 17	20-Jan-99	Until such time as GISB standardizes field lengths for data elements, data element field lengths for FF/EDM should not exceed the corresponding field lengths defined for EDI/EDM as defined in the ANSI ASC X12 version in the GISB implementation guide in which the GISB data element was adopted.		c 2-5

NEW STANDARDS

s 1	14-Aug-98	Internet protocols should be used for accessing all industry business functions.	9-11	c 10-18 e 12-17 r 1-23
s 2	14-Aug-98	Web browser interface should use Internet compatible common browser software.	9-11	c 10-18 e 12-17 r 1-23
s 3	14-Aug-98	Industry Web sites should be accessible via the public Internet using common browser software.	9-11	c 10-18 e 12-17 r 1-23

Status Codes: c - date sent out for industry comment, e - date item passed by Executive Committee, r - date ratified, f - date item failed by Executive Committee, p - date postponed

**Gas Industry Standards Board EBB Internet Implementation Task Force
Standards Recommended by the Task Force as of January 20, 1999
Log as of January 23, 1999**

Rev. Std.	Meeting Date	Language	Date of Review	Status
s 4	14-Aug-98	Each implementation of a current proprietary business function category on EBBs should remain available until such time as that business function category is tested and implemented via a Customer Activities Web site.	9-11	c 10-18 e 12-17 r 1-23
s 5	14-Aug-98	Standard navigation should be used to access all business functions on industry Web sites.	9-11	c 10-18 e 12-17 r 1-23
s 6	14-Aug-98	Navigation through the industry Web site menus should be consistent for location and technique.	9-11	c 10-18 e 12-17 r 1-23
s 7	14-Aug-98	The categories and the labels for Customer Activities Web sites should appear, if applicable, in the Navigational Area as follows: <ul style="list-style-type: none"> • Nominations • Flowing Gas • Invoicing • Capacity Release • Contracts • Informational Postings • Site Map Links supporting Mutually Agreeable categories should precede Informational Postings.	9-11	c 10-18 e 12-17 r 1-23
s 8	14-Aug-98 2-Nov-98	The sub-categories and the labels for the category of Nominations should appear, if applicable, in the Navigational Area as follows: <ul style="list-style-type: none"> • Nomination • Confirmation • Scheduled Quantity Links supporting additional sub-categories will follow these links. This does not preclude a further breakdown within each sub-category from being listed in the Navigational Area.	9-11 11-13	c 11-23 e 12-17 r 1-23
s 9	14-Aug-98 1-Dec-98	The sub-categories and the labels for the category of Flowing Gas should appear, if applicable, in the Navigational Area as follows: <ul style="list-style-type: none"> • Pre-determined Allocation • Allocation • Imbalance • Measurement Links supporting additional sub-categories will follow these links. This does not preclude a further breakdown within each sub-category from being listed in the Navigational Area.	9-11	c 12-22 e 1-21
s 10	14-Aug-98 20-Jan-99	The sub-categories and the labels for the category of Invoicing should appear, if applicable, in the Navigational Area as follows: <ul style="list-style-type: none"> • Invoice • Payment Remittance • Statement of Account Links supporting additional sub-categories will follow these links. This does not preclude a further breakdown within each sub-category from being listed in the Navigational Area.	9-11	c 2-5

Status Codes: c - date sent out for industry comment, e - date item passed by Executive Committee, r - date ratified, f - date item failed by Executive Committee, p - date postponed

**Gas Industry Standards Board EBB Internet Implementation Task Force
Standards Recommended by the Task Force as of January 20, 1999
Log as of January 23, 1999**

Rev. Std.	Meeting Date	Language	Date of Review	Status
s 11	14-Aug-98	The sub-categories and the labels for the category of Capacity Release should appear, if applicable, in the Navigational Area as follows: <ul style="list-style-type: none"> • Offers • Bids • Awards Links supporting Mutually Agreeable sub-categories will follow these links. This does not preclude a further breakdown of sub-sub-categories within each sub-category from being listed in the Navigational Area.	9-11	
s 12	14-Aug-98	The sub-categories and the labels for the category of Contracts should appear, if applicable, in the Navigational Area as follows: <ul style="list-style-type: none"> • To be Determined Links supporting Mutually Agreeable sub-categories will follow these links. This does not preclude a further breakdown of sub-sub-categories within each sub-category from being listed in the Navigational Area.	9-11	
s 13	14-Aug-98	A Customer Activities Web page may display information (data elements and code values) from multiple functionally related EDI data sets (i.e. nominated quantities and scheduled quantities may appear on the same Web screen).	9-11, 10-12	c 10-18 e 12-17 r 1-23
s 14	14-Aug-98	GISB standard code value descriptions should be displayed for code values where appropriate.	9-11	c 10-18 e 12-17 r 1-23
s 15	20-Aug-98	The Customer Activities Web Site should include the name, nickname, or name abbreviation of the Transportation Service Provider in the browser title bar. The name of the business function should be displayed in the Header.	9-11, 10-12	c 10-18 e 12-17 r 1-23
s 16	20-Aug-98	Where they exist for the same business function, flat files and EDI should use the same nomenclature for data set names, data element names, code values and/or code value descriptions, abbreviations and message text. Corresponding Web pages should use data set names, data element names, code value descriptions, abbreviations and message text that correspond to those used in flat files and EDI, where they exist.	9-11	c 10-18 e 12-17 r 1-23
s 17	20-Aug-98	Totals, when appropriate, should be displayed within the Content Area of the Web page in a manner which distinguishes them from the data.	9-11	c 10-18 e 12-17 r 1-23
s 18	20-Aug-98	Where navigation and/or processing functions exist for a Customer Activity, the Content Area should contain navigation in the Header on the left and processing functions in the Header on the right.	9-11, 10-12	c 10-18 e 12-17 r 1-23
s 19	20-Aug-98	Navigation for input data lookups, if provided, should be placed near the field being looked up. Navigation for informational lookups, if provided, should be included in the Header.	9-11, 10-12	c 10-18 e 12-17 r 1-23

Status Codes: c - date sent out for industry comment, e - date item passed by Executive Committee, r - date ratified, f - date item failed by Executive Committee, p - date postponed

**Gas Industry Standards Board EBB Internet Implementation Task Force
Standards Recommended by the Task Force as of January 20, 1999
Log as of January 23, 1999**

Rev. Std.	Meeting Date	Language	Date of Review	Status
s 20	20-Aug-98	GISB Common Codes for entity and location should be available for data validation or selection (viewing) on a Customer Activities Web site and in a standardized downloadable format for use by customers and third party service providers. Cross-references to proprietary codes may be provided on a mutually agreeable basis.	9-11, 10-12	c 10-18 e 12-17 r 1-23
s 21	17-Sep-98	A Transportation Service Provider (TSP) which determines to provide new features utilizing existing transaction sets via GISB EBB/EDM, for each transaction upon inception of support for such service, should: <ul style="list-style-type: none"> • If GISB EDI/EDM or FF/EDM standards exist for the transaction set, provide the service via EDI/EDM, or FF/EDM or both, utilizing modifications defined by the TSP to the existing file structures; and, • Submit a request for modification or enhancement of the transaction set to GISB including details of the interim EBB/EDM, EDI/EDM and/or FF/EDM implementation. 	11-13	c 10-18 e 12-17 r 1-23
s 22	3-Sep-98	Where a Transportation Service Provider (TSP) utilizes a subset of available GISB code values for specific data elements for inbound documents to the TSP, the TSP should make available a list of the supported code values in a download utilizing a GISB electronic format.	10-12	c 10-18 e 12-17 r 1-23
s 23	3-Sep-98	With regard to navigational links on Customer Activities Web sites, when using abbreviations, the following should be used: [Please refer to the table in the appendix for the abbreviations]	10-12	c 10-18 e 12-17 r 1-23
s 24	3-Sep-98 10-16-98	On the Nominations Web page, data should be organized in the Form in logical groupings. The logical groupings of data are specified in the Nominations Data Dictionary.	10-12, 11-13	c 11-23 e 12-17 r 1-23

Status Codes: c - date sent out for industry comment, e - date item passed by Executive Committee, r - date ratified, f - date item failed by Executive Committee, p - date postponed

**Gas Industry Standards Board EBB Internet Implementation Task Force
Standards Recommended by the Task Force as of January 20, 1999
Log as of January 23, 1999**

Rev. Std.	Meeting Date	Language	Date of Review	Status
s 25	3-Sep-98 20-Jan-99	GISB FF/EDM flat files should be formatted as ASCII comma separated value (CSV) files. This means: <ul style="list-style-type: none"> • Rows are separated by a carriage return/line feed (CRLF). • Fields are separated by commas. • When a field contains a comma, the field should be enclosed by double-quotes. • Double-quotes should not be used within any data field. • When numeric data is negative, the minus sign should precede the number. • When numeric data contains decimal precision, the decimal point should be included within the field. • When numeric data contains one or more significant leading zeros, these zeros should be preserved in the flat file. • Date fields should be formatted as YYYYMMDD. • Time fields should be specified in a 24 hour format, formatted as HH:MM or HH:MM:SS, as applicable. • Date/Time fields should be formatted as YYYYMMDD HH:MM or YYYYMMDD HH:MM:SS when date and time are expressed in one GISB data element. Note that there should be exactly one space between the day (DD) and the hour (HH). • The maximum amount of data to be placed in a field should be limited to 256 characters. • When a field contains no data, the empty field should result in two delimiters next to each other. Note that there should be no blank spaces between the delimiters. 	10-12	c 2-5
s 26	3-Sep-98 20-Jan-99	[DELETED]	10-12	n/a
s 27	3-Sep-98 20-Jan-99	For a GISB FF/EDM flat file, the first row of the file should be comprised of the standard abbreviations for GISB data elements, including any additional data elements added per GISB Standard No. [s21], in the order in which the corresponding data is to appear in all subsequent rows. The data element order is at the option of the sender. If a data element abbreviation is not recognized, the entire flat file should be rejected.	10-12	c 2-5
s 28	3-Sep-98 20-Jan-99	For GISB FF/EDM flat files, each transaction (e.g. nomination) should be contained in a single row.	10-12	c 2-5
s 29	3-Sep-98	Where display information on a Customer Activities Web site is derivable from data provided in a previous upload or download, the information should not be included in the EDI/EDM standards [or FF/EDM standard, for later consideration] that directly correspond to the EBB/EDM Web page being displayed.	10-12	c 10-18 e 12-17 r 1-23
s 30	17-Sep-98	The industry should use common codes for location points and legal entities when communicating via EDI/EDM, EBB/EDM and/or FF/EDM. The corresponding common code name should also be used in EBB/EDM.	10-12	c 10-18 e 12-17 r 1-23

Status Codes: c - date sent out for industry comment, e - date item passed by Executive Committee, r - date ratified, f - date item failed by Executive Committee, p - date postponed

**Gas Industry Standards Board EBB Internet Implementation Task Force
Standards Recommended by the Task Force as of January 20, 1999
Log as of January 23, 1999**

Rev. Std.	Meeting Date	Language	Date of Review	Status
s 31	17-Sep-98	Customer Activities Web pages should support entry of the maximum length for valid data, however, display can be done in a manner to minimize left to right scrolling.	10-12	c 10-18 e 12-17 r 1-23
s 32	17-Sep-98	On Customer Activities Web pages, informational display fields can be displayed with related data.	10-12	c 10-18 e 12-17 r 1-23
s 33	17-Sep-98	Providers of Customer Activities Web sites should ensure that the site operates within the guidelines of the "Technical Characteristics of the Client Workstation" described in the Appendix of the Electronic Delivery Mechanism Related Standards Manual. This appendix, listing examples of hardware and software configurations that providers should meet, should be reviewed and updated by the Future Technology Task Force, at a minimum, by the spring of each year and presented to the GISB Executive Committee for adoption by the June meeting of that committee.	10-12	c 10-18 e 12-17 r 1-23
s 34	17-Sep-98 2-Nov-98	Access to the Customer Activities Web Site should be protected by HTTP Basic Authentication or similar logon/password mechanism(s). A Customer Activities Web site should typically require a single logon/password pair for each user session.	10-12 11-13	c 10-18 e 12-17 r 1-23
s 35	17-Sep-98	At a minimum, data communications for Customer Activities Web sites should utilize 40-bit encryption. Where possible, 128-bit encryption is strongly recommended.	10-12	c 10-18 e 12-17 r 1-23
s 36	17-Sep-98	Custom downloadable modules presented by a Customer Activities Web site should be signed by the author. The signatures on these modules should be communicated in advance to Web site users.	10-12	c 10-18 e 12-17 r 1-23
s 37	17-Sep-98	In the Navigational Area of the Informational Postings Web Site, the navigational link for "Customer Activities" should appear directly above the navigational link for "Site Map."	10-12	c 10-18 e 12-17 r 1-23
s 38	17-Sep-98	Private network connections to GISB EDM Web sites which include all GISB standardized Internet communication may be at any point on the Transportation Service Provider's (TSP's) firewall boundary at the TSP's discretion on a non-discriminatory access basis. The specific type and speed of these connections should be mutually agreed. It is at the discretion of the TSP on how multiple private network connections should be managed, so long as such management is done on a non-discriminatory access basis. TSPs are not responsible for any additional security exposures when using these private network connections.	10-12	c 10-18 e 12-17 r 1-23
s 39	1-Oct-98	On Customer Activities Web sites, nominations data entry should be available on the Form and the Transportation Service Provider may also provide for nominations data entry on the Matrix.	10-12	c 11-23 e 12-17 r 1-23

Status Codes: c - date sent out for industry comment, e - date item passed by Executive Committee, r - date ratified, f - date item failed by Executive Committee, p - date postponed

**Gas Industry Standards Board EBB Internet Implementation Task Force
Standards Recommended by the Task Force as of January 20, 1999
Log as of January 23, 1999**

Rev. Std.	Meeting Date	Language	Date of Review	Status
s 40	1-Oct-98 2-Nov-98	On the nominations data entry screen, data should be organized in logical groupings as defined in the Data Dictionary. The initial data element should be: <u>DATA GROUP</u> <u>INITIAL ELEMENT</u> Business Entity Transportation Service Provider Contracts Service Requester Contract Dates Beginning Date Receipt Receipt Location Delivery Delivery Location Transaction Specific Service Provider's Activity Code If the initial element is not present, the next supported data element becomes the initial element for that data group.	10-12 11-13	c 11-23 e 12-17 r 1-23
s 41	1-Oct-98	In the Form area of the nominations data entry screen, the data groups should appear in the following order: Business Entity, Contract, Dates, Receipt, Delivery and Transaction Specific.	10-12	c 11-23 e 12-17 r 1-23
s 42	1-Oct-98	The Transportation Service Provider's Customer Activities Web Site should include the name, nickname, or name abbreviation of the parent company and/or Transportation Service Provider so that it will appear first in the browser title bar.	10-12	c 10-18 e 12-17 r 1-23
s 43		[Shown in modifications to existing standard 4.3.34]	n/a	n/a
s 44	1-Oct-98 20-Nov-98	When the Form and the Matrix for Customer Activities Web sites are separate Web pages, a subset of the Form may be included by the Transportation Service Provider in the upper Content Area of the Matrix page.	10-12	c 11-23 e 12-17 r 1-23
s 45	16-Oct-98	The nominations data area of Customer Activities Web sites should include a Form and a Matrix. The Form and the Matrix may be combined into one if no left and right scrolling is required to enter a nomination.	11-13	c 11-23 e 12-17 r 1-23

Status Codes: c - date sent out for industry comment, e - date item passed by Executive Committee, r - date ratified, f - date item failed by Executive Committee, p - date postponed

**Gas Industry Standards Board EBB Internet Implementation Task Force
Standards Recommended by the Task Force as of January 20, 1999
Log as of January 23, 1999**

Rev. Std.	Meeting Date	Language	Date of Review	Status
s 46	16-Oct-98 18-Dec-98	On the nominations data entry screen, fields in the data groups on the Form should appear in the following order: Business Entity Data Group: Transportation Service Provider Service Requester Contracts Data Group: Service Requester Contract Model Type Dates Data Group: Beginning Date Beginning Time Ending Date Ending Time Receipt Data Group: Receipt Location Upstream Identifier Code Upstream Contract Identifier Receipt Quantity Receipt Rank (Priority) Upstream Rank (Priority) Upstream Package ID Delivery Data Group: Delivery Location Downstream Identifier Code Downstream Contract Identifier Delivered Quantity Delivery Rank (Priority) Downstream Rank (Priority) Downstream Package ID Transaction Specific Data Group: Service Provider's Activity Code Transaction Type Package ID Associated Contract Bid Transportation Rate Capacity Type Indicator Deal Type Nominator's Tracking ID	11-13	c 11-23 e 12-17 c 12-22 e 1-21
s 47	16-Oct-98	[INCLUDED IN s46]	11-13	n/a
s 48	16-Oct-98	A Transportation Service Provider which determines to provide new services which do not utilize existing transaction sets via GISB EBB/EDM, should, prior to implementation, submit a request for standardization to GISB including descriptions of the EBB/EDM, EDI/EDM and, as applicable, FF/EDM implementation.	11-13	c 10-18 e 12-17 r 1-23
s 49	16-Oct-98	On Customer Activities Web sites, information which is not part of a data dictionary may be displayed.	11-13	c 10-18 e 12-17 r 1-23

Status Codes: c - date sent out for industry comment, e - date item passed by Executive Committee, r - date ratified, f - date item failed by Executive Committee, p - date postponed

**Gas Industry Standards Board EBB Internet Implementation Task Force
Standards Recommended by the Task Force as of January 20, 1999
Log as of January 23, 1999**

Rev. Std.	Meeting Date	Language	Date of Review	Status
s 50	2-Nov-98	On Customer Activities Web sites, the following standard nomenclature should be used for processing functions, when the associated function is supported by the Transportation Service Provider (TSP). TSPs may also support additional processing functions. [Please refer to the table in the appendix for the abbreviations]	11-13	c 11-23 e 12-17 r 1-23
s 51	2-Nov-98	Transportation Service Providers should be limited to the GISB approved list of available TCP ports and UDP ports for EDM implementations included in the Appendix of the Electronic Delivery Mechanism Related Standards Manual under Client Firewall Requirements for Service Provider EDM Implementations.	11-13	c 11-23 e 12-17 r 1-23
s 52	2-Nov-98	Transportation Service Provider EDM implementations should not require any inbound ports to be opened on the client-side firewall.	11-13	c 11-23 e 12-17 r 1-23
s 53	2-Nov-98 20-Jan-99	For Interactive Flat File EDM, 40-bit Secure Sockets Layer (SSL) encryption should be used. Where possible, 128-bit SSL encryption is strongly recommended.	11-13	c 2-5
s 54	2-Nov-98 20-Jan-99	Access to Interactive Flat File EDM should be protected by HTTP Basic Authentication.	11-13	c 2-5
s 55	2-Nov-98 17-Dec-98	Providers of Customer Activities Web sites, at their discretion, may provide alternate views to data and transactions in addition to the GISB basic views (industry common views). The alternate views should not replace GISB basic views and should be offered as separate views, if available. If an alternate view is offered, the GISB basic view should be the default view and clearly labeled as the GISB basic view. Any alternate views must offer the same business result as the basic view and be accessible to all applicable users. The basic views must offer the same business result as the alternate views and be accessible to all applicable users.	11-13	c 11-23 e 12-17 r 1-23
s 56	2-Nov-98	The Content Area of the nominations browser display should provide access to a query or listing of receipt and delivery point location names/common codes from which to pick, in order to populate this data during transaction entry or selection.	11-13	c 11-23 e 12-17 r 1-23
s 57	2-Nov-98 17-Dec-98	Validation Messages for nominations submitted should contain a comparable level of detail for GISB EBB/EDM and EDI/EDM.	11-13	c 11-23 e 12-17 r 1-23
s 58	2-Nov-98	Data fields used to populate or control population of other fields can be placed before the fields to be populated. If these data elements apply to the entire Content Area they can appear in the Header. If the Transportation Service Provider elects to place such data fields in an order outside of the standardized order, the labels for these data fields should be distinguishable through visual cues from the labels of data elements in the standardized order.	11-13	c 11-23 e 12-17 r 1-23
s 59	2-Nov-98	[INCLUDED IN s46]	11-13	n/a
s 60	2-Nov-98	[INCLUDED IN s46]	11-13	n/a
s 61	2-Nov-98	[INCLUDED IN s46]	11-13	n/a

Status Codes: c - date sent out for industry comment, e - date item passed by Executive Committee, r - date ratified, f - date item failed by Executive Committee, p - date postponed

**Gas Industry Standards Board EBB Internet Implementation Task Force
Standards Recommended by the Task Force as of January 20, 1999
Log as of January 23, 1999**

Rev. Std.	Meeting Date	Language	Date of Review	Status
s 62	2-Nov-98	Each data element which has been submitted for standardization in the GISB process should follow the GISB ordered data elements on the Form within a data group selected by the Transportation Service Provider.	11-13	c 11-23 e 12-17 r 1-23
s 63	2-Nov-98 20-Nov-98	On the confirmation data entry screen, the data groups should be organized in logical groupings as defined in the Data Dictionary. The initial data element should be: DATA GROUP INITIAL ELEMENT Business Entity Confirmation Requester Contracts Confirmation Service Contract Dates Beginning Date Location Location Transaction Specific Contractual Flow Indicator	11-13	c 11-23 e 12-17 r 1-23
s 64	2-Nov-98	On the confirmation data entry screen, one of the following confirmation views should be supported: Location View Contract View On the confirmation data entry screen for the location view, the data groups should appear in the following order: Business Entity Dates Location Contracts Transaction Specific On the confirmation data entry screen for the contract view, the data groups should appear in the following order: Business Entity Contracts Dates Location Transaction Specific	11-13	c 11-23 e 12-17 r 1-23
s 65	2-Nov-98	On the Scheduled Quantity Web page, data should be organized in logical groupings. The logical groupings of data are specified in the Scheduled Quantity Data Dictionary.	11-13	c 11-23 e 12-17 r 1-23
s 66	2-Nov-98	Data Dictionary data elements should accommodate super-nominations. If a Transportation Service Provider chooses to support super-nominations, the GISB standard data sets should accommodate it.	11-13	c 12-22 p 1-21
s 67	2-Nov-98	Data Dictionary data elements should accommodate confirmation by exception (CBE). If a Transportation Service Provider chooses to support CBE, the GISB standard data sets should accommodate it.	11-13	c 12-22 p 1-21

Status Codes: c - date sent out for industry comment, e - date item passed by Executive Committee, r - date ratified, f - date item failed by Executive Committee, p - date postponed

**Gas Industry Standards Board EBB Internet Implementation Task Force
Standards Recommended by the Task Force as of January 20, 1999
Log as of January 23, 1999**

Rev. Std.	Meeting Date	Language	Date of Review	Status
s 68	20-Nov-98	<p>On the confirmation data entry screen, fields in the data groups should appear in the following order:</p> <p>Business Entity Data Group:</p> <ol style="list-style-type: none"> 1. Confirmation Requester 2. Confirming Party 3. Transaction Identifier <p>Contracts Data Group:</p> <ol style="list-style-type: none"> 1. Confirmation Service Contract 2. Confirmation Service Identifier Code <p>Dates Data Group:</p> <ol style="list-style-type: none"> 1. Beginning Date 2. Beginning Time 3. Ending Date 4. Ending Time <p>Location Data Group:</p> <ol style="list-style-type: none"> 1. Location <p>Transaction Specific Data Group:</p> <ol style="list-style-type: none"> 1. Contractual Flow Indicator 2. Upstream Identifier Code/Downstream Identifier Code 3. Upstream Contract Identifier/Downstream Contract Identifier 4. Service Requester 5. Service Requester Contract 6. Package ID 7. Quantity 8. Reduction Reason (Confirmation Purposes Only) 9. Receipt Rank (Priority)/ Delivery Rank (Priority) 10. Upstream Package ID/Downstream Package ID 11. Associated Contract 12. Confirmation Tracking Identifier 	c 11-23 e 12-17 r 1-23	

Status Codes: c - date sent out for industry comment, e - date item passed by Executive Committee, r - date ratified, f - date item failed by Executive Committee, p - date postponed

**Gas Industry Standards Board EBB Internet Implementation Task Force
Standards Recommended by the Task Force as of January 20, 1999
Log as of January 23, 1999**

Rev. Std.	Meeting Date	Language	Date of Review	Status	
s 69	20-Nov-98 18-Dec-98	On the scheduled quantity Web page, fields in the data groups on the Form should appear in the following order: Business Entity Data Group: Transportation Service Provider Service Requester Statement Date/Time Contracts Data Group: Service Requester Contract Model Type Dates Data Group: Beginning Date Beginning Time Ending Date Ending Time Receipt Data Group: Receipt Location Upstream Identifier Upstream Contract Identifier Receipt Quantity Receipt Rank (Priority) Upstream Package ID Delivery Data Group: Delivery Location Downstream Identifier Downstream Contract Identifier Delivery Quantity Delivery Rank (Priority) Downstream Package ID Transaction Specific Data Group: Reduction Reason Service Provider's Activity Code Transaction Type Package ID Associated Contract Bid Transportation Rate Capacity Type Indicator Deal Type Nominator's Tracking ID		c 11-23 e 12-17 c 12-22 e 1-21	
s 70	20-Nov-98	The scheduled quantity Web page of Customer Activities Web sites should include a Form and a Matrix. The Form and the Matrix may be combined into one if no left and right scrolling is required.		c 11-23 e 12-17 r 1-23	

Status Codes: c - date sent out for industry comment, e - date item passed by Executive Committee, r - date ratified, f - date item failed by Executive Committee, p - date postponed

**Gas Industry Standards Board EBB Internet Implementation Task Force
Standards Recommended by the Task Force as of January 20, 1999
Log as of January 23, 1999**

Rev. Std.	Meeting Date	Language	Date of Review	Status
s 71	20-Nov-98	On the scheduled quantity for operator Web page, fields in the data groups should appear in the following order: Business Entity Group Preparer ID Statement Recipient ID Statement Date/Time Contracts Data Group Confirmation Service Contract Confirmation Service Identifier Code Dates Data Group Beginning Date Beginning Time Ending Date Ending Time Locations Data Group Location Transaction Specific Data Group Contractual Flow Indicator Upstream Identifier Code/Downstream Identifier Code Upstream Contract Identifier/Downstream Contract Identifier Service Requester Service Requester Contract Package ID Quantity Reduction Reason Upstream Package ID/Downstream Package ID Confirmation Tracking Identifier	c 11-23 e 12-17 r 1-23	
s 72	01-Dec-98	Data Dictionary data elements should accommodate the mutually agreed upon business practice of Entity maintenance. If a Transportation Service Provider chooses to support Entity Maintenance, the GISB standard datasets should accommodate it.	c 12-22 p 1-21	
s 73	01-Dec-98 18-Dec-98	On the Web pages for the following datasets, data should be organized in logical groupings. The logical groupings of data are specified in the related Data Dictionary. Flowing Gas Related Data Sets: 2.4.1 Pre-determined Allocation 2.4.3 Allocation 2.4.4 Shipper Imbalance 2.4.5 Measurement Information Note: GISB Standard No. 2.4.6, 'Measured Volume Audit Statement', is very data intensive and lends itself well to EDI. It may be too intensive for a visual display which is why at this time it is not addressed in the above motion.	c 12-22 e 1-21	
s 74	01-Dec-98 18-Dec-98	[Deleted]	n/a	n/a

Status Codes: c - date sent out for industry comment, e - date item passed by Executive Committee, r - date ratified, f - date item failed by Executive Committee, p - date postponed

**Gas Industry Standards Board EBB Internet Implementation Task Force
Standards Recommended by the Task Force as of January 20, 1999
Log as of January 23, 1999**

Rev. Std.	Meeting Date	Language	Date of Review	Status
s 75	01-Dec-98	On a Customer Activities Web page, where the Form and the Matrix are combined, any data groupings and ordering for the corresponding Form should apply.		c 12-22 e 1-21
s 76	01-Dec-98	Where a Transportation Service Provider populates the Upstream/Downstream Identifier via its EBB/EDM implementation based upon provision of an upstream or downstream contract identifier at pooling and logical points, an EDI nomination should be provided the same capability.		c 12-22 e 1-21
s 77	01-Dec-98	When a Form and a Matrix exist for a Customer Activities Web page, a mechanism should exist to populate the Form with data from a selected item in the Matrix.		c 12-22 e 1-21
s 78	18-Dec-98	On the Scheduled Quantity Web page, a mechanism should exist to allow the display of those line items that result in nomination reductions before all other line items are displayed, or to allow the selection of only those line items that have been reduced		c 12-22 e 1-21
s 79	18-Dec-98	On the Allocation Web page, fields in the data groups should appear in the following order: Business Entity Data Group: Preparer ID Contact Person Statement Recipient ID Statement Date/Time Dates Data Group: Accounting Period Beginning Flow Date Beginning Flow Time Ending Flow Date Ending Flow Time Location Data Group: Location Code Flowing Gas Data Group: Ending Imbalance Quantity Ending Imbalance Value Transaction Specific Data Group: Direction of Flow Upstream Identifier Code Upstream Contract Identifier Service Requester ID Service Requester Contract Downstream Identifier Code Downstream Contract Identifier Statement Basis Adjustment Type Scheduled Quantity Operational Quantity Allocated Quantity Penalty Variance Quantity Service Provider Activity Code Package ID Associated Contract		c 12-22 e 1-21

Status Codes: c - date sent out for industry comment, e - date item passed by Executive Committee, r - date ratified, f - date item failed by Executive Committee, p - date postponed

**Gas Industry Standards Board EBB Internet Implementation Task Force
Standards Recommended by the Task Force as of January 20, 1999
Log as of January 23, 1999**

Rev. Std.	Meeting Date	Language	Date of Review	Status
s 80	18-Dec-98	On the Shipper Imbalance Web page, fields in the data groups should appear in the following order: Business Entity Data Group: Preparer ID Contact Person Statement Recipient ID Statement Date/Time Contracts Data Group: Service Requester Contract Dates Data Group: Accounting Period Beginning Flow Date Beginning Flow Time Ending Flow Date Ending Flow Time Flowing Gas Data Group: Ending Imbalance Quantity Ending Imbalance Value Receipt Data Group: Receipt Location Upstream Identifier Code Upstream Contract Identifier Scheduled Receipt Quantity Operational Receipt Quantity Allocated Receipt Quantity Delivery Data Group: Delivery Location Downstream Identifier Code Downstream Contract Identifier Scheduled Delivery Quantity Operational Delivery Quantity Allocated Delivery Quantity Transaction Specific Data Group: Service Provider's Activity Code Transaction Type Package ID Bid Transportation Rate Capacity Type Indicator Fuel Quantity Statement Basis Adjustment Type Adjustment Quantity Adjustment Value Imbalance Value Zone Identifier	c 12-22 e 1-21	

Status Codes: c - date sent out for industry comment, e - date item passed by Executive Committee, r - date ratified, f - date item failed by Executive Committee, p - date postponed

**Gas Industry Standards Board EBB Internet Implementation Task Force
Standards Recommended by the Task Force as of January 20, 1999
Log as of January 23, 1999**

Rev. Std.	Meeting Date	Language	Date of Review	Status
s 81	18-Dec-98	<p>On the Pre-determined Allocation Web page, fields in the data groups should appear in the following order:</p> <p>Business Entity Data Group:</p> <ul style="list-style-type: none"> Preparer ID Contact Person Statement Recipient ID Statement Date/Time <p>Dates Data Group:</p> <ul style="list-style-type: none"> Beginning Flow Date Beginning Flow Time Ending Flow Date Ending Flow Time <p>Location Data Group:</p> <ul style="list-style-type: none"> Location Code <p>Flowing Gas Data Group:</p> <ul style="list-style-type: none"> Allocation Method Allocation Rank Indicator Allocation Rank Level Limit Value <p>Transaction Specific Data Group:</p> <ul style="list-style-type: none"> Direction of Flow Upstream Identifier Code Upstream Contract Identifier Service Requester ID Service Requester Contract Downstream Identifier Code Downstream Contract Identifier Bid Transportation Rate Service Provider Activity Code Package ID Associated Contract 	c 12-22 e 1-21	
s 82	20-Jan-99	<p>On the Invoicing Web page of the Customer Activities Web site, a mechanism should exist to allow for the Printing and Download of the Transportation Invoice for the current billing month.</p>	c 2-5	
s 83	20-Jan-99	<p>On the Invoicing Web page of the Customer Activities Web site, a mechanism should exist to allow for the Printing and Download of the Sales Invoice for the current billing month.</p>	c 2-5	

Status Codes: c - date sent out for industry comment, e - date item passed by Executive Committee, r - date ratified, f - date item failed by Executive Committee, p - date postponed

**Gas Industry Standards Board EBB Internet Implementation Task Force
Standards Recommended by the Task Force as of January 20, 1999
Log as of January 23, 1999**

Appendix

STATUS: (1) Comment Period Began 10-18-98
(2) Executive Committee Vote on 12-17-98
(3) Members Ratified Standard on 1-23-99

Abbreviation Table for Recommended Standard s23

Full Name	Abbreviation
Customer Activities	Customer Activities
Nominations	Nominations
Flowing Gas	Flowing Gas
Invoicing	Invoicing
Capacity Release	Capacity Release
Contracts	Contracts
Informational Postings	Info Postings
Site Maps	Site Maps
Nomination Area	Nominations
Nomination	Nom
Nomination Quick Response	Nom QR
Request for Confirmation	Req for Conf
Confirmation Response	Conf Resp
Confirmation Response Quick Response	Conf Resp QR
Scheduled Quantity	Sched Qty
Scheduled Quantity for Operators	Sched Qty Oper
Flowing Gas Area	Flowing Gas
Pre-determined Allocation	PDA
Pre-determined Allocation Quick Response	PDA QR
Allocation	Allocation
Shipper Imbalance	Shipper Imbal
Measurement Information	Meas Info
Measured Volume Audit Statement	Meas Vol Audit
Invoicing Area	Invoicing
Invoice	Invoice
Service Requester Level Charge/Allowance Invoice	Svc Req Invc
Payment Remittance	Pmt Remit
Statement of Account	Stmt of Acct
Capacity Release Area	Capacity Release
Offers	Offers
Bids	Bids
Awards	Awards
Contracts Area	Contracts

Status Codes: c - date sent out for industry comment, e - date item passed by Executive Committee, r - date ratified, f - date item failed by Executive Committee, p - date postponed

**Gas Industry Standards Board EBB Internet Implementation Task Force
Standards Recommended by the Task Force as of January 20, 1999
Log as of January 23, 1999**

Appendix

STATUS: (1) Comment Period Began 11-23-98
 (2) Executive Committee Vote on 12-17-98
 (3) Members Ratified Standard on 1-23-99

Abbreviation Table for Recommended Standard s50

50. On Customer Activities Web sites, the following standard nomenclature should be used for processing functions when the associated function is supported by the Transportation Service Provider (TSP). TSPs may also support additional processing functions.

Processing Function	Nomenclature
Create a new line item for data entry in the Matrix.	New
Copy existing data on a screen or window.	Copy
Delete the current line item from the Matrix, the screen or the window prior to Submit.	Delete
Back out of a screen or window without executing the process, which will cause the loss of all updates since the last Submit.	Cancel
Print application data.	Print
Send record/records from the Matrix to the TSP for processing.	Submit
Sort displayed records based on specified criteria.	Sort
Retrieve information from the TSP based on specified criteria.	Retrieve
Post a line item from the Form to the Matrix as a change to the current line item in the Matrix prior to Submit.	Change
Clear fields on the Form.	Clear
Post a line item from the Form to the Matrix as a new record.	Add
Provide information regarding the current page or function.	Help
Filter displayed records based on specified criteria.	Filter

**Gas Industry Standards Board EBB Internet Implementation Task Force
Standards Recommended by the Task Force as of January 20, 1999
Log as of January 23, 1999**

Appendix

**STATUS: (1) Comment Period Began 10-18-98
(2) Executive Committee Vote on 12-17-98**

**Implementation Guide Recommendations -- September 17, 1998
Amended October 1, 1998**

Implementation Guide Content under Customer Activities Sites

Minimum Technical Characteristics of the Client Workstation

Configuration* Description:

Hardware:

CPU >= 166 MHz
Memory >= 64 MB Physical
Display Resolution >= 800 x 600

Operating Systems:

Multi-threaded and preemptive

Connection:

>=56KB (V90)

Browser Characteristics (includes defined GISB current versions):

Features as supported by both Netscape®¹ v4.06 and Internet Explorer®² v4.0 sp1 including:

- Frames and nested frames
 - Tables and nested tables
 - Style Sheets
 - HTML
 - Cookies
 - JavaScript
 - SSL®³ (40 Bit RSA)
-
- JAVA®⁴ 1.1.6 Sun®⁴ JDK (plug-in)
 - ActiveX®² (Plug-in for Netscape®¹)
 - ICA®⁵ v4 (Plug-in)

*configuration shown indicates a minimum except where a specific level is established. "Minimum" implies a level where a reasonable experience for the user may be achieved. These levels also indicate the level that a user may expect that a client has been tested. Results may be less than satisfactory or may preclude use of a site if the user chooses to use anything less than those levels shown.

¹ Netscape® is a registered trademark of Netscape Communications Corp.
² Internet Explorer® and ActiveX® are registered trademarks of Microsoft Corporation.
³ SSL® is a registered trademark of Solid State Logic Limited.
⁴ JAVA® and Sun® are registered trademarks of Sun Microsystems, Inc.
⁵ ICA® is a registered trademark of Citrix Systems, Inc.

**Gas Industry Standards Board EBB Internet Implementation Task Force
Standards Recommended by the Task Force as of January 20, 1999
Log as of January 23, 1999**

Appendix

**STATUS: (1) Comment Period Began 10-18-98
(2) Executive Committee Vote on 12-17-98**

**Implementation Guide Recommendations -- September 17, 1998
Amended October 1, 1998**

Example Configurations of Client for Accessing Customer Activities Sites⁶

EXAMPLES BELOW REPRESENT A NON-COMPREHENSIVE SET OF CONFIGURATIONS WHICH A CLIENT MAY USE. THIS EXAMPLE LIST IN NO WAY SHOULD BE CONSTRUED AS AN ENDORSEMENT BY GISB OF ANY SPECIFIC PRODUCTS. OTHER PRODUCTS MEETING THE MINIMUM TECHNICAL CHARACTERISTICS OF THE CLIENT WORKSTATION MAY BE MAY BE USED.

Hardware:

CPU: P166 MHz or higher
Memory >= 64 MB Physical
Display Resolution >= 800 x 600
Pointing Device with left and right click capability

Operating Systems:

Windows⁷ 95
Windows⁷ 98
Windows⁷ NT 4.0 service pack 3

Connection:

56KB (V90) modem
ISDN
Direct Connect (T1, Fractional T1...)

Browser:

Netscape⁸ Communicator/Navigator v4.06
Microsoft Internet Explorer⁹ v4.0 service pack 1

Plug-ins:

JAVA¹⁰ 1.1.6 Sun JDK (Activator)
ActiveX⁹ (Plug-in for Netscape)
ICA¹¹ v4 (Plug-in)

SPECIFIC PRODUCTS SHOULD BE REVIEWED PRIOR TO IMPLEMENTATION FOR YEAR 2000 COMPLIANCE.

⁶ **Note to EII Task Force from the Future Technology Task Force (9/11/98):**

There is still a review of port numbers possibly needed to be opened on the client-side for certain protocols to be used. We want to arrive at a limited list on which users may rely to be able to access many TSP sites. Along with this, will be some other firewall administration notes addressing items such as applets. We intend to complete this draft in our October FTTF meeting.

⁷ Windows[®] is a registered trademark of Microsoft Corporation.

⁸ Netscape[®] is a registered trademark of Netscape Communications Corp.

⁹ Internet Explorer[®] and ActiveX[®] are registered trademarks of Microsoft Corporation.

¹⁰ JAVA[®] is a registered trademark of Sun Microsystems. Inc.

¹¹ ICA[®] is a registered trademark of Citrix Systems, Inc.

**Gas Industry Standards Board EBB Internet Implementation Task Force
Standards Recommended by the Task Force as of January 20, 1999
Log as of January 23, 1999**

Appendix

**STATUS: (1) Comment Period Began 10-18-98
(2) Executive Committee Vote on 12-17-98**

Implementation Guide Recommendations -- September 17, 1998

Implementation Guide Content under Security for Customer Activities Sites

THE LIST OF PRODUCTS BELOW REPRESENT A NON-COMPREHENSIVE SET WHICH A CLIENT MAY USE. THIS LIST IN NO WAY SHOULD BE CONSTRUED AS AN ENDORSEMENT BY GISB OF ANY SPECIFIC PRODUCTS. OTHER PRODUCTS MEETING THE MINIMUM TECHNICAL CHARACTERISTICS OF THE CLIENT WORKSTATION MAY BE MAY BE USED.

[The GISB Future Technology Task Force will review this on an annual basis during the version check cycle.]

Minimum

40 bit* SSL® or 40 bit* RSA JAVA®¹² communications or 40 bit* Secure ICA®¹³

*128 bit encryption is strongly recommended where possible.

SPECIFIC PRODUCTS SHOULD BE REVIEWED PRIOR TO IMPLEMENTATION FOR YEAR 2000 COMPLIANCE.

¹² JAVA® is a registered trademark of Sun Microsystems, Inc.

¹³ ICA® is a registered trademark of Citrix Systems, Inc.

**Gas Industry Standards Board EBB Internet Implementation Task Force
Standards Recommended by the Task Force as of January 20, 1999
Log as of January 23, 1999**

Appendix

**STATUS: (1) Comment Period Began 10-18-98
(2) Executive Committee Vote on 12-17-98**

Implementation Guide Recommendations -- September 17, 1998

Implementation Guide Content under Redundancy

**In this context redundancy refers to normal operations redundancy (as opposed to disaster recovery contingencies).*

Customer Activities Sites

Users and providers should consider but not be limited to the following possibilities to achieve redundant connectivity:

1. Multiple dial-up connections
2. Multiple leased line connections
3. Multiple Internet service providers
4. Combinations of the above
5. Geographically diverse connections
6. Topographically diverse connections; i.e., connections which result in Internet pathways that do not pass through a single point/service/router
7. Multiple power sources for network equipment

Items 1-5 are potential means of achieving the defining characteristic of item 6. The intent is to eliminate the possibility of a single point of failure.

EDI/EDM Sites

Three possible approaches are:

1. Maintain multiple ISPs and multiple points of connectivity, each of which was identified by the same URL making the process of redundancy transparent to the sender.
2. Maintain different Internet connectivity URLs (presumably on topographically different ISPs). For this to result in communication redundancy, the sender should know of the existence of the secondary URL and have programming in place that will automatically switch batch-browser transmissions to the secondary URL when the primary URL is unavailable.
3. Maintain multiple connections to the same ISP. This involves only one URL but the presumption would be that the ISP would provide alternate diverse paths for the URL.

Receivers may maintain multiple URLs and, if such have been disclosed, the sender should attempt to use these during primary URL outages. The redundant public Internet connections can be through a single ISP or multiple ISPs.

If multiple URLs are provided for EDM access, the following conditions should be met:

1. The information provided by each URL should be exactly the same, although trans-ids can be different.
2. The trading partners should be informed of both URLs and their availability by system wide notice or by TPA.

**Gas Industry Standards Board EBB Internet Implementation Task Force
Standards Recommended by the Task Force as of January 20, 1999
Log as of January 23, 1999**

Appendix

**STATUS: (1) Comment Period Began 10-18-98
(2) Executive Committee Vote on 12-17-98**

Implementation Guide Recommendations -- September 17, 1998

Implementation Guide Content under Redundancy (Continued)

The URLs should be identified as primary and secondary if either:

1. There is a TSP connection speed difference between the URLs (The faster connection listed as primary).

or

2. One URL is only available when the other is down (primary URL being the most available).

The URLs should be listed as primary and alternate if:

1. The URLs have the same TSP connection speed.

and

2. The URLs are customarily available simultaneously.

Note: A URL is considered available (in the context of communication redundancy) if all the IP facilities are properly functioning up to and including the HTTP service. This would include any TSP provided facilities including firewalls, DNS servers, routers, hubs, LANs, etc. that are between the TSP's HTTP server and the ISP's point of presence.

**Gas Industry Standards Board EBB Internet Implementation Task Force
Standards Recommended by the Task Force as of January 20, 1999
Log as of January 23, 1999**

Appendix

STATUS: (1) Comment Period Began 11-23-98
(2) Executive Committee Vote on 12-17-98

Implementation Guide Recommendations -- November 2, 1998

Client Firewall Requirements for Service Provider EDM Implementations

[To be placed in the Electronic Delivery Mechanism Related Standards manual as implementation guidelines]

The following is a list of allowable TCP ports available for use by a Service Provider. Upon request, the Transportation Service Provider (TSP) should indicate to their trading partners which specific ports they will require to be opened to conduct electronic communication.

Allowable TCP Ports (not UDP ports):	
HTTP	80, 5713, 6112, 6304, 8674, 7403
SSL	443
ICA	1494
RMI(Java)	1099-1100
Java Telnet	31415
TCP Optional	8001-8020 ¹⁴
Allowable UDP Ports (not TCP ports):	
Secure ICA	1604

There are other technologies available that will require additional ports to be opened, such as FTP, Telnet, and SMTP. If and when GISB approves such technologies, FTF will modify this list of allowable ports accordingly.

The client-side firewall implementation and client browser settings should permit the downloading and installation of GISB approved plug-ins and modules. Please refer to the GISB defined Minimum Technical Characteristics for Accessing Customer Activities Web Sites for the listing of plug-ins and modules.

These guidelines will be reviewed and updated by the Future Technology Task Force, at a minimum, by the spring of each year and presented to the GISB Executive Committee for adoption by the June meeting of that group.

¹⁴ The reservation of 20 optional ports was to provide room for implementations such as DCE, IOP, and load balancing implementations. TSPs should endeavor to minimize the usage of these ports.

**Gas Industry Standards Board EBB Internet Implementation Task Force
Standards Recommended by the Task Force as of January 20, 1999
Log as of January 23, 1999**

Appendix

Recommended Model -- January 20, 1999

Invoice Related Data Model

For representations of invoice related data and/or reports, the data may be organized in logical data groupings:

Related Std.	Meeting Date	Language	Date of Review	Status
3.4.1	20-Jan-99	Tranportation/Sales Invoice (2.4.5) for groupings and usage inclusions for EBB, EDI and FF as a model.		
3.4.2	20-Jan-99	Payment Remittance (2.4.5) for groupings and usage inclusions for EBB, EDI and FF as a model.		
3.4.3	20-Jan-99	Statement of Account (2.4.5) for groupings and usage inclusions for EBB, EDI and FF as a model.		
3.4.4	20-Jan-99	Service Requester Level Charge/Allowance Invoice (2.4.5) for groupings and usage inclusions for EBB, EDI and FF as a model.		

Status Codes: c - date sent out for industry comment, e - date item passed by Executive Committee, r - date ratified, f - date item failed by Executive Committee, p - date postponed