

DATA DICTIONARY

Standard 1.4.4

Assumption: The EBB Usage of 'BC' is based upon the business practices of the entity named in the title bar. The EBB Usage of 'SO' means that the data may be input at the option of the party entering the data.

Business Name (Abbreviation)	Definition	Data Group	EBB Usage	EDI / FF Usage	Condition
Confirmation Requester Data	The party requesting confirmation of nominated quantities at a point. This does not represent a third party 'agent' (which would be identified in the ISA).	BEDG			
Confirmation Requester * ⁴ (Conf Req)		BEDG	M	M	
Confirmation Requester Name (Conf Req Name)		BEDG	M	nu	
Confirmation Requester Proprietary Code (Conf Req Prop)		BEDG	C	C	Mandatory when Confirmation Requester is not present.
Confirmation Service Identifier Data	This field identifies the owner of the confirmation service contract.	CDG			
Confirmation Service Entity Name (Conf Svc Name)		CDG	C	nu	Mandatory when Confirmation Service Contract is sent.
Confirmation Service Identifier Code * ⁴ (Conf Svc ID)		CDG	C	C	Mandatory when Confirmation Service Contract is sent.
Confirmation Service Entity Name (Conf Svc Name)		CDG	C	nu	Mandatory when Confirmation Service Contract is sent.
Confirmation Service Identifier Proprietary Code (Conf Svc ID Prop)		CDG	C	C	Mandatory when Confirmation Service Contract is sent and when Confirmation Service Identifier Code is not present.

Business Name (Abbreviation)	Definition	Data Group	EBB Usage	EDI / FF Usage	Condition
Confirming Party Data	The party confirming the nominated quantities at a point. This does not represent a third party 'agent' (which would be identified in the ISA).	BEDG			
Confirming Party * ⁴ (Conf Pty)		BEDG	M	M	
Confirming Party Name (Conf Pty Name)		BEDG	M	nu	
Confirming Party Proprietary Code (Conf Pty Prop)		BEDG	C	C	Mandatory when Confirming Party is not present.
Downstream Identifier Data	This field identifies the party who is receiving the quantities from the service requester.	TSDG			
Downstream Entity Name (Dn Name)		TSDG	C	nu	Required if 'Delivery' is specified in Contractual Flow Indicator.
Downstream Identifier Code * ⁴ (Dn ID)		TSDG	C	C	Required if 'Delivery' is specified in Contractual Flow Indicator.
Downstream Entity Name (Dn Name)		TSDG	C	nu	Required if 'Delivery' is specified in Contractual Flow Indicator.
Downstream Identifier Proprietary Code (Dn ID Prop)		TSDG	C	C	Mandatory when 'Delivery' is specified in Contractual Flow Indicator and when Downstream Identifier Code is not present..
Service Requester Data	Identifies the party requesting the service, or their agent.	TSDG			
Service Requester * ⁴ (Svc Req)		TSDG	MA	MA	
Service Requester Name (Svc Req Name)		TSDG	C	nu	Mandatory when Service Requester is present.
Service Requester Proprietary Code (Svc Req Prop)		TSDG	MA	MA	

Business Name (Abbreviation)	Definition	Data Group	EBB Usage	EDI / FF Usage	Condition
Upstream Identifier Data	This field identifies the party who is supplying the quantities to the service requester.	TSDG			
Upstream Entity Name (Up Name)		TSDG	C	nu	Required if 'Receipt' is specified in Contractual Flow Indicator.
Upstream Identifier Code * 4 (Up ID)		TSDG	C	C	Required if 'Receipt' is specified in Contractual Flow Indicator.
Upstream Entity Name (Up Name)		TSDG	C	nu	Required if 'Receipt' is specified in Contractual Flow Indicator.
Upstream Identifier Proprietary Code (Up ID Prop)		TSDG	C	C	Mandatory when 'Receipt' is specified in Contractual Flow Indicator and when Upstream Identifier Code is not present.

RELEVANT FOOTNOTES:

* Indicates Common Code

** When a Transportation Service Provider's proprietary location code is employed pursuant to this standard, the parties agree that nominations, confirmations, scheduled quantities, and capacity release documents employing such code should be for one gas day at a time, and used only until there is a verified common code for the point associated with the proprietary location code. This would include daily nominations over a weekend. Within two months following the availability of the location the parties should employ the common code and no longer employ the proprietary code for identifying such location in the data sets related to the identified standards.

⁴ Refer to NAESB Standard No. [S4 – from R97058B]

DATA GROUPS:

- BEDG Business Entity Data Group
- CDG Contracts Data Group
- DDG Dates Data Group
- LDG Location Data Group
- TSDG Transaction Specific Data Group

DATA DICTIONARY

Standard 1.4.7

Business Name (Abbreviation)	Definition	EDI / FF Usage	Condition
Confirmation Requester Data ² (Conf Req)	The party requesting confirmation of nominated quantities at a point. This does not represent a third party 'agent' (which would be identified in the ISA).	M	
Confirmation Requester * ⁴ (Conf Req)		M	
Confirmation Requester Proprietary Code (Conf Req Prop)		C	Mandatory when Confirmation Requester is not present.
Confirmation Service Identifier Code ² (Conf Svc ID)	This field identifies the owner of the confirmation service contract.	C	Required if Confirmation Service Contract field is populated.
Confirmation Service Identifier Code * ⁴ (Conf Svc ID)		C	Required if Confirmation Service Contract field is populated.
Confirmation Service Identifier Proprietary Code (Conf Svc Prop ID)		C	Mandatory when Confirmation Service Contract field is populated and when Confirmation Service Identifier Code is not present.
Confirming Party Data ² (Conf Pty)	The party confirming the nominated quantities at a point. This does not represent a third party 'agent' (which would be identified in the ISA).	M	
Confirming Party * ⁴ (Conf Pty)		M	
Confirming Party Proprietary Code (Conf Pty Prop)		C	Mandatory when Confirming Party is not present.

RELEVANT FOOTNOTES:

* Indicates Common Code

** When a Transportation Service Provider's proprietary location code is employed pursuant to this standard, the parties agree that nominations, confirmations, scheduled quantities, and capacity release documents employing such code should be for one gas day at a time, and used only until there is a verified common code for the point associated with the proprietary location code. This would include daily nominations over a weekend. Within two months following the availability of the location the parties should employ the common code and no longer employ the proprietary code for identifying such location in the data sets related to the identified standards.

⁴ Refer to NAESB Standard No. [S4 – from R97058B]

DATA DICTIONARY

Standard 1.4.1

Business Name (Abbreviation)	Definition	Data Group	EBB Pathed	EBB Non-Pathed	EBB PNT - "T"	EBB PNT - "U"	EDI / FF Usage	Condition
Downstream Identifier Data	This field identifies the party who is receiving the quantities from the service requester.	DelDG						
Downstream Identifier Code* (Dn ID)		DelDG	M	C	nu	C	C	<p>Based on Model Type and Delivery Location/Delivery Location Proprietary Code. Required if:</p> <ul style="list-style-type: none"> – Model Type is Pathed, or – Model Type is Non-Pathed or Pathed Non-Threaded- Unthreaded Segment, and Delivery Location/Delivery Location Proprietary Code is present. <p>Will not be used for Model Type Pathed Non-Threaded- Threaded Segment.</p>
Downstream Entity Name (Dn Name)		DelDG	BC	BC	nu	BC	nu	Used by a transportation service provider when the name is available in the transportation service provider's system.

Business Name (Abbreviation)	Definition	Data Group	EBB Pathed	EBB Non-Pathed	EBB PNT - "T"	EBB PNT - "U"	EDI / FF Usage	Condition
Downstream Identifier Code * 4 (Dn ID)		<u>DelDG</u>	M	C	nu	C	C	Based on Model Type and Delivery Location/Delivery Location Proprietary Code. Required if: <ul style="list-style-type: none"> Model Type is Pathed, or Model Type is Non-Pathed or Pathed Non-Threaded - Unthreaded Segment, and Delivery Location/Delivery Location Proprietary Code is present. Will not be used for Model Type Pathed Non-Threaded - Threaded Segment .
Downstream Identifier Proprietary Code (Dn ID Prop)		DelDG	C	C	nu	C		Based on Model Type and Delivery Location/Delivery Location Proprietary Code. Mandatory when Downstream Identifier Code is not present and one of the following conditions is met: <ul style="list-style-type: none"> Model Type is Pathed, or Model Type is Non-Pathed or Pathed Non-Threaded - Unthreaded Segment, and Delivery Location/Delivery Location Proprietary Code is present. Will not be used for Model Type Pathed Non-Threaded - Threaded Segment.
Service Requester Data	Identifies the party requesting the service, or their agent.	BEDG						
Service Requester * 4 (Svc Req)		BEDG	M	M	M	M	M	

Business Name (Abbreviation)	Definition	Data Group	EBB Pathed	EBB Non-Pathed	EBB PNT - "T"	EBB PNT - "U"	EDI / FF Usage	Condition
Service Requester Name (Svc Req Name)		BEDG	M	M	M	M	nu	
Service Requester Proprietary Code (Svc Req Prop)		BEDG	C	C	C	C	C	Mandatory when Service requester is not present.
Transportation Service Provider Data	Identifies the party providing the requested service.	BEDG						
Transportation Service Provider * ⁴ (TSP)		BEDG	M	M	M	M	M	
Transportation Service Provider Name (TSP Name)		BEDG	M	M	M	M	nu	
Transportation Service Provider Proprietary Code (TSP Prop)		BEDG	C	C	C	C	C	Mandatory when Transportation Service Provider is not present.
Upstream Identifier Data	This field identifies the party who is supplying the quantities to the service requester.	RecDG						
Upstream Identifier Code* (Up-ID)		RecDG	M	C	nu	C	C	<p>Based on Model Type and Receipt Location/Receipt Location Proprietary Code. Required if:</p> <ul style="list-style-type: none"> - Model Type is Pathed, or - Model Type is Non-Pathed or Pathed Non-Threaded- Unthreaded Segment, and Receipt Location/Receipt Location Proprietary Code is present. <p>Will not be used for Model Type Pathed Non-Threaded- Threaded Segment.</p>

Business Name (Abbreviation)	Definition	Data Group	EBB Pathed	EBB Non-Pathed	EBB PNT - "T"	EBB PNT - "U"	EDI / FF Usage	Condition
Upstream Entity Name (Up Name)		RecDG	BC	BC	nu	BC	nu	Used by a transportation service provider when the name is available in the transportation service provider's system.
Upstream Identifier Code * 4 (Up ID)		RecDG	M	C	nu	C	C	Based on Model Type and Receipt Location/Receipt Location Proprietary Code. Required if: <ul style="list-style-type: none"> Model Type is Pathed, or Model Type is Non-Pathed or Pathed Non-Threaded - Unthreaded Segment, and Receipt Location/Receipt Location Proprietary Code is present. Will not be used for Model Type Pathed Non-Threaded - Threaded Segment .
Upstream Identifier Proprietary Code (Up ID Prop)		RecDG	C	C	nu	C	C	Based on Model Type and Receipt Location/Receipt Location Proprietary Code. Mandatory when Upstream Identifier Code is not present and one of the following conditions is met: <ul style="list-style-type: none"> Model Type is Pathed, or Model Type is Non-Pathed or Pathed Non-Threaded - Unthreaded Segment, and Receipt Location/Receipt Location Proprietary Code is present. Will not be used for Model Type Pathed Non-Threaded - Threaded Segment.

RELEVANT FOOTNOTES:

* Indicates Common Code

** When a Transportation Service Provider's proprietary location code is employed pursuant to this standard, the parties agree that nominations, confirmations, scheduled quantities, and capacity release documents employing such code should be for one gas day at a time, and used only until there is a verified common code for the point associated with the proprietary location code. This would include daily nominations over a weekend. Within two months following the availability of the location the parties should employ the common code and no longer employ the proprietary code for identifying such location in the data sets related to the identified standards.

⁴ Refer to NAESB Standard No. [S4 – from R97058B]

DATA GROUPS:

BEDG	Business Entity Data Group
CDG	Contracts Data Group
DDG	Dates Data Group
DeIDG	Delivery Data Group
RecDG	Receipt Data Group
TSDG	Transaction Specific Data Group

DATA DICTIONARY

Standard 1.4.2

Business Name (Abbreviation)	Definition	EDI / FF Usage	Condition
Service Requester Data [‡] (Svc Req)	Identifies the party requesting the service, or their agent.	M	
Service Requester * ⁴ (Svc Req)		M	
Service Requester Proprietary Code (Svc Req Prop)		C	Mandatory when Service Requester is not present.
Transportation Service Provider Data [‡] (TSP)	Identifies the party providing the requested service.	M	
Transportation Service Provider * ⁴ (TSP)		M	
Transportation Service Provider Proprietary Code (TSP Prop)		C	Mandatory when Transportation Service Provider is not present.

RELEVANT FOOTNOTES:

* Indicates Common Code

⁴ Refer to NAESB Standard No.[S4- from R97058B]

DATA DICTIONARY

Standard 1.4.3

Assumption: The EBB Usage of 'BC' is based upon the business practices of the entity named in the title bar.

Business Name (Abbreviation)	Definition	Data Group	EBB Usage	EDI / FF Usage	Condition
Confirmation Requester Data	The party requesting confirmation of nominated quantities at a point. This does not represent a third party 'agent' (which would be identified in the ISA).	BEDG			
Confirmation Requester * ⁴ (Conf Req)		BEDG	M	M	
Confirmation Requester Name (Conf Req Name)		BEDG	M	nu	
Confirmation Requester Proprietary Code (Conf Req Prop)		BEDG	C	C	Mandatory when Confirmation Requester is not present.
Confirmation Service Identifier Data	This field identifies the owner of the confirmation service contract.	CDG			
Confirmation Service Entity Name (Conf Svc Name)		CDG	C	nu	Mandatory when Confirmation Service Contract is sent.
Confirmation Service Identifier Code * ⁴ (Conf Svc ID)		CDG	C	C	Mandatory when Confirmation Service Contract is sent.
Confirmation Service Entity Name (Conf Svc Name)		CDG	C	nu	Mandatory when Confirmation Service Contract is sent.
Confirmation Service Identifier Proprietary Code (Conf Svc ID Prop)		CDG	C	C	Mandatory when Confirmation Service Contract is sent and Confirmation Service Identifier Code is not present..

Business Name (Abbreviation)	Definition	Data Group	EBB Usage	EDI / FF Usage	Condition
Confirming Party Data	The party confirming the nominated quantities at a point. This does not represent a third party 'agent' (which would be identified in the ISA).	BEDG			
Confirming Party * ⁴ (Conf Pty)		BEDG	M	M	
Confirming Party Name (Conf Pty Name)		BEDG	M	nu	
Confirming Party Proprietary Code (Conf Pty Prop)		BEDG	C	C	Mandatory when Confirming Party is not present.
Downstream Identifier Data	This field identifies the party who is receiving the quantities from the service requester.	TSDG			
Downstream Entity Name (Dn Name)		TSDG	C	nu	For Request for Confirmation - required if 'Delivery' is specified in Contractual Flow Indicator.
Downstream Identifier Code * ⁴ (Dn ID)		TSDG	C	C	For Request for Confirmation - required if 'Delivery' is specified in Contractual Flow Indicator.
Downstream Entity Name (Dn Name)		TSDG	C	nu	For Request for Confirmation - required if 'Delivery' is specified in Contractual Flow Indicator.
Downstream Identifier Proprietary Code (Dn ID Prop)		TSDG	C	C	For Request for Confirmation – mandatory when 'Delivery' is specified in Contractual Flow Indicator and when Downstream Identifier Code is not present.
Service Requester Data	Identifies the party requesting the service, or their agent.	TSDG			
Service Requester * ⁴ (Svc Req)		TSDG	MA	MA	
Service Requester Name (Svc Req Name)		TSDG	C	nu	Mandatory when Service Requester is present.

Business Name (Abbreviation)	Definition	Data Group	EBB Usage	EDI / FF Usage	Condition
Service Requester Proprietary Code (Svc Req Prop)		TSDG	MA	MA	
Upstream Identifier Data	This field identifies the party who is supplying the quantities to the service requester.	TSDG			
Upstream Entity Name (Up Name)		TSDG	C	nu	For Request for Confirmation - required if 'Receipt' is specified in Contractual Flow Indicator.
Upstream Identifier Code * ⁴ (Up ID)		TSDG	C	C	For Request for Confirmation - required if 'Receipt' is specified in Contractual Flow Indicator.
Upstream Entity Name (Up Name)		TSDG	C	nu	For Request for Confirmation - required if 'Receipt' is specified in Contractual Flow Indicator.
Upstream Identifier Proprietary Code (Up ID Prop)		TSDG	C	C	For Request for Confirmation – mandatory when 'Receipt' is specified in Contractual Flow Indicator and when Upstream Identifier Code is not present..

RELEVANT FOOTNOTES:

* Indicates Common Code

** When a Transportation Service Provider's proprietary location code is employed pursuant to this standard, the parties agree that nominations, confirmations, scheduled quantities, and capacity release documents employing such code should be for one gas day at a time, and used only until there is a verified common code for the point associated with the proprietary location code. This would include daily nominations over a weekend. Within two months following the availability of the location the parties should employ the common code and no longer employ the proprietary code for identifying such location in the data sets related to the identified standards.

⁴ Refer to NAESB Standard No. [S4 – from R97058B]

DATA GROUPS:

- BEDG Business Entity Data Group
- CDG Contracts Data Group
- DDG Dates Data Group
- LDG Location Data Group
- TSDG Transaction Specific Data Group

DATA DICTIONARY

Standard 1.4.5

Business Name (Abbreviation)	Definition	Data Group	EBB Pathed	EBB Non- Pathed	EBB PNT - “T”	EBB PNT - “U”	EDI / FF Usage	Condition
Downstream Identifier Data	This field identifies the party who is receiving the quantities from the service requester.	DeIDG						
Downstream Identifier Code* (Dn ID)		DeIDG	M	C	nu	C	C	Mandatory when submitted in the original nomination. For EDI and FF, this data element is not needed when the Nominator's Tracking ID is used.
Downstream Entity Name (Dn Name)		DeIDG	M	C	nu	C	nu	Mandatory when present in the original nomination.
Downstream Identifier Code * 4 (Dn ID)		DeIDG	M	C	nu	C	C	Mandatory when submitted in the original nomination. For EDI and FF, this data element is not needed when the Nominator's Tracking ID is used.
Downstream Identifier Proprietary Code (Dn ID Prop)		DeIDG	C	C	nu	C	C	Mandatory when Downstream Identifier Code is not present and when Downstream Identifier Proprietary Code was submitted in the original nomination. For EDI and FF, this data element is not needed when the Nominator's Tracking ID is used.
Service Requester Data	Identifies the party requesting the service, or their agent.	BEDG						
Service Requester * 4 (Svc Req)		BEDG	M	M	M	M	M	

Business Name (Abbreviation)	Definition	Data Group	EBB Pathed	EBB Non-Pathed	EBB PNT - "T"	EBB PNT - "U"	EDI / FF Usage	Condition
Service Requester Name (Svc Req Name)		BEDG	M	M	M	M	nu	
Service Requester Proprietary Code (Svc Req Prop)		BEDG	C	C	C	C	C	Mandatory when Service Requester is not present.
Transportation Service Provider Data	Identifies the party providing the requested service.	BEDG						
Transportation Service Provider * 4 (TSP)		BEDG	M	M	M	M	M	
Transportation Service Provider Name (TSP Name)		BEDG	M	M	M	M	nu	
Transportation Service Provider Proprietary Code (TSP Prop)		BEDG	C	C	C	C	C	Mandatory when Transportation Service Providers is not present.
Upstream Identifier Data	This field identifies the party who is supplying the quantities to the service requester.	RecDG						
Upstream Identifier Code* (Up ID)		RecDG	M	C	nu	C	C	Mandatory when submitted in the original nomination. For EDI and FF, this data element is not needed when the Nominator's Tracking ID is used.
Upstream Entity Name (Up Name)		RecDG	M	C	nu	C	nu	Mandatory when present in the original nomination.
Upstream Identifier Code * 4 (Up ID)		RecDG	M	C	nu	C	C	Mandatory when submitted in the original nomination. For EDI and FF, this data element is not needed when the Nominator's Tracking ID is used.

Business Name (Abbreviation)	Definition	Data Group	EBB Pathed	EBB Non-Pathed	EBB PNT - "T"	EBB PNT - "U"	EDI / FF Usage	Condition
Upstream Identifier Proprietary Code (Up ID Prop)		RecDG	C	C	nu	C	C	Mandatory when Upstream Identifier Code is not present and when Upstream Identifier Proprietary Code was submitted in the original nomination. For EDI and FF, this data element is not needed when the Nominator's Tracking ID is used.

RELEVANT FOOTNOTES:

* Indicates Common Code

** When a Transportation Service Provider's proprietary location code is employed pursuant to this standard, the parties agree that nominations, confirmations, scheduled quantities, and capacity release documents employing such code should be for one gas day at a time, and used only until there is a verified common code for the point associated with the proprietary location code. This would include daily nominations over a weekend. Within two months following the availability of the location the parties should employ the common code and no longer employ the proprietary code for identifying such location in the data sets related to the identified standards.

⁴ Refer to NAESB Standard No.[S4 from R97058B]

DATA GROUPS:

- BEDG Business Entity Data Group
- CDG Contracts Data Group
- DDG Dates Data Group
- DelDG Delivery Data Group
- RecDG Receipt Data Group
- TSDG Transaction Specific Data Group

DATA DICTIONARY

Standard 1.4.6

Business Name (Abbreviation)	Definition	Data Group	EBB Usage	EDI / FF Usage	Condition
Confirmation Service Identifier Data	This field identifies the owner of the confirmation service contract.	CDG			
Confirmation Service Entity Name (Conf Svc Name)		CDG	C	nu	Mandatory when Confirmation Service Contract is sent.
Confirmation Service Identifier Code * 4 (Conf Svc ID)		CDG	C	C	Mandatory when Confirmation Service Contract is sent.
Confirmation Service Entity Name (Conf Svc Name)		CDG	C	nu	Mandatory when Confirmation Service Contract is sent.
Confirmation Service Identifier Proprietary Code (Conf Svc ID Prop)		CDG	C	C	Mandatory when Confirmation Service Contract is sent and when Confirmation Service Identifier Code is not present.
Downstream Identifier Data	This field identifies the party who is receiving the quantities from the service requester.	TSDG			
Downstream Entity Name (Dn Name)		TSDG	C	nu	Required if 'Delivery' is specified in Contractual Flow Indicator.
Downstream Identifier Code * 4 (Dn ID)		TSDG	C	C	Required if 'Delivery' is specified in Contractual Flow Indicator. For EDI and FF, this data element is not needed when the Confirmation Tracking Identifier is used.
Downstream Entity Name (Dn Name)		TSDG	C	nu	Required if 'Delivery' is specified in Contractual Flow Indicator.

Business Name (Abbreviation)	Definition	Data Group	EBB Usage	EDI / FF Usage	Condition
Downstream Identifier Proprietary Code (Dn ID Prop)		TSDG	C	C	Mandatory when 'Delivery' is specified in Contractual Flow Indicator and when Downstream Identifier Code is not present. For EDI and FF, this data element is not needed when the Confirmation Tracking Identifier is used.
Preparer Data	The name of the business party preparing the report.	BEDG			
Preparer ID * 4 (Prep ID)		BEDG	M	M	
Preparer ID Proprietary Code (Prep ID Prop)		BEDG	C	C	Mandatory when Preparer ID is not present.
Preparer Name (Prep Name)		BEDG	M	nu	
Service Requester Data	Identifies the party requesting the service, or their agent.	TSDG			
Service Requester * 4 (Svc Req)		TSDG	C	C	Mandatory when present in the confirmation process.
Service Requester Name (Svc Req Name)		TSDG	C	nu	Mandatory when present in the confirmation process.
Service Requester Proprietary Code (Svc Req Prop)		TSDG	C	C	Mandatory when present in the confirmation process and when Service Requester is not present.
Statement Recipient Data	The intended user of the statement.	BEDG			
Statement Recipient ID * 4 (Recipient)		BEDG	M	M	
Statement Recipient ID Proprietary Code (Recipient Prop)		BEDG	C	C	Mandatory when Statement Recipient ID is not present.
Statement Recipient Name (Recipient Name)		BEDG	M	nu	

Business Name (Abbreviation)	Definition	Data Group	EBB Usage	EDI / FF Usage	Condition
Upstream Identifier Data	This field identifies the party who is supplying the quantities to the service requester.	TSDG			
Upstream Entity Name (Up Name)		TSDG	C	nu	Required if 'Receipt' is specified in Contractual Flow Indicator.
Upstream Identifier Code * 4 (Up ID)		TSDG	C	C	Required if 'Receipt' is specified in Contractual Flow Indicator. For EDI and FF, this data element is not needed when the Confirmation Tracking Identifier is used.
Upstream Entity Name (Up Name)		TSDG	C	nu	Required if 'Receipt' is specified in Contractual Flow Indicator.
Upstream Identifier Proprietary Code (Up ID Prop)		TSDG	C	C	Mandatory when 'Receipt' is specified in Contractual Flow Indicator and when Upstream Identifier Code is not present. For EDI and FF, this data element is not needed when the Confirmation Tracking Identifier is used.

RELEVANT FOOTNOTES:

* Indicates Common Code

** When a Transportation Service Provider's proprietary location code is employed pursuant to this standard, the parties agree that nominations, confirmations, scheduled quantities, and capacity release documents employing such code should be for one gas day at a time, and used only until there is a verified common code for the point associated with the proprietary location code. This would include daily nominations over a weekend. Within two months following the availability of the location the parties should employ the common code and no longer employ the proprietary code for identifying such location in the data sets related to the identified standards.

⁴ Refer to NAESB Standard No. [S4 – from R97058B]

DATA GROUPS:

- BEDG Business Entity Data Group
- CDG Contracts Data Group
- DDG Dates Data Group
- LDG Location Data Group
- TSDG Transaction Specific Data Group