

DATA DICTIONARY (Reflects Changes Only)

Standard 1.4.1

Business Name (Abbreviation)	Definition	Data Group	EBB Pathed	EBB Non-Pathed	EBB PNT - "T"	EBB PNT - "U"	EDI / FF Usage	Condition
Downstream Identifier Data	This field identifies the party who is receiving the quantities from the service requester.	DelDG						
Downstream Identifier Code* (Dn ID)		DelDG	M	C	nu	C	C	<p>Based on Model Type and Delivery Location/Delivery Location Proprietary Code. Required if:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Model Type is Pathed, or <input type="checkbox"/> Model Type is Non-Pathed or Pathed Non-Threaded- Unthreaded Segment, and Delivery Location/Delivery Location Proprietary Code is present. <p>Will not be used for Model Type Pathed Non-Threaded- Threaded Segment.</p>
Downstream Entity Name (Dn Name)		DelDG	BC	BC	nu	BC	nu	Used by a transportation service provider when the name is available in the transportation service provider's system.

Business Name (Abbreviation)	Definition	Data Group	EBB Pathed	EBB Non-Pathed	EBB PNT - "T"	EBB PNT - "U"	EDI / FF Usage	Condition
Downstream Identifier Code * 4 (Dn ID)		DelDG	<u>M</u>	<u>C</u>	<u>nu</u>	<u>C</u>	<u>C</u>	<p>Based on Model Type and Delivery Location/Delivery Location Proprietary Code. Required if:</p> <ul style="list-style-type: none"> Model Type is Pathed, or Model Type is Non-Pathed or Pathed Non-Threaded - Unthreaded Segment, and Delivery Location/Delivery Location Proprietary Code is present. <p>Will not be used for Model Type Pathed Non-Threaded - Threaded Segment.</p>
Downstream Identifier Proprietary Code (Dn ID Prop)		DelDG	<u>C</u>	<u>C</u>	<u>nu</u>	<u>C</u>		<p>Based on Model Type and Delivery Location/Delivery Location Proprietary Code. Mandatory when Downstream Identifier Code is not present and one of the following conditions is met:</p> <ul style="list-style-type: none"> Model Type is Pathed, or Model Type is Non-Pathed or Pathed Non-Threaded - Unthreaded Segment, and Delivery Location/Delivery Location Proprietary Code is present. <p>Will not be used for Model Type Pathed Non-Threaded - Threaded Segment.</p>
Service Requester Data	Identifies the party requesting the service, or their agent.	BEDG						
Service Requester * 4 (Svc Req)		BEDG	M	M	M	M	M	

Business Name (Abbreviation)	Definition	Data Group	EBB Pathed	EBB Non-Pathed	EBB PNT - "T"	EBB PNT - "U"	EDI / FF Usage	Condition
Service Requester Name (Svc Req Name)		BEDG	M	M	M	M	nu	
Service Requester Proprietary Code (Svc Req Prop)		BEDG	C	C	C	C	C	Mandatory when Service Requester is not present.
Transportation Service Provider Data	Identifies the party providing the requested service.	BEDG						
Transportation Service Provider_*_4 (TSP)		BEDG	M	M	M	M	M	
Transportation Service Provider Name (TSP Name)		BEDG	M	M	M	M	nu	
Transportation Service Provider Proprietary Code (TSP Prop)		BEDG	C	C	C	C	C	Mandatory when Transportation Service Provider is not present.
Upstream Identifier Data	This field identifies the party who is supplying the quantities to the service requester.	RecDG						
Upstream Identifier Code* (Up ID)		RecDG	M	C	nu	C	C	<p>Based on Model Type and Receipt Location/Receipt Location Proprietary Code. Required if:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Model Type is Pathed, or <input type="checkbox"/> Model Type is Non-Pathed or Pathed-Non-Threaded- Unthreaded Segment, and Receipt Location/Receipt Location Proprietary Code is present. <p>Will not be used for Model Type Pathed-Non-Threaded- Threaded Segment.</p>

Business Name (Abbreviation)	Definition	Data Group	EBB Pathed	EBB Non-Pathed	EBB PNT - "T"	EBB PNT - "U"	EDI / FF Usage	Condition
Upstream Entity Name (Up Name)		RecDG	BC	BC	nu	BC	nu	Used by a transportation service provider when the name is available in the transportation service provider's system.
Upstream Identifier Code * 4 (Up ID)		RecDG	M	C	nu	C	C	<p>Based on Model Type and Receipt Location/Receipt Location Proprietary Code. Required if:</p> <ul style="list-style-type: none"> Model Type is Pathed, or Model Type is Non-Pathed or Pathed Non-Threaded - Unthreaded Segment, and Receipt Location/Receipt Location Proprietary Code is present. <p>Will not be used for Model Type Pathed Non-Threaded - Threaded Segment.</p>
Upstream Identifier Proprietary Code (Up ID Prop)		RecDG	C	C	nu	C	C	<p>Based on Model Type and Receipt Location/Receipt Location Proprietary Code. Mandatory when Upstream Identifier Code is not present and one of the following conditions is met:</p> <ul style="list-style-type: none"> Model Type is Pathed, or Model Type is Non-Pathed or Pathed Non-Threaded - Unthreaded Segment, and Receipt Location/Receipt Location Proprietary Code is present. <p>Will not be used for Model Type Pathed Non-Threaded - Threaded Segment.</p>

RELEVANT FOOTNOTES:

* Indicates Common Code

** When a Transportation Service Provider's proprietary location code is employed pursuant to this standard, the parties agree that nominations, confirmations, scheduled quantities, and capacity release documents employing such code should be for one gas day at a time, and used only until there is a verified common code for the point associated with the proprietary location code. This would include daily nominations over a weekend. Within two months following the availability of the location the parties should employ the common code and no longer employ the proprietary code for identifying such location in the data sets related to the identified standards.

[⁴ Refer to NAESB Standard No. \[S4 – from R97058B\]](#)

DATA GROUPS:

BEDG	Business Entity Data Group
CDG	Contracts Data Group
DDG	Dates Data Group
DeIDG	Delivery Data Group
RecDG	Receipt Data Group
TSDG	Transaction Specific Data Group

DATA DICTIONARY (Reflects Changes Only)

Standard 1.4.2

Business Name (Abbreviation)	Definition	EDI / FF Usage	Condition
Service Requester Data * (Svc Req)	Identifies the party requesting the service, or their agent.	<u>M</u>	
Service Requester * ⁴ (Svc Req)		<u>M</u>	
Service Requester Proprietary Code (Svc Req Prop)		<u>C</u>	Mandatory when Service Requester is not present.
Transportation Service Provider Data (TSP)	Identifies the party providing the requested service.	<u>M</u>	
Transportation Service Provider * ⁴ (TSP)		<u>M</u>	
Transportation Service Provider Proprietary Code (TSP Prop)		<u>C</u>	Mandatory when Transportation Service Provider is not present.

RELEVANT FOOTNOTES:

* Indicates Common Code

⁴ [Refer to NAESB Standard No.\[S4- from R97058B\]](#)

DATA DICTIONARY (Reflects Changes Only)

Standard 1.4.3

Assumption: The EBB Usage of 'BC' is based upon the business practices of the entity named in the title bar.

Business Name (Abbreviation)	Definition	Data Group	EBB Usage	EDI / FF Usage	Condition
Confirmation Requester Data	The party requesting confirmation of nominated quantities at a point. This does not represent a third party 'agent' (which would be identified in the ISA).	BEDG			
Confirmation Requester_*_4 (Conf Req)		BEDG	M	M	
Confirmation Requester Name (Conf Req Name)		BEDG	M	nu	
Confirmation Requester Proprietary Code (Conf Req Prop)		BEDG	C	C	Mandatory when Confirmation Requester is not present.
Confirmation Service Identifier Data	This field identifies the owner of the confirmation service contract.	CDG			
Confirmation Service Entity Name (Conf Svc Name)		CDG	C	nu	Mandatory when Confirmation Service Contract is sent.
Confirmation Service Identifier Code_*_4 (Conf Svc ID)		CDG	C	C	Mandatory when Confirmation Service Contract is sent.
Confirmation Service Entity Name (Conf Svc Name)		CDG	C	nu	Mandatory when Confirmation Service Contract is sent.
Confirmation Service Identifier Proprietary Code (Conf Svc ID Prop)		CDG	C	C	Mandatory when Confirmation Service Contract is sent and Confirmation Service Identifier Code is not present.

Business Name (Abbreviation)	Definition	Data Group	EBB Usage	EDI / FF Usage	Condition
Confirming Party Data	The party confirming the nominated quantities at a point. This does not represent a third party 'agent' (which would be identified in the ISA).	BEDG			
Confirming Party_* (Conf Pty)		BEDG	M	M	
Confirming Party Name (Conf Pty Name)		BEDG	M	nu	
Confirming Party Proprietary Code (Conf Pty Prop)		BEDG	C	C	Mandatory when Confirming Party is not present.
Downstream Identifier Data	This field identifies the party who is receiving the quantities from the service requester.	TSDG			
Downstream Entity Name (Dn Name)		TSDG	C	nu	For Request for Confirmation - required if 'Delivery' is specified in Contractual Flow Indicator.
Downstream Identifier Code_* (Dn ID)		TSDG	C	C	For Request for Confirmation - required if 'Delivery' is specified in Contractual Flow Indicator.
Downstream Entity Name (Dn Name)		TSDG	C	nu	For Request for Confirmation - required if 'Delivery' is specified in Contractual Flow Indicator.
Downstream Identifier Proprietary Code (Dn ID Prop)		TSDG	C	C	For Request for Confirmation - mandatory when 'Delivery' is specified in Contractual Flow Indicator and when Downstream Identifier Code is not present.
Service Requester Data	Identifies the party requesting the service, or their agent.	TSDG			
Service Requester_* (Svc Req)		TSDG	MA	MA	
Service Requester Name (Svc Req Name)		TSDG	C	nu	Mandatory when Service Requester is present.

Business Name (Abbreviation)	Definition	Data Group	EBB Usage	EDI / FF Usage	Condition
Service Requester Proprietary Code (Svc Req Prop)		TSDG	MA	MA	
Upstream Identifier Data	This field identifies the party who is supplying the quantities to the service requester.	TSDG			
Upstream Entity Name (Up Name)		TSDG	C	nu	For Request for Confirmation - required if 'Receipt' is specified in Contractual Flow Indicator.
Upstream Identifier Code_* ⁴ (Up ID)		TSDG	C	C	For Request for Confirmation - required if 'Receipt' is specified in Contractual Flow Indicator.
Upstream Entity Name (Up Name)		TSDG	C	nu	For Request for Confirmation - required if 'Receipt' is specified in Contractual Flow Indicator.
Upstream Identifier Proprietary Code (Up ID Prop)		TSDG	C	C	For Request for Confirmation – mandatory when 'Receipt' is specified in Contractual Flow Indicator and when Upstream Identifier Code is not present..

RELEVANT FOOTNOTES:

* Indicates Common Code

** When a Transportation Service Provider’s proprietary location code is employed pursuant to this standard, the parties agree that nominations, confirmations, scheduled quantities, and capacity release documents employing such code should be for one gas day at a time, and used only until there is a verified common code for the point associated with the proprietary location code. This would include daily nominations over a weekend. Within two months following the availability of the location the parties should employ the common code and no longer employ the proprietary code for identifying such location in the data sets related to the identified standards.

⁴ [Refer to NAESB Standard No. \[S4 – from R97058B\]](#)

DATA GROUPS:

- BEDG Business Entity Data Group
- CDG Contracts Data Group
- DDG Dates Data Group
- LDG Location Data Group
- TSDG Transaction Specific Data Group

DATA DICTIONARY (Reflects Changes Only)

Standard 1.4.4

Assumption: The EBB Usage of 'BC' is based upon the business practices of the entity named in the title bar. The EBB Usage of 'SO' means that the data may be input at the option of the party entering the data.

Business Name (Abbreviation)	Definition	Data Group	EBB Usage	EDI / FF Usage	Condition
Confirmation Requester Data	The party requesting confirmation of nominated quantities at a point. This does not represent a third party 'agent' (which would be identified in the ISA).	BEDG			
Confirmation Requester_*_4 (Conf Req)		BEDG	M	M	
Confirmation Requester Name (Conf Req Name)		BEDG	M	nu	
Confirmation Requester Proprietary Code (Conf Req Prop)		BEDG	C	C	Mandatory when Confirmation Requester is not present.
Confirmation Service Identifier Data	This field identifies the owner of the confirmation service contract.	CDG			
Confirmation Service Entity Name (Conf Svc Name)		CDG	C	nu	Mandatory when Confirmation Service Contract is sent.
Confirmation Service Identifier Code_*_4 (Conf Svc ID)		CDG	C	C	Mandatory when Confirmation Service Contract is sent.
Confirmation Service Entity Name (Conf Svc Name)		CDG	C	nu	Mandatory when Confirmation Service Contract is sent.
Confirmation Service Identifier Proprietary Code (Conf Svc ID Prop)		CDG	C	C	Mandatory when Confirmation Service Contract is sent and when Confirmation Service Identifier Code is not present.

Business Name (Abbreviation)	Definition	Data Group	EBB Usage	EDI / FF Usage	Condition
Confirming Party Data	The party confirming the nominated quantities at a point. This does not represent a third party 'agent' (which would be identified in the ISA).	BEDG			
Confirming Party_* ⁴ (Conf Pty)		BEDG	M	M	
Confirming Party Name (Conf Pty Name)		BEDG	M	nu	
Confirming Party Proprietary Code (Conf Pty Prop)		BEDG	C	C	Mandatory when Confirming Party is not present.
Downstream Identifier Data	This field identifies the party who is receiving the quantities from the service requester.	TSDG			
Downstream Entity Name (Dn Name)		TSDG	C	nu	Required if 'Delivery' is specified in Contractual Flow Indicator.
Downstream Identifier Code_* ⁴ (Dn ID)		TSDG	C	C	Required if 'Delivery' is specified in Contractual Flow Indicator.
Downstream Entity Name (Dn Name)		TSDG	C	nu	Required if 'Delivery' is specified in Contractual Flow Indicator.
Downstream Identifier Proprietary Code (Dn ID Prop)		TSDG	C	C	Mandatory when 'Delivery' is specified in Contractual Flow Indicator and when Downstream Identifier Code is not present.
Service Requester Data	Identifies the party requesting the service, or their agent.	TSDG			
Service Requester_* ⁴ (Svc Req)		TSDG	MA	MA	
Service Requester Name (Svc Req Name)		TSDG	C	nu	Mandatory when Service Requester is present.
Service Requester Proprietary Code (Svc Req Prop)		TSDG	MA	MA	

Business Name (Abbreviation)	Definition	Data Group	EBB Usage	EDI / FF Usage	Condition
Upstream Identifier Data	This field identifies the party who is supplying the quantities to the service requester.	TSDG			
Upstream Entity Name (Up Name)		TSDG	C	nu	Required if 'Receipt' is specified in Contractual Flow Indicator.
Upstream Identifier Code_* ⁴ (Up ID)		TSDG	C	C	Required if 'Receipt' is specified in Contractual Flow Indicator.
Upstream Entity Name (Up Name)		TSDG	C	nu	Required if 'Receipt' is specified in Contractual Flow Indicator.
Upstream Identifier Proprietary Code (Up ID Prop)		TSDG	C	C	Mandatory when 'Receipt' is specified in Contractual Flow Indicator and when Upstream Identifier Code is not present.

RELEVANT FOOTNOTES:

* Indicates Common Code

** When a Transportation Service Provider’s proprietary location code is employed pursuant to this standard, the parties agree that nominations, confirmations, scheduled quantities, and capacity release documents employing such code should be for one gas day at a time, and used only until there is a verified common code for the point associated with the proprietary location code. This would include daily nominations over a weekend. Within two months following the availability of the location the parties should employ the common code and no longer employ the proprietary code for identifying such location in the data sets related to the identified standards.

⁴ [Refer to NAESB Standard No. \[S4 – from R97058B\]](#)

DATA GROUPS:

- BEDG Business Entity Data Group
- CDG Contracts Data Group
- DDG Dates Data Group
- LDG Location Data Group
- TSDG Transaction Specific Data Group

DATA DICTIONARY (Reflects Changes Only)

Standard 1.4.5

Business Name (Abbreviation)	Definition	Data Group	EBB Pathed	EBB Non-Pathed	EBB PNT - "T"	EBB PNT - "U"	EDI / FF Usage	Condition
Downstream Identifier Data	This field identifies the party who is receiving the quantities from the service requester.	DeIDG						
<u>Downstream Identifier Code*</u> (Dn ID)		<u>DeIDG</u>	<u>M</u>	<u>C</u>	<u>nu</u>	<u>C</u>	<u>C</u>	<u>Mandatory when submitted in the original nomination. For EDI and FF, this data element is not needed when the Nominator's Tracking ID is used.</u>
Downstream Entity Name (Dn Name)		DeIDG	M	C	nu	C	nu	Mandatory when present in the original nomination.
<u>Downstream Identifier Code * 4</u> (Dn ID)		<u>DeIDG</u>	<u>M</u>	<u>C</u>	<u>nu</u>	<u>C</u>	<u>C</u>	<u>Mandatory when submitted in the original nomination. For EDI and FF, this data element is not needed when the Nominator's Tracking ID is used.</u>
<u>Downstream Identifier Proprietary Code</u> (Dn ID Prop)		<u>DeIDG</u>	<u>C</u>	<u>C</u>	<u>nu</u>	<u>C</u>	<u>C</u>	<u>Mandatory when Downstream Identifier Code is not present and when Downstream Identifier Proprietary Code was submitted in the original nomination. For EDI and FF, this data element is not needed when the Nominator's Tracking ID is used.</u>
Service Requester Data	Identifies the party requesting the service, or their agent.	BEDG						
Service Requester_* 4 (Svc Req)		BEDG	M	M	M	M	M	

Business Name (Abbreviation)	Definition	Data Group	EBB Pathed	EBB Non-Pathed	EBB PNT - "T"	EBB PNT - "U"	EDI / FF Usage	Condition
Service Requester Name (Svc Req Name)		BEDG	M	M	M	M	nu	
Service Requester Proprietary Code (Svc Req Prop)		BEDG	C	C	C	C	C	Mandatory when Service Requester is not present.
Transportation Service Provider Data	Identifies the party providing the requested service.	BEDG						
Transportation Service Provider * ⁴ (TSP)		BEDG	M	M	M	M	M	
Transportation Service Provider Name (TSP Name)		BEDG	M	M	M	M	nu	
Transportation Service Provider Proprietary Code (TSP Prop)		BEDG	C	C	C	C	C	Mandatory when Transportation Service Providers is not present.
Upstream Identifier Data	This field identifies the party who is supplying the quantities to the service requester.	RecDG						
Upstream Identifier Code* (Up ID)		RecDG	M	C	nu	C	C	Mandatory when submitted in the original nomination. For EDI and FF, this data element is not needed when the Nominator's Tracking ID is used.
Upstream Entity Name (Up Name)		RecDG	M	C	nu	C	nu	Mandatory when present in the original nomination.
Upstream Identifier Code *⁴ (Up ID)		RecDG	M	C	nu	C	C	Mandatory when submitted in the original nomination. For EDI and FF, this data element is not needed when the Nominator's Tracking ID is used.

Business Name (Abbreviation)	Definition	Data Group	EBB Pathed	EBB Non-Pathed	EBB PNT - "T"	EBB PNT - "U"	EDI / FF Usage	Condition
Upstream Identifier Proprietary Code (Up ID Prop)		RecDG	<u>C</u>	<u>C</u>	<u>nu</u>	<u>C</u>	<u>C</u>	Mandatory when Upstream Identifier Code is not present and when Upstream Identifier Proprietary Code was submitted in the original nomination. For EDI and FF, this data element is not needed when the Nominator's Tracking ID is used.

RELEVANT FOOTNOTES:

* Indicates Common Code

** When a Transportation Service Provider's proprietary location code is employed pursuant to this standard, the parties agree that nominations, confirmations, scheduled quantities, and capacity release documents employing such code should be for one gas day at a time, and used only until there is a verified common code for the point associated with the proprietary location code. This would include daily nominations over a weekend. Within two months following the availability of the location the parties should employ the common code and no longer employ the proprietary code for identifying such location in the data sets related to the identified standards.

⁴ [Refer to NAESB Standard No.\[S4 from R97058B\]](#)

DATA GROUPS:

- BEDG Business Entity Data Group
- CDG Contracts Data Group
- DDG Dates Data Group
- DelDG Delivery Data Group
- RecDG Receipt Data Group
- TSDG Transaction Specific Data Group

DATA DICTIONARY (Reflects Changes Only)

Standard 1.4.6

Business Name (Abbreviation)	Definition	Data Group	EBB Usage	EDI / FF Usage	Condition
Confirmation Service Identifier Data	This field identifies the owner of the confirmation service contract.	CDG			
Confirmation Service Entity Name (Conf Svc Name)		CDG	C	nu	Mandatory when Confirmation Service Contract is sent.
Confirmation Service Identifier Code_* ⁴ (Conf Svc ID)		CDG	C	C	Mandatory when Confirmation Service Contract is sent.
Confirmation Service Entity Name (Conf Svc Name)		CDG	C	nu	Mandatory when Confirmation Service Contract is sent.
Confirmation Service Identifier Proprietary Code (Conf Svc ID Prop)		CDG	C	C	Mandatory when Confirmation Service Contract is sent and when Confirmation Service Identifier Code is not present.
Downstream Identifier Data	This field identifies the party who is receiving the quantities from the service requester.	TSDG			
Downstream Entity Name (Dn Name)		TSDG	C	nu	Required if 'Delivery' is specified in Contractual Flow Indicator.
Downstream Identifier Code_* ⁴ (Dn ID)		TSDG	C	C	Required if 'Delivery' is specified in Contractual Flow Indicator. For EDI and FF, this data element is not needed when the Confirmation Tracking Identifier is used.
Downstream Entity Name (Dn Name)		TSDG	C	nu	Required if 'Delivery' is specified in Contractual Flow Indicator.

Business Name (Abbreviation)	Definition	Data Group	EBB Usage	EDI / FF Usage	Condition
Downstream Identifier Proprietary Code (Dn ID Prop)		TSDG	C	C	Mandatory when 'Delivery' is specified in Contractual Flow Indicator and when Downstream Identifier Code is not present. For EDI and FF, this data element is not needed when the Confirmation Tracking Identifier is used.
Preparer Data	The name of the business party preparing the report.	BEDG			
Preparer ID *_4 (Prep ID)		BEDG	M	M	
Preparer ID Proprietary Code (Prep ID Prop)		BEDG	C	C	Mandatory when Preparer ID is not present.
Preparer Name (Prep Name)		BEDG	M	nu	
Service Requester Data	Identifies the party requesting the service, or their agent.	TSDG			
Service Requester *_4 (Svc Req)		TSDG	C	C	Mandatory when present in the confirmation process.
Service Requester Name (Svc Req Name)		TSDG	C	nu	Mandatory when present in the confirmation process.
Service Requester Proprietary Code (Svc Req Prop)		TSDG	C	C	Mandatory when present in the confirmation process and when Service Requester is not present.
Statement Recipient Data	The intended user of the statement.	BEDG			
Statement Recipient ID *_4 (Recipient)		BEDG	M	M	
Statement Recipient ID Proprietary Code (Recipient Prop)		BEDG	C	C	Mandatory when Statement Recipient ID is not present.
Statement Recipient Name (Recipient Name)		BEDG	M	nu	
Upstream Identifier Data	This field identifies the party who is supplying the quantities to the service requester.	TSDG			

Business Name (Abbreviation)	Definition	Data Group	EBB Usage	EDI / FF Usage	Condition
Upstream Entity Name (Up Name)		TSDG	C	nu	Required if 'Receipt' is specified in Contractual Flow Indicator.
Upstream Identifier Code_* ⁴ (Up ID)		TSDG	C	C	Required if 'Receipt' is specified in Contractual Flow Indicator. For EDI and FF, this data element is not needed when the Confirmation Tracking Identifier is used.
Upstream Entity Name (Up Name)		TSDG	C	nu	Required if 'Receipt' is specified in Contractual Flow Indicator.
Upstream Identifier Proprietary Code (Up ID Prop)		TSDG	C	C	Mandatory when 'Receipt' is specified in Contractual Flow Indicator and when Upstream Identifier Code is not present. For EDI and FF, this data element is not needed when the Confirmation Tracking Identifier is used.

RELEVANT FOOTNOTES:

* Indicates Common Code

** When a Transportation Service Provider's proprietary location code is employed pursuant to this standard, the parties agree that nominations, confirmations, scheduled quantities, and capacity release documents employing such code should be for one gas day at a time, and used only until there is a verified common code for the point associated with the proprietary location code. This would include daily nominations over a weekend. Within two months following the availability of the location the parties should employ the common code and no longer employ the proprietary code for identifying such location in the data sets related to the identified standards.

⁴ [Refer to NAESB Standard No. \[S4 – from R97058B\]](#)

DATA GROUPS:

- BEDG Business Entity Data Group
- CDG Contracts Data Group
- DDG Dates Data Group
- LDG Location Data Group
- TSDG Transaction Specific Data Group

DATA DICTIONARY (Reflects Changes Only)

Standard 1.4.7

Business Name (Abbreviation)	Definition	EDI / FF Usage	Condition
Confirmation Requester Data* (Conf Req)	The party requesting confirmation of nominated quantities at a point. This does not represent a third party 'agent' (which would be identified in the ISA).	M	
Confirmation Requester ^{* 4} (Conf Req)		M	
Confirmation Requester Proprietary Code (Conf Req Prop)		C	Mandatory when Confirmation Requester is not present.
Confirmation Service Identifier CodeData* (Conf Svc ID)	This field identifies the owner of the confirmation service contract.	C	Required if Confirmation Service Contract field is populated.
Confirmation Service Identifier Code ^{* 4} (Conf Svc ID)		C	Required if Confirmation Service Contract field is populated.
Confirmation Service Identifier Proprietary Code (Conf Svc Prop ID)		C	Mandatory when Confirmation Service Contract field is populated and when Confirmation Service Identifier Code is not present.
Confirming Party Data* (Conf Pty)	The party confirming the nominated quantities at a point. This does not represent a third party 'agent' (which would be identified in the ISA).	M	
Confirming Party ^{* 4} (Conf Pty)		M	
Confirming Party Proprietary Code (Conf Pty Prop)		C	Mandatory when Confirming Party is not present.

RELEVANT FOOTNOTES:

* Indicates Common Code

** When a Transportation Service Provider's proprietary location code is employed pursuant to this standard, the parties agree that nominations, confirmations, scheduled quantities, and capacity release documents employing such code should be for one gas day at a time, and used only until there is a verified common code for the point associated with the proprietary location code. This would include daily nominations over a weekend. Within two months following the availability of the location the parties should employ the common code and no longer employ the proprietary code for identifying such location in the data sets related to the identified standards.

⁴ [Refer to NAESB Standard No. \[S4 – from R97058B\]](#)

DATA DICTIONARY (Reflects Changes Only)

Standard 2.4.1

Business Name (Abbreviation)	Definition	Data Group	EBB Usage	EDI / FF Usage	Condition
Downstream Identifier Data	This field identifies the party who is receiving the quantities from the service requester.	TSDG			
Downstream Identifier Code* (Dn ID)		TSDG	C	C	Based upon the usage as defined by the PDA transaction type. See PDA Transaction Type Matrix below.
Downstream Entity Name (Dn Name)		TSDG	C	nu	Based upon the usage as defined by the PDA transaction type. See PDA Transaction Type Matrix below.
Downstream Identifier Code * 4 (Dn ID)		TSDG	C	C	Based upon the usage as defined by the PDA transaction type. See PDA Transaction Type Matrix below.
Downstream Identifier Proprietary Code (Dn ID Prop)		TSDG	C	C	Based upon the usage as defined by the PDA transaction type. See PDA Transaction Type Matrix below.
Preparer Data	The name of the business party preparing the report.	BEDG			
Preparer ID * 4 (Prep ID)		BEDG	M	M	
Preparer Name (Prep Name)		BEDG	M	nu	
Preparer ID Proprietary Code (Prep ID Prop)		BEDG	C	C	Mandatory when Preparer ID is not present.

Business Name (Abbreviation)	Definition	Data Group	EBB Usage	EDI / FF Usage	Condition
Service Requester Data	Identifies the party requesting the service.	TSDG			
Service Requester ID_* (Svc Req)		TSDG	C	C	Based upon the usage as defined by the PDA transaction type. See PDA Transaction Type Matrix below.
Service Requester Name (Svc Req Name)		TSDG	C	nu	Based upon the usage as defined by the PDA transaction type. See PDA Transaction Type Matrix below.
<u>Service Requester Proprietary Code (Svc Req Prop)</u>		<u>TSDG</u>	<u>C</u>	<u>C</u>	<u>Based upon the usage as defined by the PDA transaction type. See PDA Transaction Type Matrix below.</u>
Statement Recipient Data	The intended user of the statement.	BEDG			
Statement Recipient ID_* ⁴ (Recipient)		BEDG	M	M	
<u>Statement Recipient ID Proprietary Code (Recipient Prop)</u>		<u>BEDG</u>	<u>C</u>	<u>C</u>	<u>Mandatory when Statement Recipient ID is not present.</u>
Statement Recipient Name (Recipient Name)		BEDG	M	nu	
Upstream Identifier Data	This field identifies the party who is supplying the quantities to the service requester.	TSDG			
<u>Upstream Identifier Code* (Up ID)</u>		<u>TSDG</u>	<u>C</u>	<u>C</u>	<u>Based upon the usage as defined by the PDA transaction type. See PDA Transaction Type Matrix below.</u>
Upstream Entity Name (Up Name)		TSDG	C	nu	Based upon the usage as defined by the PDA transaction type. See PDA Transaction Type Matrix below.
<u>Upstream Identifier Code *⁴ (Up ID)</u>		<u>TSDG</u>	<u>C</u>	<u>C</u>	<u>Based upon the usage as defined by the PDA transaction type. See PDA Transaction Type Matrix below.</u>

Business Name (Abbreviation)	Definition	Data Group	EBB Usage	EDI / FF Usage	Condition
Upstream Identifier Proprietary Code (Up ID Prop)		TSDG	C	C	Based upon the usage as defined by the PDA transaction type. See PDA Transaction Type Matrix below.

RELEVANT FOOTNOTES:

* Indicates Common Code

** When a Transportation Service Provider’s proprietary location code is employed pursuant to this standard, the parties agree that nominations, confirmations, scheduled quantities, and capacity release documents employing such code should be for one gas day at a time, and used only until there is a verified common code for the point associated with the proprietary location code. This would include daily nominations over a weekend. Within two months following the availability of the location the parties should employ the common code and no longer employ the proprietary code for identifying such location in the data sets related to the identified standards.

⁴ [Refer to NAESB Standard No. \[S4 – from R97058B\]](#)

DATA GROUPS:

- BEDG Business Entity Data Group
- DDG Dates Data Group
- FGDG Flowing Gas Data Group
- LDG Location Data Group
- TSDG Transaction Specific Data Group

PDA Transaction Type Matrix

The following matrix shows the data elements that are dependent on the PDA transaction type code. A blank cell indicates that the data element is not used for the specified PDA transaction type code.

Data Element	Usage when PDA transaction type code is:																	
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
Downstream Identifier Data																		
<u>Downstream Identifier Code</u>				M		M		M		M		M		M		M	M	
Downstream Entity Name				C5		C5		C5		C5		C5		C5		C5	C5	
<u>Downstream Identifier Code</u>				<u>M</u>		<u>M</u>		<u>M</u>		<u>M</u>		<u>M</u>		<u>M</u>		<u>M</u>	<u>M</u>	
<u>Downstream Identifier Proprietary Code</u>				<u>C9</u>		<u>C9</u>		<u>C9</u>		<u>C9</u>		<u>C9</u>		<u>C9</u>		<u>C9</u>	<u>C9</u>	
Service Requester Data																		
Service Requester ID	M	M					M	M	M	M	M	M	M	M	M	M	M	
Service Requester Name	C5	C5					C5	C5	C5	C5	C5	C5	C5	C5	C5	C5	C5	
<u>Service Requester Proprietary Code</u>	<u>C10</u>	<u>C10</u>					<u>C10</u>	<u>C10</u>	<u>C10</u>	<u>C10</u>	<u>C10</u>	<u>C10</u>	<u>C10</u>	<u>C10</u>	<u>C10</u>	<u>C10</u>	<u>C10</u>	
Upstream Identifier Data																		
<u>Upstream Identifier Code</u>			M		M		M		M		M		M		M		M	
Upstream Entity Name			C5		C5		C5		C5		C5		C5		C5		C5	
<u>Upstream Identifier Code</u>			<u>M</u>		<u>M</u>		<u>M</u>		<u>M</u>		<u>M</u>		<u>M</u>		<u>M</u>		<u>M</u>	
<u>Upstream Identifier Proprietary Code</u>			<u>C11</u>		<u>C11</u>		<u>C11</u>		<u>C11</u>		<u>C11</u>		<u>C11</u>		<u>C11</u>		<u>C11</u>	

NOTES: n1 No dependent data elements for this PDA transaction type.

USAGE:

- C1 Mandatory when present in the nomination.
- C2 Mandatory when mutually agreed to and submitted in the nomination process.
- C3 Mandatory when present and processed in the original nomination.
- C4 Mandatory when mutually agreed to and submitted in the nomination process and when associated contract is not used for storage balancing.
- C5 For EBB, this data element is mandatory; it is not used for EDI or FF.
- C6 Mandatory when Delivery Location is not present.
- C7 Mandatory when Receipt Location is not present.
- C8 For EDI and FF, Transaction Type is mandatory and Transaction Type Description is not used. For EBB, at least one of Transaction Type or Transaction Type Description is required.
- C9 Mandatory when Downstream Identifier Code is not present.
- C10 Mandatory when Service Requester ID is not present.
- C11 Mandatory when Upstream Identified Code is not present.

DATA DICTIONARY (Reflects Changes Only)

Standard 2.4.2

Business Name (Abbreviation)	Definition	EDI / FF Usage	Condition
Preparer ID* (Prep ID)	The name of the business party preparing the report.	M	
<u>Preparer ID * 4</u> (Prep ID)		M	
<u>Preparer ID Proprietary Code</u> (Prep ID Prop)		C	<u>Mandatory when Preparer ID is not present.</u>
Statement Recipient ID* (Recipient)	The intended user of the statement.	M	
<u>Statement Recipient ID * 4</u> (Recipient)		M	
<u>Statement Recipient ID Proprietary Code</u> (Recipient Prop)		C	<u>Mandatory when Statement Recipient ID is not present.</u>

RELEVANT FOOTNOTES:

* Indicates Common Code

⁴ Refer to NAESB Standard No. [S4 – from R97058B]

DATA DICTIONARY (Reflects Changes Only)

Standard 2.4.3

Business Name (Abbreviation)	Definition	Data Group	EBB Usage	EDI / FF Usage	Condition
Downstream Identifier Data	This field identifies the party who is receiving the quantities from the service requester.	TSDG			
Downstream Identifier Code* (Dn ID)		TSDG	C	C	Based upon the usage as defined by the allocation transaction type. See Allocation Transaction Type Matrix below.
Downstream Entity Name (Dn Name)		TSDG	C	nu	Based upon the usage as defined by the allocation transaction type. See Allocation Transaction Type Matrix below.
<u>Downstream Identifier Code</u> <u>* 4</u> <u>(Dn ID)</u>		<u>TSDG</u>	<u>C</u>	<u>C</u>	<u>Based upon the usage as defined by the allocation transaction type. See Allocation Transaction Type Matrix below.</u>
<u>Downstream Identifier Proprietary Code</u> <u>(Dn ID Prop)</u>		<u>TSDG</u>	<u>C</u>	<u>C</u>	<u>Based upon the usage as defined by the allocation transaction type. See Allocation Transaction Type Matrix below.</u>
Preparer Data	The name of the business party preparing the report.	BEDG			
Preparer ID <u>* 4</u> (Prep ID)		BEDG	M	M	
Preparer Name (Prep Name)		BEDG	M	nu	
<u>Preparer ID Proprietary Code</u> <u>(Prep ID Prop)</u>		<u>BEDG</u>	<u>C</u>	<u>C</u>	<u>Mandatory when Preparer ID is not present.</u>

Business Name (Abbreviation)	Definition	Data Group	EBB Usage	EDI / FF Usage	Condition
Service Requester Data	Identifies the party requesting the service.	TSDG			
Service Requester ID_* ⁴ (Svc Req)		TSDG	C	C	Based upon the usage as defined by the allocation transaction type. See Allocation Transaction Type Matrix below.
Service Requester Name (Svc Req Name)		TSDG	C	nu	Based upon the usage as defined by the allocation transaction type. See Allocation Transaction Type Matrix below.
<u>Service Requester Proprietary Code (Svc Req Prop)</u>		<u>TSDG</u>	<u>C</u>	<u>C</u>	<u>Based upon the usage as defined by the allocation transaction type. See Allocation Transaction Type Matrix below.</u>
Statement Recipient Data	The intended user of the statement.	BEDG			
Statement Recipient ID_* ⁴ (Recipient)		BEDG	M	M	
<u>Statement Recipient ID Proprietary Code (Recipient Prop)</u>		<u>BEDG</u>	<u>C</u>	<u>C</u>	<u>Mandatory when Statement Recipient ID is not present.</u>
Statement Recipient Name (Recipient Name)		BEDG	M	nu	
Upstream Identifier Data	This field identifies the party who is supplying the quantities to the service requester.	TSDG			
Upstream Identifier Code* (Up ID)		TSDG	C	C	Based upon the usage as defined by the allocation transaction type. See Allocation Transaction Type Matrix below.
Upstream Entity Name (Up Name)		TSDG	C	nu	Based upon the usage as defined by the allocation transaction type. See Allocation Transaction Type Matrix below.

Business Name (Abbreviation)	Definition	Data Group	EBB Usage	EDI / FF Usage	Condition
<u>Upstream Identifier Code * 4 (Up ID)</u>		<u>TSDG</u>	<u>C</u>	<u>C</u>	<u>Based upon the usage as defined by the allocation transaction type. See Allocation Transaction Type Matrix below.</u>
<u>Upstream Identifier Proprietary Code (Up ID Prop)</u>		<u>TSDG</u>	<u>C</u>	<u>C</u>	<u>Based upon the usage as defined by the allocation transaction type. See Allocation Transaction Type Matrix below.</u>

RELEVANT FOOTNOTES:

* Indicates Common Code

** When a Transportation Service Provider’s proprietary location code is employed pursuant to this standard, the parties agree that nominations, confirmations, scheduled quantities, and capacity release documents employing such code should be for one gas day at a time, and used only until there is a verified common code for the point associated with the proprietary location code. This would include daily nominations over a weekend. Within two months following the availability of the location the parties should employ the common code and no longer employ the proprietary code for identifying such location in the data sets related to the identified standards.

[4 Refer to NAESB Standard No. \[S4 – from R97058B\]](#)

DATA GROUPS:

- BEDG Business Entity Data Group
- DDG Dates Data Group
- FGDG Flowing Gas Data Group
- LDG Location Data Group
- TSDG Transaction Specific Data Group

Allocation Transaction Type Matrix

The following matrix shows the data elements that are dependent on the allocation transaction type code. A blank cell indicates that the data element is not used for the specified allocation transaction type code.

Data Element	Usage when allocation transaction type code is:																						
	1	2	3R	3D	4R	4D	5R	5D	6R	6D	7R	7D	8R	8D	9R	9D	10R	10D	11R	11D	12R	12D	13
Downstream Identifier Data																							
<u>Downstream Identifier Code</u>				M		M		M		M		M		M		M		M		M	C4	M	M
Downstream Entity Name				C5		C5		C5		C5		C5		C5		C5		C5		C5	C9	C5	C5
<u>Downstream Identifier Code</u>				M		M		M		M		M		M		M		M		M	C1	M	M
<u>Downstream Identifier Proprietary Code</u>				C12		C12		C12		C12		C12		C12		C12		C12		C12	C1 and C12	C12	C12
Service Requester Data																							
Service Requester ID	M	M					M	M	M	M	M	M	SO	SO	M	M	SO	SO	M	M	M	M	M
Service Requester Name	C5	C5					C5	C5	C5	C5	C5	C5	C11	C11	C5	C5	C11	C11	C5	C5	C5	C5	C5
<u>Service Requester Proprietary Code</u>	C13	C13					C13	C13	C13	C13	C13	C13	C14	C14	C13	C13	C14	C14	C13	C13	C13	C13	C13
Upstream Identifier Data																							
<u>Upstream Identifier Code</u>				M		M		M		M		M		M		M		M		M		M	C4
Upstream Entity Name				C5		C5		C5		C5		C5		C5		C5		C5		C5		C5	C10
<u>Upstream Identifier Code</u>				M		M		M		M		M		M		M		M		M		M	C1

Data Element	Usage when allocation transaction type code is:																							
	1	2	3R	3D	4R	4D	5R	5D	6R	6D	7R	7D	8R	8D	9R	9D	10R	10D	11R	11D	12R	12D	13	
<u>Upstream Identifier Proprietary Code</u>			C15		C15		C15		C15		C15		C15		C15		C15		C15		C15		C1 and C15	C15

USAGE:

- C1 Mandatory when present in the nomination.
- C2 Mandatory when mutually agreed to and submitted in the nomination process.
- C3 Mandatory when present and processed in the original nomination.
- C4 Mandatory when mutually agreed to and submitted in the nomination process and when associated contract is not used for storage balancing.
- C5 For EBB, this data element is mandatory; it is not used for EDI or FF.
- C6 Mandatory when Delivery Location is not present.
- C7 Mandatory when Receipt Location is not present.
- C8 For EDI and FF, Transaction Type is mandatory and Transaction Type Description is not used. For EBB, at least one of Transaction Type or Transaction Type Description is required.
- C9 For EBB, this data element is mandatory when either the Downstream Identifier Code or the Downstream Entity Name was present in the nomination; it is not used for EDI or FF.
- C10 For EBB, this data element is mandatory when either the Upstream Identifier Code or the Upstream Entity Name was present in the nomination; it is not used for EDI or FF.
- C11 For EBB, this data element is mandatory when Service Requester ID is present; it is not used for EDI or FF.
- C12 Mandatory when Downstream Identifier Code is not present
- C13 Mandatory Service Requester ID is not present.
- C14 May only be used when Service Requester Data is sent and Service Requester ID is not available.
- C15 Mandatory when Upstream Identifier Code is not present.

DATA DICTIONARY
(Reflects Changes Only)

Standard 2.4.4

Business Name (Abbreviation)	Definition	Data Group	EBB Pathed Imb Rpt Type	EBB Non-Pathed Imb Rpt Type	EBB PNT – “T” Imb Rpt Type	EBB PNT – “U” Imb Rpt Type	EDI / FF Usage	Condition
Downstream Identifier Data	This field identifies the party who is receiving the quantities from the service requester.	DeIDG						
Downstream Identifier Code*(Dn-ID)		DeIDG	M	G	nu	G	G	<p>Mandatory when one of the following conditions is met:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Pathed Imbalance Reporting Type is used. <input type="checkbox"/> Non-Pathed or Pathed Non-Threaded—Unthreaded Imbalance Reporting Type is used, and Delivery Location or Delivery Location Proprietary Code is present. <p>Will not be used when the Imbalance Reporting Type is Pathed Non-Threaded—Threaded.</p>

Business Name (Abbreviation)	Definition	Data Group	EBB Pathed Imb Rpt Type	EBB Non- Pathed Imb Rpt Type	EBB PNT – “T” Imb Rpt Type	EBB PNT – “U” Imb Rpt Type	EDI / FF Usage	Condition
Downstream Entity Name (Dn Name)		DeIDG	M	C	nu	C	nu	<p>Mandatory when one of the following conditions is met:</p> <ul style="list-style-type: none"> • Pathed Imbalance Reporting Type is used. • Non-Pathed or Pathed Non-Threaded – Unthreaded Imbalance Reporting Type is used, and Delivery Location or Delivery Location Proprietary Code is present. <p>Will not be used when the Imbalance Reporting Type is Pathed Non-Threaded – Threaded.</p>
Downstream Identifier Code * 4 (Dn ID)		DeIDG	M	C	nu	C	C	<p>Mandatory when one of the following conditions is met:</p> <ul style="list-style-type: none"> • Pathed Imbalance Reporting Type is used. • Non-Pathed or Pathed Non-Threaded – Unthreaded Imbalance Reporting Type is used, and Delivery Location or Delivery Location Proprietary Code is present. <p>Will not be used when the Imbalance Reporting Type is Pathed Non-Threaded – Threaded.</p>

Business Name (Abbreviation)	Definition	Data Group	EBB Pathed Imb Rpt Type	EBB Non-Pathed Imb Rpt Type	EBB PNT – “T” Imb Rpt Type	EBB PNT – “U” Imb Rpt Type	EDI / FF Usage	Condition
Downstream Identifier Proprietary Code (Dn ID Prop)		DeIDG	M	C	nu	C	C	<p>Mandatory when Downstream Identified Code is not present and when one of the following conditions is met:</p> <ul style="list-style-type: none"> Pathed Imbalance Reporting Type is used. Non-Pathed or Pathed Non-Threaded – Unthreaded Imbalance Reporting Type is used, and Delivery Location or Delivery Location Proprietary Code is present. <p>Will not be used when the Imbalance Reporting Type is Pathed Non-Threaded – Threaded.</p>
Preparer Data	The name of the business party preparing the report.	BEDG						
Preparer ID_+ ₄ (Prep ID)		BEDG	M	M	M	M	M	
Preparer Name (Prep Name)		BEDG	M	M	M	M	nu	
Preparer ID Proprietary Code (Prep ID Prop)		BEDG	C	C	C	C	C	Mandatory when Preparer ID is not present.
Service Requester Data	Identifies the party requesting the service.	CDG						
Service Requester ID_+ ₄ (Svc Req)		CDG	M	M	M	M	M	

Business Name (Abbreviation)	Definition	Data Group	EBB Pathed Imb Rpt Type	EBB Non-Pathed Imb Rpt Type	EBB PNT – “T” Imb Rpt Type	EBB PNT – “U” Imb Rpt Type	EDI / FF Usage	Condition
Service Requester Name (Svc Req Name)		CDG	M	M	M	M	nu	
Service Requester Proprietary Code (Svc Req Prop)		CDG	C	C	C	C	C	Mandatory when Service Requester ID is not present.
Statement Recipient Data	The intended user of the statement.	BEDG						
Statement Recipient ID * 4 — (Recipient)		BEDG	M	M	M	M	M	
Statement Recipient ID Proprietary Code (Recipient Prop Code)		BEDG	C	C	C	C	C	Mandatory when Statement Recipient ID is not present.
Statement Recipient Name (Recipient Name)		BEDG	M	M	M	M	nu	
Upstream Identifier Data	This field identifies the party who is supplying the quantities to the service requester.	RecDG						

Business Name (Abbreviation)	Definition	Data Group	EBB Pathed Imb Rpt Type	EBB Non- Pathed Imb Rpt Type	EBB PNT – “T” Imb Rpt Type	EBB PNT – “U” Imb Rpt Type	EDI / FF Usage	Condition
Upstream Identifier Code* (Up ID)		RecDG	M	C	nu	C	C	<p>Mandatory when one of the following conditions is met:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Pathed Imbalance Reporting Type is used. <input type="checkbox"/> Non-Pathed or Pathed Non-Threaded – Unthreaded Imbalance Reporting Type is used, and Receipt Location or Receipt Location Proprietary Code is present. <p>Will not be used when the Imbalance Reporting Type is Pathed Non-Threaded – Threaded.</p>
Upstream Entity Name (Up Name)		RecDG	M	C	nu	C	nu	<p>Mandatory when one of the following conditions is met:</p> <ul style="list-style-type: none"> • Pathed Imbalance Reporting Type is used. • Non-Pathed or Pathed Non-Threaded – Unthreaded Imbalance Reporting Type is used, and Receipt Location or Receipt Location Proprietary Code is present. <p>Will not be used when the Imbalance Reporting Type is Pathed Non-Threaded – Threaded.</p>

Business Name (Abbreviation)	Definition	Data Group	EBB Pathed Imb Rpt Type	EBB Non- Pathed Imb Rpt Type	EBB PNT – “T” Imb Rpt Type	EBB PNT – “U” Imb Rpt Type	EDI / FF Usage	Condition
Upstream Identifier Code * 4 (Up ID)		RecDG	M	C	nu	C	C	<p>Mandatory when one of the following conditions is met:</p> <ul style="list-style-type: none"> • Pathed Imbalance Reporting Type is used. • Non-Pathed or Pathed Non-Threaded – Unthreaded Imbalance Reporting Type is used, and Receipt Location or Receipt Location Proprietary Code is present. <p>Will not be used when the Imbalance Reporting Type is Pathed Non-Threaded – Threaded.</p>
Upstream Identifier Proprietary Code (Up ID Prop)		RecDG	C	C	nu	C	C	<p>Mandatory when Upstream Identifier Code is not present and when one of the following conditions is met:</p> <ul style="list-style-type: none"> • Pathed Imbalance Reporting Type is used. • Non-Pathed or Pathed Non-Threaded – Unthreaded Imbalance Reporting Type is used, and Receipt Location or Receipt Location Proprietary Code is present. <p>Will not be used when the Imbalance Reporting Type is Pathed Non-Threaded – Threaded.</p>

[RELEVANT FOOTNOTES:](#)

* Indicates Common Code

** When a Transportation Service Provider's proprietary location code is employed pursuant to this standard, the parties agree that nominations, confirmations, scheduled quantities, and capacity release documents employing such code should be for one gas day at a time, and used only until there is a verified common code for the point associated with the proprietary location code. This would include daily nominations over a weekend. Within two months following the availability of the location the parties should employ the common code and no longer employ the proprietary code for identifying such location in the data sets related to the identified standards.

[⁴ Refer to NAESB Standard No. \[S4 – from R97058B\]](#)

DATA GROUPS:

BEDG	Business Entity Data Group
CDG	Contracts Data Group
DDG	Dates Data Group
DelDG	Delivery Data Group
FGDG	Flowing Gas Data Group
RecDG	Receipt Data Group
TSDG	Transaction Specific Data Group

DATA DICTIONARY (Reflects Changes Only)

Standard 2.4.5

Business Name (Abbreviation)	Definition	Data Group	EBB Usage	EDI / FF Usage	Condition
Preparer Data	The name of the business party preparing the report.	BEDG			
Preparer ID ^{*4} (Prep ID)		BEDG	M	M	
<u>Preparer ID Proprietary Code</u> <u>(Prep ID Prop)</u>		<u>BEDG</u>	<u>C</u>	<u>C</u>	<u>Mandatory when Preparer ID is not present.</u>
Preparer Name (Prep Name)		BEDG	M	nu	
Statement Recipient Data	The intended user of the statement.	BEDG			
Statement Recipient ID ^{*4} (Recipient)		BEDG	M	M	
<u>Statement Recipient ID Proprietary Code</u> <u>(Recipient Prop)</u>		<u>BEDG</u>	<u>C</u>	<u>C</u>	<u>Mandatory when Statement Recipient ID is not present.</u>
Statement Recipient Name (Recipient Name)		BEDG	M	nu	

RELEVANT FOOTNOTES:

* Indicates Common Code

** When a Transportation Service Provider’s proprietary location code is employed pursuant to this standard, the parties agree that nominations, confirmations, scheduled quantities, and capacity release documents employing such code should be for one gas day at a time, and used only until there is a verified common code for the point associated with the proprietary location code. This would include daily nominations over a weekend. Within two months following the availability of the location the parties should employ the common code and no longer employ the proprietary code for identifying such location in the data sets related to the identified standards.

⁴ [Refer to NAESB Standard No. \[S4 – from R97058B\]](#)

DATA GROUPS:

BEDG Business Entity Data Group

DDG Dates Data Group
LDG Location Data Group
TSDG Transaction Specific Data Group

DATA DICTIONARY (Reflects Changes Only)

Standard 2.4.6

Business Name (Abbreviation)	Definition	EDI / FF Usage	Condition
Downstream Party <u>Data*</u> (Dn Pty)	Identifies the party to whom gas is flowing.	SO	
<u>Downstream Party * 4</u> (Dn Pty)		SO	
<u>Downstream Party Proprietary Code</u> (Dn Pty Prop)		SO	
Meter Operator <u>Data*</u> (Operator)	The party contractually responsible for the measurement of gas at a meter.	SO	When the meter operator is known, this information should be included in the statement.
<u>Meter Operator * 4</u> (Operator)		SO	When the meter operator is known, at least one of Meter Operator or Meter Operator Proprietary Code should be included in the statement.
<u>Meter Operator Proprietary Code</u> (Operator Prop)		SO	When the meter operator is known, at least one of Meter Operator or Meter Operator Proprietary Code should be included in the statement.
Upstream Party <u>Data*</u> (Up Pty)	Identifies the party from whom gas is flowing.	SO	
<u>Upstream Party * 4</u> (Up Pty)		SO	
<u>Upstream Party Proprietary Code</u> (Up Pty Prop)		SO	

RELEVANT FOOTNOTES:

* Indicates Common Code

⁴ Refer to NAESB Standard No. [S4 – from R97058B

]

DATA DICTIONARY (Reflects Changes Only)

Standard 2.4.7

Business Name (Abbreviation)	Definition	EDI / FF Usage	Condition
Requester Data * (Requester)	The requesting company.	M	
Requester * 4 (Requester)		M	
Requester Proprietary Code (Requester Prop)		C	Mandatory when Requester is not present.
Service Requester Data * (Svc-Req)	Identifies the party -requesting the service, or their agent.	G	Mandatory when Data Sets Requested is 'Shipper Imbalance for a specified service requester's contract' or 'Shipper Imbalance for all of the service requester's contracts', otherwise not used.
Service Requester * 4 (Svc Req)		C	Mandatory when Data Sets Requested is 'Shipper Imbalance for a specified service requester's contract' or 'Shipper Imbalance for all of the service requester's contracts', otherwise not used.
Service Requester Proprietary Code (Svc Req Prop)		C	Mandatory when the following conditions are met: <ul style="list-style-type: none"> • Data Sets Requested is 'Shipper Imbalance for a specified service requester's contract' or 'Shipper Imbalance for all of the service requester's contracts'; and • Service Requester is not present; otherwise not used.
Statement Recipient ID-Data * (Recipient)	The intended user of the statement.	G	Mandatory when Data Sets Requested is 'Allocation for a specified location' or 'Allocation for all locations', otherwise not used.
Statement Recipient ID * 4 (Recipient)		C	Mandatory when Data Sets Requested is 'Allocation for a specified location' or 'Allocation for all locations', otherwise not used.

Business Name (Abbreviation)	Definition	EDI / FF Usage	Condition
Statement Recipient ID Proprietary Code (Recipient Prop)		C	Mandatory when the following conditions are met: <ul style="list-style-type: none"> • Data Sets Requested is 'Allocation for a specified location' or 'Allocation for all locations', and • Statement Recipient is not present, otherwise not used.
Transportation Service Provider Data * (TSP)	Identifies the party providing the requested service.	M	
Transportation Service Provider * ⁴ (TSP)		M	
Transportation Service Provider Proprietary Code (TSP Prop)		C	Mandatory when Transportation Service Provider is not present.

RELEVANT FOOTNOTES:

* Indicates Common Code

** When a Transportation Service Provider’s proprietary location code is employed pursuant to this standard, the parties agree that nominations, confirmations, scheduled quantities, and capacity release documents employing such code should be for one gas day at a time, and used only until there is a verified common code for the point associated with the proprietary location code. This would include daily nominations over a weekend. Within two months following the availability of the location the parties should employ the common code and no longer employ the proprietary code for identifying such location in the datasets related to the identified standards.

⁴ [Refer to NAESB Standard No. \[S4 – from R97058B\]](#)

DATA DICTIONARY (Reflects Changes Only)

Standard 2.4.8

Business Name (Abbreviation)	Definition	EDI / FF Usage	Condition
Requester Data * (Requester)	The requesting company.	M	
Requester *⁴ (Requester)		M	
Requester Proprietary Code (Requester Prop)		C	Mandatory when Requester is not present.
Transportation Service Provider Data * (TSP)	Identifies the party providing the requested service.	M	
Transportation Service Provider *⁴ (TSP)		M	
Transportation Service Provider Proprietary Code (TSP Prop)		C	Mandatory when Transportation Service Provider is not present.

RELEVANT FOOTNOTES:

* Indicates Common Code

** When a Transportation Service Provider's proprietary location code is employed pursuant to this standard, the parties agree that nominations, confirmations, scheduled quantities, and capacity release documents employing such code should be for one gas day at a time, and used only until there is a verified common code for the point associated with the proprietary location code. This would include daily nominations over a weekend. Within two months following the availability of the location the parties should employ the common code and no longer employ the proprietary code for identifying such location in the datasets related to the identified standards.

⁴ [Refer to NAESB Standard No. \[S4 – from R97058B\]](#)

DATA DICTIONARY (Reflects Changes Only)

Standard 2.4.9

Business Name (Abbreviation)	Definition	Data Group	EBB Usage	Condition
Contract Holder Data	The entity with the contractual relationship with the transportation service provider.	BEDG		
Contract Holder * ⁴ (K Holder)		BEDG	M	
Contract Holder Name (K Holder Name)		BEDG	M	
Contract Holder Proprietary Code (K Holder Prop)		BEDG	C	Mandatory when Contract Holder is not present.
Service Requester Data	Identifies the party requesting the service, or their agent.	BEDG		
Service Requester * ⁴ (Svc Req)		BEDG	M	
Service Requester Name (Svc Req Name)		BEDG	M	
Service Requester Proprietary Code (Svc Req Prop)		BEDG	C	Mandatory when Service Requester is not present.
Transportation Service Provider Data	Identifies the party providing the requested service.	BEDG		
Transportation Service Provider * ⁴ (TSP)		BEDG	M	
Transportation Service Provider Name (TSP Name)		BEDG	M	
Transportation Service Provider Proprietary Code (TSP Prop)		BEDG	C	Mandatory when Transportation Service Provider is not present.

RELEVANT FOOTNOTES:

* Indicates Common Code

[⁴ Refer to NAESB Standard No. \[S4 – from R97058B\]](#)

DATA GROUPS:

ADG	Authorization Data Group
BEDG	Business Entity Data Group

DATA DICTIONARY (Reflects Changes Only)

Standard 2.4.10

Business Name (Abbreviation)	Definition	Data Group	EBB Usage	EDI / FF Usage	Condition
Contract Holder Data	The entity with the contractual relationship with the transportation service provider.	CDG			
Contract Holder * ⁴ (K Holder)		CDG	M	M	
Contract Holder Name (K Holder Name)		CDG	M	nu	
Contract Holder Proprietary Code (K Holder Prop)		CDG	C	C	Mandatory when Contract Holder is not present.
Service Requester Data	Identifies the party requesting the service, or their agent.	CDG			
Service Requester * ⁴ (Svc Req)		CDG	M	M	
Service Requester Name (Svc Req Name)		CDG	M	nu	
Service Requester Proprietary Code (Svc Req Prop)		CDG	C	C	Mandatory when Service Requester is not present.
Transportation Service Provider Data	Identifies the party providing the requested service.	BEDG			
Transportation Service Provider * ⁴ (TSP)		BEDG	M	M	
Transportation Service Provider Name) (TSP Name)		BEDG	M	nu	
Transportation Service Provider Proprietary Code (TSP Prop)		BEDG	C	C	Mandatory when Transportation Service Provider is not present.

RELEVANT FOOTNOTES:

** Indicates Common Code

⁴ [Refer to NAESB Standard No. \[S4 – from R97058B\]](#)

DATA GROUPS:

BEDG	Business Entity Data Group
CDG	Contracts Data Group
OIADG	Operational Impact Area Data Group
TSDG	Transaction Specific Data Group

DATA DICTIONARY (Reflects Changes Only)

Standard 2.4.11

Business Name (Abbreviation)	Definition	Data Group	EBB Usage	EDI / FF Usage	Condition
Confirming Trader Data	The party confirming the imbalance trade. This is either the Contract Holder – Confirming Trader, or their agent.	CTDG			
Confirming Trader * ⁴ (Conf Trdr)		CTDG	M	M	
Confirming Trader Name (Conf Trdr Name)		CTDG	M	nu	
Confirming Trader Proprietary Code (Conf Trdr Prop)		CTDG	C	C	Mandatory when Confirming Trader is not present.
Contract Holder Data	The entity with the contractual relationship with the transportation service provider.	CTDG			
Contract Holder * ⁴ (K Holder)		CDG	M	M	
Contract Holder Name (K Holder Name)		CDG	M	nu	
Contract Holder Proprietary Code (K Holder Prop)		CDG	C	C	Mandatory when Contract Holder is not present.
Contract Holder – Confirming Trader Data	The entity with the contractual relationship with the transportation service provider for the confirming trader imbalance.	CTDG			
Contract Holder - Confirming Trader * ⁴ (K Holder-Conf Trdr)		CTDG	M	M	
Contract Holder - Confirming Trader Name (K Holder-Conf Trdr Name)		CTDG	M	nu	

Business Name (Abbreviation)	Definition	Data Group	EBB Usage	EDI / FF Usage	Condition
Contract Holder – Confirming Trader Proprietary Code (K Holder-Conf Trdr Prop)		CTDG	C	C	Mandatory when Contract Holder – Confirming Trader is not present.
Contract Holder – Initiating Trader Data	The entity with the contractual relationship with the transportation service provider for the initiating trader imbalance.	ITDG			
Contract Holder - Initiating Trader * ⁴ (K Holder-Init Trdr)		ITDG	M	M	
Contract Holder - Initiating Trader Name (K Holder-Init Trdr Name)		ITDG	M	nu	
Contract Holder - Initiating Trader Proprietary Code (K Holder-Init Trdr Prop)		ITDG	C	C	Mandatory when Contract Holder – Initiating Trader is not present.
Initiating Trader Data	The party requesting the imbalance trade. This is either the Contract Holder – Initiating Trader, or their agent.	ITDG			
Initiating Trader * ⁴ (Init Trdr)		ITDG	M	M	
Initiating Trader Name (Init Trdr Name)		ITDG	M	nu	
Initiating Trader Proprietary Code (Init Trdr Prop)		ITDG	C	C	Mandatory when Initiating Trader is not present.
Service Requester Data	Identifies the party requesting the service, or their agent.	CDG			
Service Requester * ⁴ (Svc Req)		CDG	M	M	
Service Requester Name (Svc Req Name)		CDG	M	nu	
Service Requester Proprietary Code (Svc Req Prop)		CDG	C	C	Mandatory when Service Requester is not present.
Transportation Service Provider Data	Identifies the party providing the requested service.	BEDG			

Business Name (Abbreviation)	Definition	Data Group	EBB Usage	EDI / FF Usage	Condition
Transportation Service Provider * ⁴ (TSP)		BEDG	M	M	
Transportation Service Provider Name) (TSP Name)		BEDG	M	nu	
Transportation Service Provider Proprietary Code (TSP Prop)		BEDG	C	C	Mandatory when Transportation Service Provider is not present.

RELEVANT FOOTNOTES:

* Indicates Common Code

⁴ [Refer to NAESB Standard No. \[S4 – from R97058B\]](#)

DATA GROUPS:

BEDG Business Entity Data Group
 CTDG Confirming Trader Data Group
 ITDG Initiating Trader Data Group
 OIADG Operational Impact Area Data Group
 TSDG Transaction Specific Data Group

DATA DICTIONARY (Reflects Changes Only)

Standard 2.4.12

Business Name (Abbreviation)	Definition	EDI / FF Usage	Condition
Confirming Trader Data ² (Conf Trdr)	The party confirming the imbalance trade. This is either the Contract Holder – Confirming Trader, or their agent.	<u>M</u>	
Confirming Trader * 4 (Conf Trdr)		<u>M</u>	
Confirming Trader Proprietary Code (Conf Trdr Prop)		<u>C</u>	Mandatory when Confirming Trader is not present.
Contract Holder – Confirming Trader Data (K Holder-Conf Trdr)	The entity with the contractual relationship with the transportation service provider for the Confirming Trader imbalance.	<u>M</u>	
Contract Holder - Confirming Trader * 4 (K Holder-Conf Trdr)		<u>M</u>	
Contract Holder – Confirming Trader Proprietary Code (K Holder-Conf Trdr Prop)		<u>C</u>	Mandatory when Contract Holder – Confirming Trader is not present.
Contract Holder – Initiating Trader Data (K Holder-Init Trdr)	The entity with the contractual relationship with the transportation service provider for the initiating trader imbalance.	<u>M</u>	
Contract Holder - Initiating Trader * 4 (K Holder-Init Trdr)		<u>M</u>	
Contract Holder - Initiating Trader Proprietary Code (K Holder-Init Trdr Prop)		<u>C</u>	Mandatory when Contract Holder – Initiating Trader is not present.

Business Name (Abbreviation)	Definition	EDI / FF Usage	Condition
Initiating Trader Data* (Init Trdr)	The party requesting the imbalance trade. This is either the Contract Holder – Initiating Trader, or their agent.	<u>M</u>	
Initiating Trader * 4 (Init Trdr)		<u>M</u>	
Initiating Trader Proprietary Code (Init Trdr Prop)		<u>C</u>	Mandatory when Initiating Trader is not present.
Transportation Service Provider Data* (TSP)	Identifies the party providing the requested service.	<u>M</u>	
Transportation Service Provider * 4 (TSP)		<u>M</u>	
Transportation Service Provider Proprietary Code (TSP Prop)		<u>C</u>	Mandatory when Transportation Service Provider is not present.

RELEVANT FOOTNOTES:

* Indicates Common Code

⁴ [Refer to NAESB Standard No. \[S4 – from R97058B\]](#)

DATA DICTIONARY (Reflects Changes Only)

Standard 2.4.13

Business Name (Abbreviation)	Definition	Data Group	EBB Usage	Condition
Confirming Trader Data	The party confirming the imbalance trade. This is either the Contract Holder – Confirming Trader, or their agent.	CTDG		
Confirming Trader * <u>4</u> (Conf Trdr)		CTDG	M	
Confirming Trader Name (Conf Trdr Name)		CTDG	M	
Confirming Trader Proprietary Code (Conf Trdr Prop)		CTDG	C	Mandatory when Confirming Trader is not present.
Contract Holder – Confirming Trader Data	The entity with the contractual relationship with the transportation service provider for the confirming trader imbalance.	CTDG		
Contract Holder – Confirming Trader * <u>4</u> (K Holder-Conf Trdr)		CTDG	M	
Contract Holder – Confirming Trader Name (K Holder-Conf Trdr Name)		CTDG	M	
Contract Holder – Confirming Trader Proprietary Code (K Holder-Conf Trdr Prop)		CTDG	C	Mandatory when Contract Holder – Confirming Trader is not present.
Contract Holder – Initiating Trader Data	The entity with the contractual relationship with the transportation service provider for the initiating trader imbalance.	ITDG		
Contract Holder – Initiating Trader * <u>4</u> (K Holder-Init Trdr)		ITDG	M	
Contract Holder – Initiating Trader Name (K Holder-Init Trdr Name)		ITDG	M	

Business Name (Abbreviation)	Definition	Data Group	EBB Usage	Condition
Contract Holder – Initiating Trader Proprietary Code (K Holder-Init Trdr Prop)		ITDG	C	Mandatory when Contract Holder – Initiating Trader is not present.
Initiating Trader Data	The party requesting the imbalance trade. This is either the Contract Holder – Initiating Trader, or their agent.	ITDG		
Initiating Trader * ⁴ (Init Trdr)		ITDG	M	
Initiating Trader Name (Init Trdr Name)		ITDG	M	
Initiating Trader Proprietary Code (Init Trdr Prop)		ITDG	C	Mandatory when Initiating Trader is not present.
Transportation Service Provider Data	Identifies the party providing the requested service.	BEDG		
Transportation Service Provider * ⁴ (TSP)		BEDG	M	
Transportation Service Provider Name) (TSP Name)		BEDG	M	
Transportation Service Provider Proprietary Code (TSP Prop)		BEDG	C	Mandatory when Transportation Service Provider is not present.

RELEVANT FOOTNOTES:

* Indicates Common Code

⁴ [Refer to NAESB Standard No. \[S4 – from R97058B\]](#)

DATA GROUPS:

BEDG Business Entity Data Group
 CTDG Confirming Trader Data Group
 ITDG Initiating Trader Data Group
 OIADG Operational Impact Area Data Group
 TSDG Transaction Specific Data Group

DATA DICTIONARY (Reflects Changes Only)

Standard 2.4.14

Business Name (Abbreviation)	Definition	Data Group	EBB Usage	EDI / FF Usage	Condition
Confirming Trader Data	The party confirming the imbalance trade. This is either the Contract Holder – Confirming Trader, or their agent.	CTDG			
Confirming Trader * ⁴ (Conf Trdr)		CTDG	M	M	
Confirming Trader Name (Conf Trdr Name)		CTDG	M	nu	
Confirming Trader Proprietary Code (Conf Trdr Prop)		CTDG	C	C	Mandatory when Confirming Trader is not present.
Contract Holder – Confirming Trader Data	The entity with the contractual relationship with the transportation service provider for the confirming trader imbalance.	CTDG			
Contract Holder - Confirming Trader * ⁴ (K Holder-Conf Trdr)		CTDG	M	M	
Contract Holder - Confirming Trader Name (K Holder-Conf Trdr Name)		CTDG	M	nu	
Contract Holder – Confirming Trader Proprietary Code (K Holder-Conf Trdr Prop)		CTDG	C	C	Mandatory when Contract Holder – Confirming Trader is not present.
Contract Holder – Initiating Trader Data	The entity with the contractual relationship with the transportation service provider for the initiating trader imbalance.	ITDG			
Contract Holder - Initiating Trader * ⁴ (K Holder-Init Trdr)		ITDG	M	M	
Contract Holder - Initiating Trader Name (K Holder-Init Trdr Name)		ITDG	M	nu	

Business Name (Abbreviation)	Definition	Data Group	EBB Usage	EDI / FF Usage	Condition
Contract Holder - Initiating Trader Proprietary Code (K Holder-Init Trdr Prop)		ITDG	C	C	Mandatory when Contract Holder - Initiating Trader is not present.
Initiating Trader Data	The party requesting the imbalance trade. This is either the Contract Holder – Initiating Trader, or their agent.	ITDG			
Initiating Trader * ⁴ (Init Trdr)		ITDG	M	M	
Initiating Trader Name (Init Trdr Name)		ITDG	M	nu	
Initiating Trader Proprietary Code (Init Trdr Prop)		ITDG	C	C	Mandatory when Initiating Trader is not present.
Transportation Service Provider Data	Identifies the party providing the requested service.	BEDG			
Transportation Service Provider * ⁴ (TSP)		BEDG	M	M	
Transportation Service Provider Name) (TSP Name)		BEDG	M	nu	
Transportation Service Provider Proprietary Code (TSP Prop)		BEDG	C	C	Mandatory when Transportation Service Provider is not present.

RELEVANT FOOTNOTES:

* Indicates Common Code

⁴ Refer to NAESB Standard No. [S4 – from R97058B]

DATA GROUPS:

- BEDG Business Entity Data Group
- CTDG Confirming Trader Data Group
- ITDG Initiating Trader Data Group
- OIADG Operational Impact Data Group
- TSDG Transaction Specific Data Group

DATA DICTIONARY (Reflects Changes Only)

Standard 2.4.15

Business Name (Abbreviation)	Definition	Data Group	EBB Usage	EDI / FF Usage	Condition
Confirming Trader Data	The party confirming the imbalance trade. This is either the Contract Holder – Confirming Trader, or their agent.	CTDG			
Confirming Trader * ⁴ (Conf Trdr)		CTDG	M	M	
Confirming Trader Name (Conf Trdr Name)		CTDG	M	nu	
Confirming Trader Proprietary Code (Conf Trdr Prop)		CTDG	C	C	Mandatory when Confirming Trader is not present.
Contract Holder – Confirming Trader Data	The entity with the contractual relationship with the transportation service provider for the confirming trader imbalance.	CTDG			
Contract Holder – Confirming Trader * ⁴ (K Holder-Conf Trdr)		CTDG	M	M	
Contract Holder – Confirming Trader Name (K Holder-Conf Trdr Name)		CTDG	M	nu	
Contract Holder – Confirming Trader Proprietary Code (K Holder-Conf Trdr Prop)		CTDG	C	C	Mandatory when Contract Holder – Confirming Trader is not present.

Business Name (Abbreviation)	Definition	Data Group	EBB Usage	EDI / FF Usage	Condition
Contract Holder – Initiating Trader Data	The entity with the contractual relationship with the transportation service provider for the initiating trader imbalance.	ITDG			
Contract Holder – Initiating Trader * ⁴ (K Holder-Init Trdr)		ITDG	M	M	
Contract Holder – Initiating Trader Name (K Holder-Init Trdr Name)		ITDG	M	nu	
Contract Holder – Initiating Trader Proprietary Code (K Holder-Init Trdr Prop)		ITDG	C	C	Mandatory when Contract Holder – Initiating Trader is not present.
Initiating Trader Data	The party requesting the imbalance trade. This is either the Contract Holder – Initiating Trader, or their agent.	ITDG			
Initiating Trader * ⁴ (Init Trdr)		ITDG	M	M	
Initiating Trader Name (Init Trdr Name)		ITDG	M	nu	
Initiating Trader Proprietary Code (Init Trdr Prop)		ITDG	C	C	Mandatory when Initiating Trader is not present.
Transportation Service Provider Data	Identifies the party providing the requested service.	BEDG			
Transportation Service Provider * ⁴ (TSP)		BEDG	M	M	
Transportation Service Provider Name (TSP Name)		BEDG	M	nu	

Business Name (Abbreviation)	Definition	Data Group	EBB Usage	EDI / FF Usage	Condition
Transportation Service Provider Proprietary Code (TSP Prop)		BEDG	C	C	Mandatory when Transportation Service Provider is not present.

RELEVANT FOOTNOTES:

* Indicates Common Code

⁴ [Refer to NAESB Standard No. \[S4 – from R97058B\]](#)

DATA GROUPS:

BEDG Business Entity Data Group
 CTDG Confirming Trader Data Group
 ITDG Initiating Trader Data Group
 OIADG Operational Impact Area Data Group
 TSDG Transaction Specific Data Group

DATA DICTIONARY (Reflects Changes Only)

Standard 2.4.16

Business Name (Abbreviation)	Definition	Data Group	EBB Usage	EDI / FF Usage	Condition
Confirming Trader Data	The party confirming the imbalance trade. This is either the Contract Holder – Confirming Trader, or their agent.	CTDG			
Confirming Trader * ⁴ (Conf Trdr)		CTDG	M	M	
Confirming Trader Name (Conf Trdr Name)		CTDG	M	nu	
Confirming Trader Proprietary Code (Conf Trdr Prop)		CTDG	C	C	Mandatory when Confirming Trader is not present.
Contract Holder – Confirming Trader Data	The entity with the contractual relationship with the transportation service provider for the confirming trader imbalance.	CTDG			
Contract Holder - Confirming Trader * ⁴ (K Holder-Conf Trdr)		CTDG	M	M	
Contract Holder - Confirming Trader Name (K Holder-Conf Trdr Name)		CTDG	M	nu	
Contract Holder – Confirming Trader Proprietary Code (K Holder-Conf Trdr Prop)		CTDG	C	C	Mandatory when Contract Holder – Confirming Trader is not present.
Contract Holder – Initiating Trader Data	The entity with the contractual relationship with the transportation service provider for the initiating trader imbalance.	ITDG			
Contract Holder - Initiating Trader * ⁴ (K Holder-Init Trdr)		ITDG	M	M	
Contract Holder - Initiating Trader Name (K Holder-Init Trdr Name)		ITDG	M	nu	

Business Name (Abbreviation)	Definition	Data Group	EBB Usage	EDI / FF Usage	Condition
Contract Holder - Initiating Trader Proprietary Code (K Holder-Init Trdr Prop)		ITDG	C	C	Mandatory when Contract Holder – Initiating Trader is not present.
Initiating Trader Data	The party requesting the imbalance trade. This is either the Contract Holder – Initiating Trader, or their agent.	ITDG			
Initiating Trader * ⁴ (Init Trdr)		ITDG	M	M	
Initiating Trader Name (Init Trdr Name)		ITDG	M	nu	
Initiating Trader Proprietary Code (Init Trdr Prop)		ITDG	C	C	Mandatory when Initiating Trader is not present.
Transportation Service Provider Data	Identifies the party providing the requested service.	BEDG			
Transportation Service Provider * ⁴ (TSP)		BEDG	M	M	
Transportation Service Provider Name) (TSP Name)		BEDG	M	nu	
Transportation Service Provider Proprietary Code (TSP Prop)		BEDG	C	C	Mandatory when Transportation Service Provider is not present.

RELEVANT FOOTNOTES:

* Indicates Common Code

⁴ [Refer to NAESB Standard No. \[S4 – from R97058B\]](#)

DATA GROUPS:

BEDG Business Entity Data Group
 CTDG Confirming Trader Data Group
 ITDG Initiating Trader Data Group
 OIADG Operational Impact Area Data Group
 TSDG Transaction Specific Data Group

DATA DICTIONARY (Reflects Changes Only)

Standard 3.4.1

Business Name (Abbreviation)	Definition	Model Data Group	EDI / FF Usage	Condition
Billable Party (Payer) <u>Data*</u> (Bill Pty)	The party being billed.	BEDG	<u>M</u>	
<u>Billable Party (Payer) * 4</u> (<u>Bill Pty</u>)		<u>BEDG</u>	<u>M</u>	
<u>Billable Party (Payer) Proprietary Code</u> (<u>Bill Pty Prop</u>)		<u>BEDG</u>	<u>C</u>	<u>Mandatory when Billable Party (Payer) is not present.</u>
Downstream Identifier <u>Code*Data</u> (Dn ID)	This field identifies the party who is receiving the quantities from the service requester.	DelDG	<u>MA</u>	
Downstream Identifier Code <u>* 4</u> (Dn ID)		<u>DelDG</u>	<u>MA</u>	
<u>Downstream Identifier Proprietary Code</u> (<u>Dn ID Prop</u>)		<u>DelDG</u>	<u>MA</u>	
Payee <u>Data*</u> (Payee)	The party billing the service requester/purchaser for transportation/gas.	BEDG	<u>M</u>	
<u>Payee * 4</u> (<u>Payee</u>)		<u>BEDG</u>	<u>M</u>	
<u>Payee Proprietary Code</u> (<u>Payee Prop</u>)		<u>BEDG</u>	<u>C</u>	<u>Mandatory when Payee is not present.</u>
Remit to Party <u>Data*</u> (Remit to Pty)	Party to which payment of an invoice should be sent.	BEDG	<u>G</u>	<u>Mandatory when Remittance Address is sent.</u>
<u>Remit to Party * 4</u> (<u>Remit to Pty</u>)		<u>BEDG</u>	<u>C</u>	<u>Mandatory when Remittance Address is sent.</u>

Business Name (Abbreviation)	Definition	Model Data Group	EDI / FF Usage	Condition
Remit to Party Proprietary Code (Remit to Pty Prop)		BEDG	C	Mandatory when Remittance Address is sent and Remit to Party is not present.
Replacement Party Identifier Data* (Repl Pty ID)	Identifies the replacement party used in capacity releasing.	TSDG	C	For Invoice – based on Service Code.
Replacement Party Identifier * 4 (Repl Pty ID)		TSDG	C	For Invoice – based on Service Code.
Replacement Party Identifier Proprietary Code (Repl Pty ID Prop)		TSDG	C	Mandatory when sent for Invoice - based on Service Code – and Replacement Party Identifier is not present.
Service Requester Data* (Svc Req)	Identifies the party requesting the service, or their agent.	BEDG	MA	
Service Requester * 4 (Svc Req)		BEDG	MA	
Service Requester Proprietary Code (Svc Req Prop)		BEDG	MA	
Upstream Identifier Code Data* (Up ID)	This field identifies the party who is supplying the quantities to the service requester.	RecDG	MA	
Upstream Identifier Code * 4 (Up ID)		RecDG	MA	
Upstream Identifier Proprietary Code (Up ID Prop)		RecDG	MA	

RELEVANT FOOTNOTES:

* Indicates Common Code

** When a Transportation Service Provider’s proprietary location code is employed pursuant to this standard, the parties agree that nomination, confirmations, scheduled quantities, and capacity release documents employing such code should be for one gas day at a time, and used only until there is a verified common code for the point associated with the proprietary location code. This would include daily nominations over a weekend. Within two months following the availability of the location the parties should employ the common code and no longer employ the proprietary code for identifying such location in the data sets related to the identified standards.

⁴ [Refer to NAESB Standard No. \[S4 – from R97058B\]](#)

DATA GROUPS:

BEDG	Business Entity Data Group
CDG	Contracts Data Group
CurDG	Currency Data Group
DDG	Dates Data Group
DelDG	Delivery Data Group
RecDG	Receipt Data Group
SRLDG	Service Requester Level Data Group
TSDG	Transaction Specific Data Group

DATA DICTIONARY (Reflects Changes Only)

Standard 3.4.2

Business Name (Abbreviation)	Definition	Model Data Group	EDI / FF Usage	Condition
Billable Party (Payer) <u>Data*</u> (Bill Pty)	The party being billed.	BEDG	M	
<u>Billable Party (Payer) * 4</u> (Bill Pty)		<u>BEDG</u>	<u>M</u>	
<u>Billable Party (Payer) Proprietary Code</u> (Bill Pty Prop)		<u>BEDG</u>	<u>C</u>	<u>Mandatory when Billable Party (Payer) is not present.</u>
Payee <u>Data*</u> (Payee)	The party billing the service requester/purchaser for transportation/gas.	BEDG	M	
<u>Payee * 4</u> (Payee)		<u>BEDG</u>	<u>M</u>	
<u>Payee Proprietary Code</u> (Payee Prop)		<u>BEDG</u>	<u>C</u>	<u>Mandatory when Payee is not present.</u>
Remit to Party <u>Data*</u> (Remit to Pty)	Party to which payment of an invoice should be sent.	BEDG	C	<u>Mandatory when Remittance Address is sent.</u>
<u>Remit to Party * 4</u> (Remit to Pty)		<u>BEDG</u>	<u>C</u>	<u>Mandatory when Remittance Address is sent.</u>
<u>Remit to Party Proprietary Code</u> (Remit to Pty Prop)		<u>BEDG</u>	<u>C</u>	<u>Mandatory when Remittance Address is sent and Remit to Party is not present.</u>
Remitting Party <u>Data*</u> (Remit Pty)	The party making payment. Default is the billable party.	BEDG	M	
<u>Remitting Party * 4</u> (Remit Pty)		<u>BEDG</u>	<u>M</u>	
<u>Remitting Party Proprietary Code</u> (Remit Pty Prop)		<u>BEDG</u>	<u>C</u>	<u>Mandatory when Remitting Party is not present.</u>

Business Name (Abbreviation)	Definition	Model Data Group	EDI / FF Usage	Condition
Service Requester Data* (Svc Req)	Identifies the party requesting the service, or their agent.	BEDG	MA	
Service Requester *⁴ (Svc Req)		BEDG	MA	
Service Requester Proprietary Code (Svc Req Prop)		BEDG	MA	

RELEVANT FOOTNOTES:

* Indicates Common Code

** When a Transportation Service Provider’s proprietary location code is employed pursuant to this standard, the parties agree that nomination, confirmations, scheduled quantities, and capacity release documents employing such code should be for one gas day at a time, and used only until there is a verified common code for the point associated with the proprietary location code. This would include daily nominations over a weekend. Within two months following the availability of the location the parties should employ the common code and no longer employ the proprietary code for identifying such location in the data sets related to the identified standards.

⁴ [Refer to NAESB Standard No. \[S4 – from R97058B\]](#)

DATA GROUPS:

- BEDG Business Entity Data Group
- CDG Contracts Data Group
- CurDG Currency Data Group
- DDG Dates Data Group
- DelDG Delivery Data Group
- RecDG Receipt Data Group
- SRLDG Service Requester Level Data Group
- TSDG Transaction Specific Data Group

DATA DICTIONARY (Reflects Changes Only)

Standard 3.4.3

Business Name (Abbreviation)	Definition	Model Data Group	EDI / FF Usage	Condition
Billable Party (Payer) <u>Data*</u> (Bill Pty)	The party being billed.	BEDG	M	
<u>Billable Party (Payer) * 4</u> (Bill Pty)		<u>BEDG</u>	<u>M</u>	
<u>Billable Party (Payer) Proprietary Code</u> (Bill Pty Prop)		<u>BEDG</u>	<u>C</u>	<u>Mandatory when Billable Party (Payer) is not present.</u>
Remit to Party <u>Data</u> (Remit to Pty)	Party to which payment of an invoice should be sent.	BEDG	M	<u>Mandatory when Remittance Address is sent.</u>
<u>Remit to Party * 4</u> (Remit to Pty)		<u>BEDG</u>	<u>M</u>	
<u>Remit to Party Proprietary Code</u> (Remit to Pty Prop)		<u>BEDG</u>	<u>C</u>	<u>Mandatory when Remit to Party is not present.</u>
Service Requester <u>Data*</u> (Svc Req)	Identifies the party requesting the service, or their agent.	BEDG	MA	
<u>Service Requester * 4</u> (Svc Req)		<u>BEDG</u>	<u>MA</u>	
<u>Service Requester Proprietary Code</u> (Svc Req Prop)		<u>BEDG</u>	<u>MA</u>	

RELEVANT FOOTNOTES:

* Indicates Common Code

** When a Transportation Service Provider’s proprietary location code is employed pursuant to this standard, the parties agree that nomination, confirmations, scheduled quantities, and capacity release documents employing such code should be for one gas day at a time, and used only until there is a verified common code for the point associated with the proprietary location code. This would include daily nominations over a weekend. Within two months following the availability of the location the parties should employ the common code and no longer employ the proprietary code for identifying such location in the data sets related to the identified standards.

[⁴ Refer to NAESB Standard No. \[S4 – from R97058B\]](#)

DATA GROUPS:

BEDG	Business Entity Data Group
CurDG	Currency Data Group
TSDG	Transaction Specific Data Group

DATA DICTIONARY (Reflects Changes Only)

Standard 3.4.4

Business Name (Abbreviation)	Definition	Model Data Group	EDI / FF Usage	Condition
Billable Party (Payer) Data* (Bill Pty)	The party being billed.	BEDG	<u>M</u>	
Billable Party (Payer) * 4 (Bill Pty)		BEDG	<u>M</u>	
Billable Party (Payer) Proprietary Code (Bill Pty Prop)		BEDG	<u>C</u>	Mandatory when Billable Party (Payer) is not present.
Payee Data* (Payee)	The party billing the service requester/purchaser for transportation/gas.	BEDG	<u>M</u>	
Payee * 4 (Payee)		BEDG	<u>M</u>	
Payee Proprietary Code 4 (Payee Prop)		BEDG	<u>C</u>	Mandatory when Payee is not present.
Remit to Party Data* (Remit to Pty)	Party to which payment of an invoice should be sent.	BEDG	<u>C</u>	Mandatory when Remittance Address is sent.
Remit to Party * 4 (Remit to Pty)		BEDG	<u>C</u>	Mandatory when Remittance Address is sent.
Remit to Party Proprietary Code (Remit to Pty Prop)		BEDG	<u>C</u>	Mandatory when Remittance Address is sent and Remit to Party is not present.
Service Requester Data* (Svc Req)	Identifies the party requesting the service, or their agent.	BEDG	<u>MA</u>	
Service Requester * 4 (Svc Req)		BEDG	<u>MA</u>	
Service Requester Proprietary Code (Svc Req Prop)		BEDG	<u>MA</u>	

[RELEVANT FOOTNOTES:](#)

* Indicates Common Code

** When a Transportation Service Provider's proprietary location code is employed pursuant to this standard, the parties agree that nomination, confirmations, scheduled quantities, and capacity release documents employing such code should be for one gas day at a time, and used only until there is a verified common code for the point associated with the proprietary location code. This would include daily nominations over a weekend. Within two months following the availability of the location the parties should employ the common code and no longer employ the proprietary code for identifying such location in the data sets related to the identified standards.

[4 Refer to NAESB Standard No. \[S4 – from R97058B\]](#)

DATA GROUPS:

BEDG	Business Entity Data Group
CDG	Contracts Data Group
CurDG	Currency Data Group
DDG	Dates Data Group
DelDG	Delivery Data Group
RecDG	Receipt Data Group
SRLDG	Service Requester Level Data Group
TSDG	Transaction Specific Data Group

DATA DICTIONARY (Reflects Changes Only)

Standard 5.4.1

Business Name (Abbreviation)	Definition	EBB Usage	EDI/FF Usage	Condition
Bidder Company Data	The unique company code number for the legal entity which is the bidder.			
Bidder Company Code * ⁴ (Bidder)		SO	SO	
Bidder Company Name *** (Bidder Name)		C	C	Mandatory, and may only be used, when the Bidder Company Code <u>or Bidder Company Proprietary Code</u> is present.
<u>Bidder Company Proprietary Code (Bidder Prop)</u>		<u>C</u>	<u>C</u>	<u>May only be used when Bidder Company Data is sent and Bidder Company Code is not available.</u>
Releaser Company Data	The legal entity which signed the contract with the transportation service provider.			
Releaser Company Code * ⁴ (Releaser)		SO	SO	
Releaser Company Name *** (Releaser Name)		C	C	Mandatory, and may only be used, when the Releaser Company Code is present.
<u>Releaser Company Proprietary Code (Releaser Prop)</u>		<u>C</u>	<u>C</u>	<u>May only be used when Releaser Company Data is sent and Releaser Company Code is not available</u>
Transportation Service Provider *Data	A code which uniquely identifies the transportation service provider.			
Transportation Service Provider * ⁴ (TSP)		M	M	
Transportation Service Provider Name (TSP Name)		M	nu	
<u>Transportation Service Provider Proprietary Code (TSP Prop)</u>		<u>C</u>	<u>C</u>	<u>Mandatory when Transportation Service Provider is not present.</u>

RELEVANT FOOTNOTES:

* Indicates Common Code

** When a Transportation Service Provider's proprietary location code is employed pursuant to this standard, the parties agree that nominations, confirmations, scheduled quantities, and capacity release documents employing such code should be for one gas day at a time, and used only until there is a verified common code for the point associated with the proprietary location code. This would include daily nominations over a weekend. Within two months following the availability of the location the parties should employ the common code and no longer employ the proprietary code for identifying such location in the data sets related to the identified standards.

*** The Transportation Service Provider's version of the name.

[4 Refer to NAESB Standard No. \[S4 – from R97058B\]](#)

DATA DICTIONARY (Reflects Changes Only)

Standard 5.4.2

Business Name (Abbreviation)	Definition	EBB Usage	EDI/FF Usage	Condition
Releaser Company Code Data	The legal entity which signed the contract with the transportation service provider.			
Releaser Company Code * ⁴ (Releaser)		SO	SO	
Releaser Company Name *** (Releaser Name)		C	C	Mandatory, and may only be used, when the Releaser Company Code <u>or Releaser Company Proprietary Code</u> is present.
<u>Releaser Company Proprietary Code</u> (Releaser Prop)		<u>C</u>	<u>C</u>	<u>May only be used when Releaser Company Data is sent and Releaser Company Code is not available.</u>
Transportation Service Provider Code Data	A code which uniquely identifies the transportation service provider.			
Transportation Service Provider * ⁴ (TSP)		M	M	
Transportation Service Provider Name (TSP Name)		M	nu	
<u>Transportation Service Provider Proprietary Code</u> (TSP Prop)		<u>C</u>	<u>C</u>	<u>Mandatory when Transportation Service Provider is not present.</u>

RELEVANT FOOTNOTES:

* Indicates Common Code

** When a Transportation Service Provider's proprietary location code is employed pursuant to this standard, the parties agree that nominations, confirmations, scheduled quantities, and capacity release documents employing such code should be for one gas day at a time, and used only until there is a verified common code for the point associated with the proprietary location code. This would include daily nominations over a weekend. Within two months following the availability of the location the parties should employ the common code and no longer employ the proprietary code for identifying such location in the data sets related to the identified standards.

*** The Transportation Service Provider's version of the name.

⁴ Refer to NAESB Standard No. [S4 – from R97058B]

DATA DICTIONARY (Reflects Changes Only)

Standard 5.4.3

Business Name (Abbreviation)	Definition	EBB Usage	EDI/FF Usage	Condition
Bidder Company Data	The unique company code number for the legal entity which is the bidder.			
Bidder Company Code * ⁴ (Bidder)		M	M	
Bidder Company Name *** (Bidder Name)		M	M	
<u>Bidder Company Proprietary Code (Bidder Prop)</u>		<u>C</u>	<u>C</u>	<u>Mandatory when Bidder Company Code is not present.</u>
Releaser Company Data	The legal entity which signed the contract with the transportation service provider.			
Releaser Company Code * ⁴ (Releaser)		M	M	
Releaser Company Name *** (Releaser Name)		M	M	
<u>Releaser Company Proprietary Code (Releaser Prop)</u>		<u>C</u>	<u>C</u>	<u>Mandatory when Releaser Company Code is not present.</u>
Transportation Service Provider Data	A code which uniquely identifies the transportation service provider.			
Transportation Service Provider * ⁴ (TSP)		M	M	
Transportation Service Provider Name (TSP Name)		M	nu	
<u>Transportation Service Provider Proprietary Code (TSP Prop)</u>		<u>C</u>	<u>C</u>	<u>Mandatory when Transportation Service Provider is not present.</u>

RELEVANT FOOTNOTES:

* Indicates Common Code

** When a Transportation Service Provider’s proprietary location code is employed pursuant to this standard, the parties agree that nominations, confirmations, scheduled quantities, and capacity release documents employing such code should be for one gas day at a time, and used only until there is a verified common code for the point associated with the proprietary

location code. This would include daily nominations over a weekend. Within two months following the availability of the location the parties should employ the common code and no longer employ the proprietary code for identifying such location in the data sets related to the identified standards.

*** _The Transportation Service Provider’s version of the name.

⁴ [Refer to NAESB Standard No. \[S4 – from R97058B\]](#)

DATA DICTIONARY (Reflects Changes Only)

Standard 5.4.4

Business Name (Abbreviation)	Definition	EBB Usage	EDI/FF Usage	Condition
Transportation Service Provider Data	A code which uniquely identifies the transportation service provider.			
Transportation Service Provider * ⁴ (TSP)		M	M	
Transportation Service Provider Name (TSP Name)		M	nu	
<u>Transportation Service Provider Proprietary Code (TSP Prop)</u>		<u>C</u>	<u>C</u>	<u>Mandatory when Transportation Service Provider is not present.</u>

RELEVANT FOOTNOTES:

* Indicates Common Code

** - When a Transportation Service Provider's proprietary location code is employed pursuant to this standard, the parties agree that nominations, confirmations, scheduled quantities, and capacity release documents employing such code should be for one gas day at a time, and used only until there is a verified common code for the point associated with the proprietary location code. This would include daily nominations over a weekend. Within two months following the availability of the location the parties should employ the common code and no longer employ the proprietary code for identifying such location in the data sets related to the identified standards.

⁴ Refer to NAESB Standard No. [S4 – from R97058B]

DATA DICTIONARY (Reflects Changes Only)

Standard 5.4.5

Business Name (Abbreviation)	Definition	EBB Usage	EDI/FF Usage	Condition
Transportation Service Provider Data	A code which uniquely identifies the transportation service provider.			
Transportation Service Provider * 4 (TSP)		M	M	
Transportation Service Provider Name (TSP Name)		M	nu	
<u>Transportation Service Provider Proprietary Code (TSP Prop)</u>		<u>C</u>	<u>C</u>	<u>Mandatory when Transportation Service Provider is not present.</u>

RELEVANT FOOTNOTES:

* Indicates Common Code

⁴ Refer to NAESB Standard No. [S4 – from R97058B]

DATA DICTIONARY (Reflects Changes Only)

Standard 5.4.6

Business Name (Abbreviation)	Definition	EBB Usage	EDI/FF Usage	Condition
Transportation Service Provider Data	A code which uniquely identifies the transportation service provider.			
Transportation Service Provider_* ⁴ (TSP)		M	M	
Transportation Service Provider Name (TSP Name)		M	nu	
<u>Transportation Service Provider Proprietary Code (TSP Prop)</u>		<u>C</u>	<u>C</u>	<u>Mandatory when Transportation Service Provider is not present.</u>
Withdrawing Company Data	A code which uniquely identifies the withdrawing party.			
Withdrawing Company Code_* ⁴ (W/D Co)		M	M	
Withdrawing Company Name (W/D Co Name)		M	nu	
<u>Withdrawing Company Proprietary Code (W/D Co Prop)</u>		<u>C</u>	<u>C</u>	<u>Mandatory when Withdrawing Company Code is not present.</u>

RELEVANT FOOTNOTES:

* Indicates Common Code

⁴ Refer to NAESB Standard No. [S4 – from R97058B]

DATA DICTIONARY (Reflects Changes Only)

Standard 5.4.7

Business Name (Abbreviation)	Definition	EBB Usage	EDI/FF Usage	Condition
Bidder Company Data	The unique company code number for the legal entity which is the bidder.			
Bidder Company Code * ⁴ (Bidder)		C	C	Mandatory when the Prearranged Deal Indicator indicates prearranged.
Bidder Company Name (Bidder Name)		C	nu	Mandatory when the Prearranged Deal Indicator indicates prearranged.
<u>Bidder Company Proprietary Code (Bidder Prop)</u>		<u>C</u>	<u>C</u>	<u>Mandatory when the Prearranged Deal Indicator indicates prearranged and Bidder Company Proprietary Code is not present.</u>
Releaser Company Data	The legal entity which signed the contract with the transportation service provider.			
Releaser Company Code * ⁴ (Releaser)		M	M	
Releaser Company Name (Releaser Name)		M	nu	
<u>Releaser Company Proprietary Code (Releaser Prop)</u>		<u>C</u>	<u>C</u>	<u>Mandatory when Releaser Company Code is not present.</u>
Return Addressee Company Data	The unique company code number for the legal entity to which the response to a document is to be sent.			
Return Addressee Company Code * ⁴ (Rtn Addr)		M	M	
Return Addressee Company Name (Rtn Addr Name)		M	nu	
<u>Return Addressee Company Proprietary Code (Rtn Addr Prop)</u>		<u>C</u>	<u>C</u>	<u>Mandatory when Return Addressee Company Code is not present.</u>
Transportation Service Provider Data	A code which uniquely identifies the transportation service provider.			

Business Name (Abbreviation)	Definition	EBB Usage	EDI/FF Usage	Condition
Transportation Service Provider * ⁴ (TSP)		M	M	
Transportation Service Provider Name (TSP Name)		M	nu	
<u>Transportation Service Provider Proprietary Code (TSP Prop)</u>		<u>C</u>	<u>C</u>	<u>Mandatory when Transportation Service Provider is not present.</u>

RELEVANT FOOTNOTES:

* Indicates Common Code

** _ When a Transportation Service Provider’s proprietary location code is employed pursuant to this standard, the parties agree that nominations, confirmations, scheduled quantities, and capacity release documents employing such code should be for one gas day at a time, and used only until there is a verified common code for the point associated with the proprietary location code. This would include daily nominations over a weekend. Within two months following the availability of the location the parties should employ the common code and no longer employ the proprietary code for identifying such location in the data sets related to the identified standards.

⁴ Refer to NAESB Standard No. [S4 – from R97058B]

DATA DICTIONARY (Reflects Changes Only)

Standard 5.4.8

Business Name (Abbreviation)	Definition	EDI/FF Usage	Condition
Transportation Service Provider <u>* Data (TSP)</u>	A code which uniquely identifies the transportation service provider.	<u>M</u>	
<u>Transportation Service Provider *⁴ (TSP)</u>		<u>M</u>	
<u>Transportation Service Provider Proprietary Code (TSP Prop)</u>		<u>C</u>	<u>Mandatory when Transportation Service Provider is not present.</u>

RELEVANT FOOTNOTES:

* Indicates Common Code

** When a Transportation Service Provider's proprietary location code is employed pursuant to this standard, the parties agree that nominations, confirmations, scheduled quantities, and capacity release documents employing such code should be for one gas day at a time, and used only until there is a verified common code for the point associated with the proprietary location code. This would include daily nominations over a weekend. Within two months following the availability of the location the parties should employ the common code and no longer employ the proprietary code for identifying such location in the data sets related to the identified standards.

⁴ Refer to NAESB Standard No. [S4 – from R97058B]

DATA DICTIONARY (Reflects Changes Only)

Standard 5.4.9

Business Name (Abbreviation)	Definition	EBB Usage	EDI/FF Usage	Condition
Bidder Company Data	The unique company code number for the legal entity which is the bidder.			
Bidder Company Code * ⁴ (Bidder)		M	M	
Bidder Company Name (Bidder Name)		M	nu	
<u>Bidder Company Proprietary Code (Bidder Prop)</u>		<u>C</u>	<u>C</u>	<u>Mandatory when Bidder Company Code is not present.</u>
Releaser Company Data	The legal entity which signed the contract with the transportation service provider.			
Releaser Company Code * ⁴ (Releaser)		M	M	
Releaser Company Name (Releaser Name)		M	nu	
<u>Releaser Company Proprietary Code (Releaser Prop)</u>		<u>C</u>	<u>C</u>	<u>Mandatory when Releaser Company Code is not present.</u>
Return Addressee Company -Data	The unique company code number for the legal entity to which the response to a document is to be sent.			
Return Addressee Company Code * ⁴ (Rtn Addr)		M	M	
Return Addressee Company Name (Rtn Addr Name)		M	nu	
<u>Return Addressee Company Proprietary Code (Rtn Addr Prop)</u>		<u>C</u>	<u>C</u>	<u>Mandatory when Return Addressee Company Code is not present.</u>
Transportation Service Provider Data	A code which uniquely identifies the transportation service provider.			
Transportation Service Provider * ⁴ (TSP)		M	M	

Business Name (Abbreviation)	Definition	EBB Usage	EDI/FF Usage	Condition
Transportation Service Provider Name (TSP Name)		M	nu	
<u>Transportation Service Provider Proprietary Code (TSP Prop)</u>		<u>C</u>	<u>C</u>	<u>Mandatory when Transportation Service Provider is not present.</u>

RELEVANT FOOTNOTES:

* Indicates Common Code

** When a Transportation Service Provider’s proprietary location code is employed pursuant to this standard, the parties agree that nominations, confirmations, scheduled quantities, and capacity release documents employing such code should be for one gas day at a time, and used only until there is a verified common code for the point associated with the proprietary location code. This would include daily nominations over a weekend. Within two months following the availability of the location the parties should employ the common code and no longer employ the proprietary code for identifying such location in the data sets related to the identified standards.

⁴ Refer to NAESB Standard No. [S4 – from R97058B]

DATA DICTIONARY (Reflects Changes Only)

Standard 5.4.10

Business Name (Abbreviation)	Definition	EBB Usage	EDI/FF Usage	Condition
Bidder Company Data	The unique company code number for the legal entity which is the bidder.			
Bidder Company Code * ⁴ (Bidder)		M	M	
Bidder Company Name (Bidder Name)		M	nu	
<u>Bidder Company Proprietary Code (Bidder Prop)</u>		<u>C</u>	<u>C</u>	<u>Mandatory when Bidder Company Code is not present.</u>
Return Addressee Company -Data	The unique company code number for the legal entity to which the response to a document is to be sent.			
Return Addressee Company Code * ⁴ (Rtn Addr)		M	M	
Return Addressee Company Name (Rtn Addr Name)		M	nu	
<u>Return Addressee Company Proprietary Code (Rtn Addr Prop)</u>		<u>C</u>	<u>C</u>	<u>Mandatory when Return Addressee Company Code is not present.</u>
Transportation Service Provider Data	A code which uniquely identifies the transportation service provider.			
Transportation Service Provider * ⁴ (TSP)		M	M	
Transportation Service Provider Name (TSP Name)		M	nu	
<u>Transportation Service Provider Proprietary Code (TSP Prop)</u>		<u>C</u>	<u>C</u>	<u>Mandatory when Transportation Service Provider is not present.</u>

RELEVANT FOOTNOTES:

* Indicates Common Code

⁴ Refer to NAESB Standard No. [S4 – from R97058B]

DATA DICTIONARY (Reflects Changes Only)

Standard 5.4.11

Business Name	Definition	Usage	Condition
Bidder Company <u>Code</u> * <u>Data</u>	The unique company code number for the legal entity which is the bidder.	M	
<u>Bidder Company Code</u> * 4		<u>M</u>	
<u>Bidder Company Proprietary Code</u>		<u>C</u>	<u>Mandatory when Bidder Company Code is not present.</u>
Transportation Service Provider* <u>Data</u>	A code which uniquely identifies the transportation service provider.	M	
<u>Transportation Service Provider</u> * 4		<u>M</u>	
<u>Transportation Service Provider Proprietary Code</u>		<u>C</u>	<u>Mandatory when Transportation Service Provider is not present.</u>

RELEVANT FOOTNOTES:

* Indicates Common Code

⁴ Refer to NAESB Standard No. [S4 – from R97058B]

DATA DICTIONARY (Reflects Changes Only)

Standard 5.4.12

Business Name (Abbreviation)	Definition	EBB Usage	EDI/FF Usage	Condition
Bidder Company Data	The unique company code number for the legal entity which is the bidder.			
Bidder Company Code * ⁴ (Bidder)		M	M	
Bidder Company Name (Bidder Name)		M	nu	
<u>Bidder Company Proprietary Code (Bidder Prop)</u>		<u>C</u>	<u>C</u>	<u>Mandatory when Bidder Company Code is not present.</u>
Transportation Service Provider Data	A code which uniquely identifies the transportation service provider.			
Transportation Service Provider * ⁴ (TSP)		M	M	
Transportation Service Provider Name (TSP Name)		M	nu	
<u>Transportation Service Provider Proprietary Code (TSP Prop)</u>		<u>C</u>	<u>C</u>	<u>Mandatory when Transportation Service Provider is not present.</u>

RELEVANT FOOTNOTES:

* Indicates Common Code

⁴ Refer to NAESB Standard No. [S4 – from R97058B]

DATA DICTIONARY (Reflects Changes Only)

Standard 5.4.13

Business Name (Abbreviation)	Definition	EBB Usage	EDI/FF Usage	Condition
Transportation Service Provider Data	A code which uniquely identifies the transportation service provider.			
Transportation Service Provider * ⁴ (TSP)		M	M	
Transportation Service Provider Name (TSP Name)		M	nu	
<u>Transportation Service Provider Proprietary Code (TSP Prop)</u>		<u>C</u>	<u>C</u>	<u>Mandatory when Transportation Service Provider is not present.</u>

RELEVANT FOOTNOTES:

* Indicates Common Code

** When a Transportation Service Provider’s proprietary location code is employed pursuant to this standard, the parties agree that nominations, confirmations, scheduled quantities, and capacity release documents employing such code should be for one gas day at a time, and used only until there is a verified common code for the point associated with the proprietary location code. This would include daily nominations over a weekend. Within two months following the availability of the location the parties should employ the common code and no longer employ the proprietary code for identifying such location in the data sets related to the identified standards.

⁴ Refer to NAESB Standard No. [S4 – from R97058B]

DATA DICTIONARY (Reflects Changes Only)

Standard 5.4.14

Business Name	Definition	Usage	Condition
Requester Company <u>Code</u> * <u>Data</u>	The requesting company.	M	
<u>Requester Company Code</u> * 4 <u> </u>		<u>M</u>	
<u>Requester Company Proprietary Code</u>		<u>C</u>	<u>Mandatory when Requester Company Code is not present.</u>
Transportation Service Provider* <u>Data</u>	A code which uniquely identifies the transportation service provider.	M	
<u>Transportation Service Provider</u>		<u>M</u>	
<u>Transportation Service Provider Proprietary Code</u>		<u>C</u>	<u>Mandatory when Transportation Service Provider is not present</u>

RELEVANT FOOTNOTES:

* Indicates Common Code

⁴ Refer to NAESB Standard No. [S4 – from R97058B]

DATA DICTIONARY (Reflects Changes Only)

Standard 5.4.15

Business Name	Definition	Usage	Condition
Requester Company <u>Code</u> * <u>Data</u>	The requesting company.	<u>M</u>	
<u>Requester Company Code</u> * 4 <u>—</u>		<u>M</u>	
<u>Requester Company Proprietary Code</u>		<u>C</u>	<u>Mandatory when Requester Company Code is not present.</u>
Transportation Service Provider* <u>Data</u>	A code which uniquely identifies the transportation service provider.	<u>M</u>	
<u>Transportation Service Provider</u>		<u>M</u>	
<u>Transportation Service Provider Proprietary Code</u>		<u>C</u>	<u>Mandatory when Transportation Service Provider is not present</u>

RELEVANT FOOTNOTES:

* Indicates Common Code

⁴ Refer to NAESB Standard No. [S4 – from R97058B]

DATA DICTIONARY (Reflects Changes Only)

Standard 5.4.16

Business Name (Abbreviation)	Definition	EBB Usage	EDI/FF Usage	Condition
Transportation Service Provider Data	A code which uniquely identifies the transportation service provider.			
Transportation Service Provider_* ⁴ (TSP)		M	M	
Transportation Service Provider Name (TSP Name)		M	nu	
<u>Transportation Service Provider Proprietary Code (TSP Prop)</u>		<u>C</u>	<u>C</u>	<u>Mandatory when Transportation Service Provider is not present.</u>

RELEVANT FOOTNOTES:

* Indicates Common Code

⁴ Refer to NAESB Standard No. [S4 – from R97058B]

DATA DICTIONARY (Reflects Changes Only)

Standard 5.4.17

Business Name (Abbreviation)	Definition	EDI/FF Usage	Condition
Bidder Company <u>Code*Data</u> (Bidder)	The unique company code number for the legal entity which is the bidder.	C	Mandatory when this document is associated with a Bid Upload document.
<u>Bidder Company Code *⁴</u> (Bidder)		<u>C</u>	<u>Mandatory when this document is associated with a Bid Upload document.</u>
<u>Bidder Company Proprietary Code</u> (Bidder)		<u>C</u>	<u>Mandatory when this document is associated with a Bid Upload document and Bidder Company Code is not present.</u>
Releaser Company <u>Code*Data</u> (Releaser)	The legal entity which signed the contract with the transportation service provider.	C	Mandatory when this document is associated with an Offer Upload document.
<u>Releaser Company Code *</u> ⁴ (Releaser)		<u>C</u>	<u>Mandatory when this document is associated with an Offer Upload document.</u>
<u>Releaser Company Proprietary Code</u> (Releaser Prop)		<u>C</u>	<u>Mandatory when this document is associated with an Offer Upload document and Releaser Company Code is not present.</u>
Transportation Service Provider*- <u>Data</u> (TSP)	A code which uniquely identifies the transportation service provider.	M	
<u>Transportation Service Provider *</u> ⁴ (TSP)		<u>M</u>	
<u>Transportation Service Provider Proprietary Code</u> (TSP Prop)		<u>C</u>	<u>Mandatory when Transportation Service Provider is not present.</u>

RELEVANT FOOTNOTES:

* Indicates Common Code

** When a Transportation Service Provider's proprietary location code is employed pursuant to this standard, the parties agree that nominations, confirmations, scheduled quantities, and capacity release documents employing such code should be for one gas day at a time, and used only until there is a verified common code for the point associated with the proprietary location code. This would include daily nominations over a weekend. Within two months following the availability of the location the parties should employ the common code and no longer employ the proprietary code for identifying such location in the data sets related to the identified standards.

⁴ Refer to NAESB Standard No. [S4 – from R97058B]

DATA DICTIONARY (Reflects Changes Only)

Standard 5.4.18

Business Name (Abbreviation)	Definition	EBB Usage	EDI/FF Usage	Condition
Bidder Company Data	The unique company code number for the legal entity which is the bidder.			
Bidder Company Code_* ⁴ (Bidder)		M	M	
Bidder Company Name (Bidder Name)		M	nu	
<u>Bidder Company Proprietary Code (Bidder Prop)</u>		<u>C</u>	<u>C</u>	<u>Mandatory when Bidder Company Code is not present.</u>
Releaser Company Data	The legal entity which signed the contract with the transportation service provider.			
Releaser Company Code_* ⁴ (Releaser)		M	M	
Releaser Company Name (Releaser Name)		M	nu	
<u>Releaser Company Proprietary Code (Releaser Prop)</u>		<u>C</u>	<u>C</u>	<u>Mandatory when Releaser Company Code is not present.</u>
Return Addressee Company Data	The unique company code number for the legal entity to which the response to a document is to be sent.			
Return Addressee Company Code_* ⁴ (Rtn Addr)		M	M	
Return Addressee Company Name (Rtn Addr Name)		M	nu	
<u>Return Addressee Company Proprietary Code (Rtn Addr Prop)</u>		<u>C</u>	<u>C</u>	<u>Mandatory when Return Addressee Company Code is not present.</u>
Transportation Service Provider Data	A code which uniquely identifies the transportation service provider.			
Transportation Service Provider_* ⁴ (TSP)		M	M	
Transportation Service Provider Name (TSP Name)		M	nu	

Business Name (Abbreviation)	Definition	EBB Usage	EDI/FF Usage	Condition
Transportation Service Provider Proprietary Code (TSP Prop)		<u>C</u>	<u>C</u>	Mandatory when Transportation Service Provider is not present.

RELEVANT FOOTNOTES:

* Indicates Common Code

**_ When a Transportation Service Provider’s proprietary location code is employed pursuant to this standard, the parties agree that nominations, confirmations, scheduled quantities, and capacity release documents employing such code should be for one gas day at a time, and used only until there is a verified common code for the point associated with the proprietary location code. This would include daily nominations over a weekend. Within two months following the availability of the location the parties should employ the common code and no longer employ the proprietary code for identifying such location in the data sets related to the identified standards.

⁴ [Refer to NAESB Standard No. \[S4 – from R97058B\]](#)

DATA DICTIONARY (Reflects Changes Only)

Standard 5.4.19

Business Name (Abbreviation)	Definition	EDI/FF Usage	Condition
Transportation Service Provider* <u>Data</u> (TSP)	A code which uniquely identifies the transportation service provider.	<u>M</u>	
<u>Transportation Service Provider *⁴</u> (TSP)		<u>M</u>	
<u>Transportation Service Provider Proprietary Code</u> (TSP Prop)		<u>C</u>	<u>Mandatory when Transportation Service Provider is not present.</u>

RELEVANT FOOTNOTES:

* Indicates Common Code

** When a Transportation Service Provider’s proprietary location code is employed pursuant to this standard, the parties agree that nominations, confirmations, scheduled quantities, and capacity release documents employing such code should be for one gas day at a time, and used only until there is a verified common code for the point associated with the proprietary location code. This would include daily nominations over a weekend. Within two months following the availability of the location the parties should employ the common code and no longer employ the proprietary code for identifying such location in the data sets related to the identified standards.

⁴ Refer to NAESB Standard No. [S4 – from R97058B]

DATA DICTIONARY (Reflects Changes Only)

Standard 5.4.z

Business Name (Abbreviation)	Definition	Data Group	EBB Usage	EDI/FF Usage	Condition
Contract Holder Data	The entity with the contractual relationship with the transportation service provider.	BEDG			
Contract Holder * ⁴ (K Holder)		BEDG	C	C	Mandatory when one of the following conditions is met: <ul style="list-style-type: none"> Contract Status is 'New', or Contract Status is 'Amended' and Amendment Reporting is 'All Data'.
Contract Holder Name *** (K Holder Name)		BEDG	C	C	Mandatory when one of the following conditions is met: <ul style="list-style-type: none"> Contract Status is 'New', or Contract Status is 'Amended' and Amendment Reporting is 'All Data'.
<u>Contract Holder Proprietary Code</u> (K Holder Prop)		<u>BEDG</u>	<u>C</u>	<u>C</u>	<u>Mandatory when Contract Holder is not present and one of the following conditions is met:</u> <ul style="list-style-type: none"> <u>Contract Status is 'New', or</u> <u>Contract Status is 'Amended' and Amendment Reporting is 'All Data'.</u>
Releaser Company Data	The legal entity which signed the contract with the transportation service provider.	BEDG			
Releaser Company Code * ⁴ (Releaser)		BEDG	C	C	Mandatory when one of the following conditions is met: <ul style="list-style-type: none"> Contract Status is 'New', or Contract Status is 'Amended' and Amendment Reporting is 'All Data'.

Business Name (Abbreviation)	Definition	Data Group	EBB Usage	EDI/FF Usage	Condition
Releaser Company Name *** (Releaser Name)		BEDG	C	C	Mandatory when one of the following conditions is met: <ul style="list-style-type: none"> Contract Status is 'New', or Contract Status is 'Amended' and Amendment Reporting is 'All Data'.
<u>Releaser Company Proprietary Code</u> (Releaser Prop)		<u>BEDG</u>	<u>C</u>	<u>C</u>	<u>Mandatory when Releaser Company Code is not present and one of the following conditions is met:</u> <ul style="list-style-type: none"> <u>Contract Status is 'New', or</u> <u>Contract Status is 'Amended' and Amendment Reporting is 'All Data'.</u>
Transportation Service Provider Data	A code which uniquely identifies the transportation service provider.	TSPDG			
Transportation Service Provider * ⁴ (TSP)		TSPDG	M	M	
Transportation Service Provider Name (TSP Name)		TSPDG	M	nu	
<u>Transportation Service Provider Proprietary Code</u> (TSP Prop)		<u>TSPDG</u>	<u>C</u>	<u>C</u>	<u>Mandatory when Transportation Service Provider is not present.</u>

RELEVANT FOOTNOTES:

* Indicates Common Code

** When a Transportation Service Provider's proprietary location code is employed pursuant to this standard, the parties agree that nominations, confirmations, scheduled quantities, and capacity release documents employing such code should be for one gas day at a time, and used only until there is a verified common code for the point associated with the proprietary location code. This would include daily nominations over a weekend. Within two months following the availability of the location the parties should employ the common code and no longer employ the proprietary code for identifying such location in the data sets related to the identified standards.

*** The Transportation Service Provider's version of the name.

⁴ [Refer to NAESB Standard No. \[S4 – from R97058B\]](#)

DATA GROUPS:

BEDG	Business Entity Data Group
CDG	Contract Data Group
CEDG	Contract Entitlement Data Group
CSDG	Contract Status Data Group
DDG	Date Data Group
LDG	Location Data Group
RCDG	Rate Charged Data Group
RDG	Rate Data Group
TSPDG	Transportation Service Provider Data Group

DATA DICTIONARY (Reflects Changes Only)

Standard 5.4.z

Business Name (Abbreviation)	Definition	Data Group	EBB Usage	EDI/FF Usage	Condition
Contract Holder Data	The entity with the contractual relationship with the transportation service provider.	BEDG			
Contract Holder * <u>4</u> (K Holder)		BEDG	C	C	Mandatory when one of the following conditions is met: <ul style="list-style-type: none"> Contract Status is 'New', or Contract Status is 'Amended' and Amendment Reporting is 'All Data'.
Contract Holder Name *** (K Holder Name)		BEDG	C	C	Mandatory when one of the following conditions is met: <ul style="list-style-type: none"> Contract Status is 'New', or Contract Status is 'Amended' and Amendment Reporting is 'All Data'.
<u>Contract Holder Proprietary Code</u> (K Holder Prop)		<u>BEDG</u>	<u>C</u>	<u>C</u>	<u>Mandatory when Contract Holder is not present and one of the following conditions is met:</u> <ul style="list-style-type: none"> <u>Contract Status is 'New', or</u> <u>Contract Status is 'Amended' and Amendment Reporting is 'All Data'.</u>
Transportation Service Provider Data	A code which uniquely identifies the transportation service provider.	TSPDG			
Transportation Service Provider * <u>4</u> (TSP)		TSPDG	M	M	
Transportation Service Provider Name (TSP Name)		TSPDG	M	nu	

Business Name (Abbreviation)	Definition	Data Group	EBB Usage	EDI/FF Usage	Condition
Transportation Service Provider Proprietary Code (TSP Prop)		TSPDG	C	C	Mandatory when Transportation Service Provider is not present.

RELEVANT FOOTNOTES:

* Indicates Common Code

** When a Transportation Service Provider’s proprietary location code is employed pursuant to this standard, the parties agree that nominations, confirmations, scheduled quantities, and capacity release documents employing such code should be for one gas day at a time, and used only until there is a verified common code for the point associated with the proprietary location code. This would include daily nominations over a weekend. Within two months following the availability of the location the parties should employ the common code and no longer employ the proprietary code for identifying such location in the data sets related to the identified standards.

*** The Transportation Service Provider’s version of the name.

⁴ [Refer to NAESB Standard No. \[S4 – from R97058B\]](#)

DATA GROUPS:

- BEDG Business Entity Data Group
- CDG Contract Data Group
- CEDG Contract Entitlement Data Group
- CSDG Contract Status Data Group
- DDG Date Data Group
- LDG Location Data Group
- RCDG Rate Charged Data Group
- RDG Rate Data Group
- TSPDG Transportation Service Provider Data Group

DATA DICTIONARY (Reflects Changes Only)

Standard 5.4.z

Business Name (Abbreviation)	Definition	Data Group	EBB Usage	EDI/FF Usage	Condition
Contract Holder Data	The entity with the contractual relationship with the transportation service provider.	BEDG			
Contract Holder * ⁴ (K Holder)		BEDG	C	C	Mandatory when one of the following conditions is met: <ul style="list-style-type: none"> Contract Status is 'New', or Contract Status is 'Amended' and Amendment Reporting is 'All Data'.
Contract Holder Name *** (K Holder Name)		BEDG	C	C	Mandatory when one of the following conditions is met: <ul style="list-style-type: none"> Contract Status is 'New', or Contract Status is 'Amended' and Amendment Reporting is 'All Data'.
<u>Contract Holder Proprietary Code</u> (K Holder Prop)		<u>BEDG</u>	<u>C</u>	<u>C</u>	<u>Mandatory when Contract Holder is not present and one of the following conditions is met:</u> <ul style="list-style-type: none"> <u>Contract Status is 'New', or</u> <u>Contract Status is 'Amended' and Amendment Reporting is 'All Data'.</u>
Transportation Service Provider Data	A code which uniquely identifies the transportation service provider.	TSPDG			
Transportation Service Provider * ⁴ (TSP)		TSPDG	M	M	

Business Name (Abbreviation)	Definition	Data Group	EBB Usage	EDI/FF Usage	Condition
Transportation Service Provider Name (TSP Name)		TSPDG	M	nu	
Transportation Service Provider Proprietary Code (TSP Prop)		TSPDG	C	C	Mandatory when Transportation Service Provider is not present.

RELEVANT FOOTNOTES:

* Indicates Common Code

** When a Transportation Service Provider’s proprietary location code is employed pursuant to this standard, the parties agree that nominations, confirmations, scheduled quantities, and capacity release documents employing such code should be for one gas day at a time, and used only until there is a verified common code for the point associated with the proprietary location code. This would include daily nominations over a weekend. Within two months following the availability of the location the parties should employ the common code and no longer employ the proprietary code for identifying such location in the data sets related to the identified standards.

*** The Transportation Service Provider’s version of the name.

⁴ [Refer to NAESB Standard No. \[S4 – from R97058B\]](#)

DATA GROUPS:

- BEDG Business Entity Data Group
- CDG Contracts Data Group
- DDG Date Data Group
- LDG Location Data Group
- LSDG Line Status Data Group
- RCDG Rate Charged Data Group
- RDG Rate Data Group
- TSPDG Transportation Service Provider Data Group