

874 Commodity Movement Services ResponseFunctional Group ID=**CQ****Heading:**

	<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Loop Repeat</u>
Must Use	0100	ST	Transaction Set Header	M	1	
Must Use	0200	BGN	Beginning Segment	M	1	
	0400	III	Information	O	>1	
LOOP ID - N1						>1
Must Use	0500	N1	Name	M	1	

Detail:

	<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Loop Repeat</u>
LOOP ID - N9						>1
	0100	N9	Reference Identification	O	1	
	0200	DTM	Date/Time Reference	O	1	
	0300	LCD	Place/Location Description	O	1	
	0400	CS	Contract Summary	O	1	
	0500	N1	Name	O	1	
	0600	III	Information	O	>1	
LOOP ID - SLN						>1
	0700	SLN	Subline Item Detail	O	1	
	0900	III	Information	O	>1	
Must Use	1000	SE	Transaction Set Trailer	M	1	

Draft Confirmation Response Quick Response

Segment: **ST** Transaction Set Header
Position: 0100
Loop:
Level: Heading
Usage: Mandatory
Max Use: 1

Data Element Summary

	<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
	<u>Des.</u>	<u>Element</u>		
Must Use	ST01	143	Transaction Set Identifier Code 874 Commodity Movement Services Response	M ID 3/3
Must Use	ST02	329	Transaction Set Control Number	M AN 4/9

Draft Confirmation Response Quick Response

Segment: **BGN** Beginning Segment
Position: 0200
Loop:
Level: Heading
Usage: Mandatory
Max Use: 1

Data Element Summary

	<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
	<u>Des.</u>	<u>Element</u>		
Must Use	BGN01	353	Transaction Set Purpose Code 27 Verify	M ID 2/2
Must Use	BGN02	127	Reference Identification Transaction Identifier	M AN 1/22
			<i>The data element maximum length indicated is reduced from that which is specified in the ASC X12 standards.</i>	
Must Use	BGN03	373	Date	M DT 8/8
			<i>The confirmation response quick response issue date.</i>	
Must Use	BGN07	640	Transaction Type Code V3 Confirmation Response Quick Response	O ID 2/2
Must Use	BGN08	306	Action Code Transaction Status Code	O ID 1/2
			EZ Exception Occurred <i>Errors and/or warnings occurred in the transaction. Transaction has been acknowledged. Errors and/or warnings follow.</i>	
			RZ Reject - Header Level Errors <i>The entire transaction was rejected due to header level errors.</i>	
			WQ Accept <i>The entire transaction was accepted.</i>	

Draft Confirmation Response Quick Response

Segment: **III** Information
Position: 0400
Loop:
Level: Heading
Usage: Optional
Max Use: >1
Notes: For GISB, this segment is mandatory when BGN08 = 'RZ' or when BGN08 = 'EZ' and warning(s) exist at the header level.

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	III01	1270	Code List Qualifier Code VAL Validation Code	X ID 1/3
Must Use	III02	1271	Industry Code Validation Code	X AN 1/30
	III04	933	Refer to "Errors and Warnings (Heading)" table for usage and values. Free-Form Message Text Validation Message	X AN 1/80

For GISB, this element is sender's option. However, if sending an error or warning code that has been approved by GISB, but not yet published, the Validation Message should be sent for further clarification.

The data element maximum length indicated is reduced from that which is specified in the ASC X12 standards.

Draft Confirmation Response Quick Response

Segment: **N1** Name
Position: 0500
Loop: N1 Mandatory
Level: Heading
Usage: Mandatory
Max Use: 1
Notes: *For GISB, this segment is mandatory and should occur once for each value indicated in the N101 element.*

Data Element Summary

	Ref. Des.	Data Element	Name	Attributes
Must Use	N101	98	Entity Identifier Code CNP Confirming Party CNR Confirmation Requester	M ID 2/3
Must Use	N103	66	Identification Code Qualifier 1 D-U-N-S Number, Dun & Bradstreet	X ID 1/2
Must Use	N104	67	Identification Code <i>Confirming Party, Confirmation Requester</i>	X AN 2/17

The data element maximum length indicated is reduced from that which is specified in the ASC X12 standards.

Draft Confirmation Response Quick Response

Segment: **N9** Reference Identification
Position: 0100
Loop: N9 Optional
Level: Detail
Usage: Optional
Max Use: 1
Notes: For GISB, this segment is mandatory when BGN08 = 'EZ' and the error(s) or warning(s) exist at the detail or sub-detail level.

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	N901	128	Reference Identification Qualifier 2H Assigned by transaction set sender	M ID 2/3
Must Use	N902	127	Reference Identification	X AN 1/50

Segment: **DTM** Date/Time Reference
Position: 0200
Loop: N9 Optional
Level: Detail
Usage: Optional
Max Use: 1
Notes: For GISB, this segment is mandatory when BGN08 = 'EZ' and the error(s) or warning(s) exist at the detail or sub-detail level.

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	DTM01	374	Date/Time Qualifier 007 Effective	M ID 3/3
Must Use	DTM05	1250	Date Time Period Format Qualifier RD8 Range of Dates Expressed in Format CCYYMMDD-CCYYMMDD <i>This code designates the range of "gas days" in which the transaction will occur. For example, the entire month of April 2001 would be stated as 20010401-20010430.</i>	X ID 2/3
			RDT Range of Date and Time, Expressed in Format CCYYMMDDHHMM-CCYYMMDDHHMM <i>This code designates the instance in time when the transaction is to be initiated through the instance in time when the transaction is to finish. For example, the entire month of April 2001 would be stated as 200104010900-200105010900.</i>	
Must Use	DTM06	1251	Date Time Period Beginning Date, Beginning Time, Ending Date, Ending Time	X AN 1/35

Segment: **LCD** Place/Location Description
Position: 0300
Loop: N9 Optional
Level: Detail
Usage: Optional
Max Use: 1
Notes: For GISB, this segment is mandatory when BGN08 = 'EZ' and the error(s) or warning(s) exist at the detail or sub-detail level.

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	LCD02	98	Entity Identifier Code LCN Gas Nomination Location	O ID 2/3
Must Use	LCD05	66	Identification Code Qualifier <i>When a Transportation Service Provider's proprietary location code is employed pursuant to this standard, the parties that nominations, confirmations, scheduled quantities, and capacity release documents employing such code should be for one gas day at a time, and used only until there is a verified common code for the point associated with the proprietary location code. This would include daily nominations over a weekend. Within two months following the availability of the location the parties should employ the common code and no longer employ the proprietary code for identifying such location in the identified standards.</i> DR Gas Industry Standards Board (GISB) Data Reference Number (DRN) SV Service Provider Number	X ID 1/2
Must Use	LCD06	67	Identification Code Location	X AN 2/17

The data element maximum length indicated is reduced from that which is specified in the ASC X12 standards.

Draft Confirmation Response Quick Response

Segment: **CS** Contract Summary
Position: 0400
Loop: N9 Optional
Level: Detail
Usage: Optional
Max Use: 1
Notes: For GISB, this segment is mandatory when BGN08 = 'EZ' and the error(s) or warning(s) exist at the detail or sub-detail level.

Data Element Summary

<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use CS01	367	Contract Number Confirmation Service Contract	O AN 1/30

Draft Confirmation Response Quick Response

Segment: **N1** Name
Position: 0500
Loop: N9 Optional
Level: Detail
Usage: Optional
Max Use: 1
Notes: *For GISB, this segment is conditional.*

Data Element Summary

	<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
	<u>Des.</u>	<u>Element</u>		
Must Use	N101	98	Entity Identifier Code CNS Confirmation Service Identifier Code	M ID 2/3
Must Use	N103	66	Identification Code Qualifier 1 D-U-N-S Number, Dun & Bradstreet	X ID 1/2
Must Use	N104	67	Identification Code Confirmation Service Identifier Code	X AN 2/17

The data element maximum length indicated is reduced from that which is specified in the ASC X12 standards.

Draft Confirmation Response Quick Response

Segment: **III** Information
Position: 0600
Loop: N9 Optional
Level: Detail
Usage: Optional
Max Use: >1
Notes: For GISB, this segment is mandatory when BGN08 = 'EZ' and the error(s) or warning(s) exist at the detail level.

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	III01	1270	Code List Qualifier Code VAL Validation Code	X ID 1/3
Must Use	III02	1271	Industry Code Validation Code	X AN 1/30
	III04	933	Free-Form Message Text Validation Message	X AN 1/80

Refer to "Errors and Warnings (Detail)" table for usage and values.

For GISB, this element is sender's option. However, if sending an error or warning code that has been approved by GISB, but not yet published, the Validation Message should be sent for further clarification.

The data element maximum length indicated is reduced from that which is specified in the ASC X12 standards.

Draft Confirmation Response Quick Response

Segment: **SLN** Subline Item Detail
Position: 0700
Loop: SLN Optional
Level: Detail
Usage: Optional
Max Use: 1
Notes: For GISB, this segment is mandatory when BGN08 = 'EZ' and the error(s) or warning(s) exist at the sub-detail level.

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	SLN01	350	Assigned Identification Confirmation Tracking Identifier	M AN 1/11
			<i>The data element maximum length indicated is reduced from that which is specified in the ASC X12 standards.</i>	
Must Use	SLN03	662	Relationship Code I Included	M ID 1/1

Draft Confirmation Response Quick Response

Segment: **III** Information
Position: 0900
Loop: SLN Optional
Level: Detail
Usage: Optional
Max Use: >1
Notes: For GISB, this segment is mandatory when BGN08 = 'EZ' and the error(s) or warning(s) exist at the sub-detail level.

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	III01	1270	Code List Qualifier Code VAL Validation Code	X ID 1/3
Must Use	III02	1271	Industry Code Validation Code	X AN 1/30
	III04	933	Free-Form Message Text Validation Message <i>Refer to "Errors and Warnings (Sub-detail)" table for usage and values.</i> <i>For GISB, this element is sender's option. However, if sending an error or warning code that has been approved by GISB, but not yet published, the Validation Message should be sent for further clarification.</i>	X AN 1/80

The data element maximum length indicated is reduced from that which is specified in the ASC X12 standards.

Draft Confirmation Response Quick Response

Segment: **SE** Transaction Set Trailer
Position: 1000
Loop:
Level: Detail
Usage: Mandatory
Max Use: 1

Data Element Summary

	<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
Must Use	SE01	96	Number of Included Segments	M N0 1/10
Must Use	SE02	329	Transaction Set Control Number	M AN 4/9