

GISB - Technical Subcommittee Change Log (post Version 1.3)

| Request # | Description | Subcom | Date | Approved by EC |
|--------------------------------------|---|--------|------|----------------|
| G850NMST - Nomination (1.4.1) | | | | |
| Data Element Xref to X12 | | | | |
| | | | | |
| Sample X12 Transaction | | | | |
| | | | | |
| X12 Mapping | | | | |
| cleanup | Sub-detail SLN Segment (position 470): Delete segment note "This segment specifies nominated activity detail under a nomination model type, service requester contract, and date (PO1 loop). Together, the SLN, SI, and N1(s) define line items of nominated activity under a given PO1 loop." | TS | 5/99 | |
| cleanup | Sub-detail N1 Segment (position 530): Delete segment note "This segment specifies a party or location for nominated activity detail under a nomination model type, service requester contract, and date (PO1 loop). Together, the SLN, SI, and N1(s) define line items of nominated activity under a given PO1 loop." | TS | 5/99 | |
| cleanup | Sub-detail N1 Segment (position 530): N101: Modify element note to "Refer to "N1 Segments (Sub-detail)" table for usage and values." | TS | 5/99 | |
| cleanup | Sub-detail N1 Segment (position 530): N103: Modify element note to "Refer to "N1 Segments (Sub-detail)" table for usage and values." | TS | 5/99 | |
| cleanup | Sub-detail N1 Segment (position 530): N104: Modify element note to "Refer to "N1 Segments (Sub-detail)" table for usage and values." | TS | 5/99 | |
| cleanup | Sub-detail CTT Segment (position 010): CTT01: Delete element note "The number of PO1 segments." | TS | 5/99 | |
| | | | | |
| Transaction Set Tables | | | | |
| cleanup | "SI 1000/234 Pairs (Sub-detail)" table: Modify "Description" column heading to "Elem 234 Description". | TS | 5/99 | |
| cleanup | "N1 Segments (Sub-detail)" table: Modify "Element Name" column heading to "Element Name (N104)". | TS | 5/99 | |
| | | | | |

GISB - Technical Subcommittee Change Log (post Version 1.3)

| Request # | Description | Subcom | Date | Approved by EC |
|---|--|--------|------|----------------|
| G855NMQR - Nomination Quick Response (1.4.2) | | | | |
| Data Element Xref to X12 | | | | |
| | | | | |
| Sample X12 Transaction | | | | |
| | | | | |
| X12 Mapping | | | | |
| cleanup | Sub-detail CTT Segment (position 010): CTT01: Delete element note "The number of PO1 segments." ????? | TS | 5/99 | |
| Transaction Set Tables | | | | |
| cleanup | "Errors and Warnings (Heading)" table: Modify "Validation Code" column heading to "Validation Code (PID04)". | TS | 5/99 | |
| cleanup | "Errors and Warnings (Detail)" table: Modify "Validation Code" column heading to "Validation Code (PID04)". | TS | 5/99 | |
| cleanup | "Errors and Warnings (Detail)" table: Validation Code ENMQR317: Modify "Description" column to "Missing Beginning Time". [value specified from R97017] | | | |
| cleanup | "Errors and Warnings (Sub-detail)" table: Modify "Validation Code" column heading to "Validation Code (PID04)". | TS | 5/99 | |
| | | | | |

| Request # | Description | Subcom | Date | Approved by EC |
|--|--|--------|------|----------------|
| G850RQCF - Request for Confirmation (1.4.3) | | | | |
| Data Element Xref to X12 | | | | |
| | | | | |
| Sample X12 Transaction | | | | |
| | | | | |
| X12 Mapping | | | | |
| cleanup | Heading N1 Segment (position 310): Modify segment note to "For GISB, this segment is mandatory and should occur once for each value indicated in the N101 below." [I.e., change "the" to "this" and add "once"] | TS | 5/99 | |
| cleanup | Sub-detail SLN Segment (position 470): Delete segment note "Together, the SLN, SI, and N1(s) define "line items" of activity under a given PO1 loop." | TS | 5/99 | |
| cleanup | Sub-detail N1 Segment (position 530): Delete segment note "Together, the SLN, SI, and N1(s) define "line items" of activity under a given PO1 loop." | TS | 5/99 | |
| cleanup | Sub-detail N1 Segment (position 530): N101: Modify element note to "Refer to "N1 Segments (Sub-detail)" table for usage and values. | TS | 5/99 | |
| cleanup | Sub-detail N1 Segment (position 530): N103: Modify element note to "Refer to "N1 Segments (Sub-detail)" table for usage and values. | TS | 5/99 | |
| cleanup | Sub-detail N1 Segment (position 530): N104: Modify element note to "Refer to "N1 Segments (Sub-detail)" table for usage and values. | TS | 5/99 | |
| cleanup | Sub-detail CTT Segment (position 010): CTT01: Delete element note "The number of PO1 segments." ????? | TS | 5/99 | |
| | | | | |
| Transaction Set Tables | | | | |
| cleanup | "N1 Segments (Detail)" table: Modify "Element Name" column heading to "Element Name (N104)". | TS | 5/99 | |
| cleanup | "SI 1000/234 Pairs (Sub-detail)" table: Modify "Description" column heading to "Elem 234 Description". | TS | 5/99 | |
| cleanup | "N1 Segments (Sub-detail)" table: Modify "Element Name" column heading to "Element Name (N104)". | TS | 5/99 | |
| | | | | |
| G855RRFC - Confirmation Response (1.4.4) | | | | |
| Data Element Xref to X12 | | | | |
| cleanup | Detail N1: Modify "Confirmation Service Identifier code" to "Confirmation Service Identifier Code" | TS | 5/99 | |
| | | | | |
| Sample X12 Transaction | | | | |
| cleanup | Modify "SLN*000001**I*100*BZ" to "SLN*000001*C001**I*100*BZ" | | | |
| cleanup | Modify "SI*AP*CF*R*SU*S" to "SI*AP*CF*R*SU*U" | | | |
| cleanup | Modify "SLN*000002**I*50*BZ" to "SLN*000002*C002**I*50*BZ" | | | |
| cleanup | Modify "SI*AP*CF*D*SU*S" to "SI*AP*CF*D*SU*U" | | | |
| | | | | |
| X12 Mapping | | | | |
| cleanup | Detail PID Segment (position 050): Modify segment note to "This segment transmits the Reduction Reason codes pertaining to the Location level. [skip blank line] For GISB, this segment is sender's option. If sent, it is applicable when BAK02 = 'AE' or 'AK'." [new first paragraph and remove "at the" in second paragraph] | TS | 5/99 | |
| cleanup | Detail PID Segment (position 050): PID04: Modify element note to "Refer to "Reduction Reason (Detail/Sub-detail)" table for usage and values. [skip blank line] When the Reduction Reason code is present at both the detail and sub-detail levels, the sub-detail code overrides the detail code." | TS | 5/99 | |
| cleanup | Sub-detail SLN Segment (position 490): Delete segment note "Together, the SLN, SI, and N1(s) define line items of activity under a given PO1 loop." | TS | 5/99 | |
| cleanup | Sub-detail PID Segment (position 510): Modify segment note to "This segment transmits the Reduction Reason codes pertaining to the Confirmation Tracking Identifier level. [skip blank line] For GISB, this segment is sender's option. If sent, it is applicable when BAK02 = 'AE' or 'AK'. [new first paragraph and remove "at the" in second paragraph] | TS | 5/99 | |
| cleanup | Detail PID Segment (position 510): PID04: Modify element note to "Refer to "Reduction Reason (Detail/Sub-detail)" table for usage and values. [skip blank line] When the Reduction Reason code is present at both the detail and sub-detail levels, the sub-detail code overrides the detail code." | TS | 5/99 | |
| cleanup | Detail N1 Segment (position 560): Delete segment note "Together, the SLN, SI, and N1(s) define line items of activity under a given PO1 loop." | TS | 5/99 | |
| cleanup | Sub-detail N1 Segment (position 560): N101: Modify element note to "Refer to "N1 Segments (Sub-detail)" table for usage and values. | TS | 5/99 | |
| cleanup | Sub-detail N1 Segment (position 560): N103: Modify element note to "Refer to "N1 Segments (Sub-detail)" table for usage and values. | TS | 5/99 | |
| cleanup | Sub-detail CTT Segment (position 010): CTT01: Delete element note "The number of PO1 segments." ????? | TS | 5/99 | |
| | | | | |
| Transaction Set Tables | | | | |

GISB - Technical Subcommittee Change Log (post Version 1.3)

| Request # | Description | Subcom | Date | Approved by EC |
|-----------|---|--------|------|-------------------|
| cleanup | Modify "Reduction Reason Codes (Detail/Sub-detail)" table name to "Reduction Reason (Detail/Sub-detail)" | TS | 5/99 | |
| cleanup | "Reduction Reason (Detail/Sub-detail)" table: Modify "Code (PID04)" column heading to "Reduction Reason (PID04)". | TS | 5/99 | |
| cleanup | "N1 Segments (Detail)" table: Modify "Element Name" column heading to "Element Name (N104)". | TS | 5/99 | |
| cleanup | "SI 1000/234 Pairs (Sub-detail)" table: Modify "Description" column heading to "Elem 234 Description". | TS | 5/99 | |
| cleanup | "N1 Segments (Sub-detail)" table: Modify "Element Name" column heading to "Element Name (N104)". | TS | 5/99 | |
| | | | | |

GISB - Technical Subcommittee Change Log (post Version 1.3)

| Request # | Description | Subcom | Date | Approved by EC |
|--|---|--------|------|----------------|
| G865SQTS - Scheduled Quantity (1.4.5) | | | | |
| Data Element Xref to X12 | | | | |
| | | | | |
| Sample X12 Transaction | | | | |
| | | | | |
| X12 Mapping | | | | |
| cleanup | Header N1 Segment (position 300): N101: Code Value 78: Delete code value note "Service Requester" [do not delete code value 78 or its description]. | TS | 5/99 | |
| cleanup | Header N1 Segment (position 300): N101: Code Value SJ: Delete code value note "Transportation Service Provider" [do not delete code value SJ or its description]. | TS | 5/99 | |
| cleanup | Detail POC Segment (position 010): POC02: Delete code value note "Scheduled Quantity". | | | |
| cleanup | Sub-detail SLN Segment (position 490): SLN02: Modify element note to "For GISB, this element is conditional." | TS | 5/99 | |
| cleanup | Sub-detail SLN Segment (position 490): SLN04: Add ", Delivery Point Quantity" after the data element "Receipt Point Quantity". Modify the element note to "If the Model Type is 'Pathed' (POC11 = 'P') or 'Pathed Non-Threaded - Threaded' (POC11 = 'T'), this quantity represents the scheduled Receipt Point Quantity. [skip blank line] If the Model Type is 'Non-Pathed' (POC11 = 'N') or 'Pathed Non-Threaded - Un-threaded' (POC11 = 'U'), this quantity represents the scheduled point quantity which is either the Receipt Point Quantity or Delivery Point Quantity. The location identifier in the N101 specifies the scheduled quantity to be either a receipt ('M2') or a delivery ('MQ')." | | | |
| cleanup | Sub-detail SLN Segment (position 490): SLN04: Change the Req Des from "X" to "M" | | | |
| cleanup | Sub-detail N1 Segment (position 560): Modify segment note to "For GISB, this segment is conditional." | TS | 5/99 | |
| cleanup | Sub-detail CTT Segment (position 010): CTT01: Delete element note "The number of POC segments." ????? | TS | 5/99 | |
| | | | | |
| Transaction Set Tables | | | | |
| cleanup | "SI 1000/234 Pairs (Sub-detail)" table: in between the title of the table and the table itself, skip a line and add "see n1"[this should look like the PO1 235/234 Pairs (Detail) table in the Offer Download 5.4.1] | TS | 2/99 | |
| cleanup | "SI 1000/234 Pairs (Sub-detail)" table: Modify "Description" column heading to "Elem 234 Description". | TS | 5/99 | |
| cleanup | "SI 1000/234 Pairs (Sub-detail)" table: For the Reduction Reason data element, for the code value BMP, in the Description column, change "see n1" to "see n2": For the Reduction Reason data element, for code values CSP, CRR, NGU, CRD, and NGD, in the Description column, change "see n2" to "see n3"; In the Notes section under the table, change n1 to n2; change n2 to n3 | TS | 2/99 | |
| cleanup | "SI 1000/234 Pairs (Sub-detail)" table: In the "Notes:" section under the table, add a new n1 note, as the first note, as follows: "These data elements, with the exception of Reduction Reason, are not needed when the Nominator's Tracking ID is used. Reduction Reason is mandatory in all cases." | TS | 2/99 | |
| cleanup | "PO3 Segments (Sub-detail)" table: Modify "Element Name" column heading to "Element Name (PO306)". | | | |
| cleanup | "PO3 Segments (Sub-detail)" table: Delete "PO306 Description" column. | TS | 5/99 | |
| cleanup | "N1 Segments (Sub-detail)" table: in between the title of the table and the table itself, skip a line and add "see n1" [this should look like the PO1 235/234 Pairs (Detail) table in the Offer Download 5.4.1] | TS | 2/99 | |
| cleanup | "N1 Segments (Sub-detail)" table: Modify "Element Name" column heading to "Element Name (N104)". | | | |
| cleanup | "N1 Segments (Sub-detail)" table: For the Receipt Location and Delivery Location data elements, for the code value ZY, in the N103 Description column, change "see n1" to "see n2": In the Notes section under the table, change n1 to n2 | TS | 2/99 | |
| cleanup | "N1 Segments (Sub-detail)" table: In the "Notes:" section under the table, add a new n1 note, as the first note, as follows: "These data elements are not needed when the Nominator's Tracking ID is used." | TS | 2/99 | |
| | | | | |

GISB - Technical Subcommittee Change Log (post Version 1.3)

| Request # | Description | Subcom | Date | Approved by EC |
|--|---|--------|------|----------------|
| G865SQOP - Scheduled Quantity for Operator (1.4.6) | | | | |
| Data Element Xref to X12 | | | | |
| | | | | |
| Sample X12 Transaction | | | | |
| | | | | |
| X12 Mapping | | | | |
| cleanup | Detail POC Segment (position 010): POC02: Delete code value note "Scheduled Quantity". | | | |
| cleanup | Sub-detail SLN Segment (position 490): SLN04: Change the Req Des from "X" to "M" | | | |
| cleanup | Sub-detail N1 Segment (position 560): Modify segment note to "For GISB, this segment is conditional." | TS | 5/99 | |
| cleanup | Sub-detail CTT Segment (position 010): CTT01: Delete element note "The number of POC segments." ????? | TS | 5/99 | |
| | | | | |
| Transaction Set Tables | | | | |
| cleanup | "N1 Segments (Detail)" table: Modify "Element Name" column heading to "Element Name (N104)". | TS | 5/99 | |
| cleanup | "SI 1000/234 Pairs (Sub-detail)" table: Modify "Description" column heading to "Elem 234 Description". | TS | 5/99 | |
| cleanup | "N1 Segments (Sub-detail)" table: Modify "Element Name" column heading to "Element Name (N104)". | TS | 5/99 | |
| | | | | |
| G855CRQR - Confirmation Response Quick Response (1.4.7) | | | | |
| Data Element Xref to X12 | | | | |
| | | | | |
| Sample X12 Transaction | | | | |
| | | | | |
| X12 Mapping | | | | |
| cleanup | Detail PID Segment (position 050): PID05: Mark data element as Used. [remove Must Use designation] | TS | 5/99 | |
| cleanup | Sub-detail CTT Segment (position 010): CTT01: Delete element note "The number of PO1 loops." ????? | TS | 5/99 | |
| | | | | |
| Transaction Set Tables | | | | |
| cleanup | "Errors and Warnings (Heading)" table: Modify "Validation Code" column heading to "Validation Code (PID04)". | TS | 5/99 | |
| cleanup | "Errors and Warnings (Detail)" table: Modify "Validation Code" column heading to "Validation Code (PID04)". | TS | 5/99 | |
| cleanup | "Errors and Warnings (Sub-detail)" table: Modify "Validation Code" column heading to "Validation Code (PID04)". | TS | 5/99 | |
| | | | | |

GISB - Technical Subcommittee Change Log (post Version 1.3)

| Request # | Description | Subcom | Date | Approved by EC |
|---|---|--------|-------|----------------|
| G860PDAL - Pre-determined Allocation (2.4.1) | | | | |
| Data Element Xref to X12 | | | | |
| | | | | |
| Sample X12 Transaction | | | | |
| | | | | |
| X12 Mapping | | | | |
| cleanup | Heading BCH Segment (position 020): BCH03: Modify element note to "The PDA number assigned by the PDA originator." | TS | 5/99 | |
| cleanup | Heading BCH Segment (position 020): BCH06: Modify element note to "The PDA issue date." | | | |
| cleanup | Detail POC Segment (position 010): POC08: MO Code value: Delete code value note "Direction of Flow". | TS | 5/99 | |
| | | | | |
| Transaction Set Tables | | | | |
| cleanup | "N1 Segments (Detail)" table: Modify "Element Name" column heading to "Element Name (N104)". | TS | 5/99 | |
| cleanup | "SI 1000/234 Pairs (Sub-detail)" table: Modify "Description" column heading to "Elem 234 Description". | TS | 5/99 | |
| cleanup | "SI 1000/234 Pairs (Sub-detail)" table: In the "Elem 234 Description" column for data element "Allocation Method", modify "Pro-Rata" to "Pro Rata". | TS | 5/99 | |
| cleanup | "SI 1000/234 Pairs (Sub-detail)" table: In the Notes section under the table, change the n2 note as follows (add single and correct capitalization): "n2 When using the Allocation Method 'swing' on a PDA, only the PDA swing line item(s) has to be submitted." | TS | 12/98 | |
| cleanup | "N1 Segments (Sub-detail)" table: Modify "Element Name" column heading to "Element Name (N104)". | TS | 5/99 | |
| | | | | |

GISB - Technical Subcommittee Change Log (post Version 1.3)

| Request # | Description | Subcom | Date | Approved by EC |
|--|---|--------|------|----------------|
| G865PDQR - Pre-determined Allocation - Quick Response (2.4.2) | | | | |
| Data Element Xref to X12 | | | | |
| | | | | |
| Sample X12 Transaction | | | | |
| | | | | |
| X12 Mapping | | | | |
| cleanup | Header BCA Segment (position 020): BCA02: Delete "Transaction Set Status Code". [This is not a GISB data element for the PDA Quick Response.] | TS | 5/99 | |
| cleanup | Header BCA Segment (position 020): BCA03: Modify element note to "The PDA number assigned by the PDA originator in the BCH03." | TS | 5/99 | |
| cleanup | Header BCA Segment (position 020): BCA06: Modify element note to "The PDA issue date." | TS | 5/99 | |
| cleanup | Heading MSG Segment (position 290): Delete existing segment note. Move element note from data element MSG01 to segment note and replace the word "element" in the first sentence with "segment" so that it reads, "For GISB, this segment is ..." | TS | 5/99 | |
| cleanup | Heading MSG Segment (position 360): Delete existing segment note. Move element note from data element MSG01 to segment note and replace the word "element" in the first sentence with "segment" so that it reads, "For GISB, this segment is ..." | TS | 5/99 | |
| | | | | |
| Transaction Set Tables | | | | |
| cleanup | "Errors and Warnings (Heading)" table: Modify "Validation Code" column heading to "Validation Code (N902)". | TS | 5/99 | |
| cleanup | "Errors and Warnings (Detail)" table: Modify "Validation Code" column heading to "Validation Code (PID04)". | TS | 5/99 | |
| cleanup | "Errors and Warnings (Sub-detail)" table: Modify "Validation Code" column heading to "Validation Code (N902)". | TS | 5/99 | |
| | | | | |

GISB - Technical Subcommittee Change Log (post Version 1.3)

| Request # | Description | Subcom | Date | Approved by EC |
|--------------------------------------|---|--------|------|----------------|
| G865ALLC - Allocation (2.4.3) | | | | |
| Data Element Xref to X12 | | | | |
| | | | | |
| Sample X12 Transaction | | | | |
| | | | | |
| X12 Mapping | | | | |
| cleanup | Header DTM Segment (position 150): DTM07: Before the list of data elements, add element note "Refer to "DTM Segments (Heading)" table for usage and values". [skip blank line between element note and data elements] | TS | 5/99 | |
| cleanup | Detail POC Segment (position 010): POC02: Delete code value note "Allocated Quantity". | TS | 5/99 | |
| | | | | |
| Transaction Set Tables | | | | |
| cleanup | "DTM Segments (Heading)" table: Modify "Element Name" column heading to "Element Name (DTM07)". | TS | 5/99 | |
| cleanup | "SI 1000/234 Pairs (Detail)" table: Modify "Description" column heading to "Elem 234 Description". | TS | 5/99 | |
| cleanup | "N1 Segments (Detail)" table: Modify "Element Name" column heading to "Element Name (N104)". | TS | 5/99 | |
| cleanup | "PO3 Segments (Sub-detail)" table: Modify "Element Name" column heading to "Element Name (PO306)". | TS | 5/99 | |
| cleanup | "PO3 Segments (Sub-detail)" table: Delete "PO306 Description" column. | TS | 5/99 | |
| cleanup | "N1 Segments (Sub-detail)" table: Modify "Element Name" column heading to "Element Name (N104)". | TS | 5/99 | |
| | | | | |

GISB - Technical Subcommittee Change Log (post Version 1.3)

| Request # | Description | Subcom | Date | Approved by EC |
|---|---|--------|------|----------------|
| G811IMBL - Shipper Imbalance (2.4.4) | | | | |
| Data Element Xref to X12 | | | | |
| | | | | |
| Sample X12 Transaction | | | | |
| | | | | |
| X12 Mapping | | | | |
| cleanup | Header DTM Segment (position 080): DTM07: Before the list of data elements, add element note "Refer to "DTM Segments (Heading)" table for usage and values". [skip blank line between element note and data elements] | TS | 5/99 | |
| cleanup | Sub-sub-detail SI (position 725); add code value "AP" to SI01 | TS | 9/98 | |
| | | | | |
| Transaction Set Tables | | | | |
| | | | | |

GISB - Technical Subcommittee Change Log (post Version 1.3)

| Request # | Description | Subcom | Date | Approved by EC |
|---|--------------------------|--------|------|----------------|
| G867MSIN - Measurement Information (2.4.5) | | | | |
| | Data Element Xref to X12 | | | |
| | | | | |
| | Sample X12 Transaction | | | |
| | | | | |
| | X12 Mapping | | | |
| | | | | |
| | Transaction Set Tables | | | |
| | | | | |
| G867MAUS - Measured Volume Audit Statement (2.4.6) | | | | |
| | Data Element Xref to X12 | | | |
| | | | | |
| | Sample X12 Transaction | | | |
| | | | | |
| | X12 Mapping | | | |
| | | | | |
| | Transaction Set Tables | | | |
| | | | | |

GISB - Technical Subcommittee Change Log (post Version 1.3)

| Request # | Description | Subcom | Date | Approved by EC |
|--|-------------|--------|------|-------------------|
| G811TSIN - Transportation/Sales Invoice (3.4.1) | | | | |
| Data Element Xref to X12 | | | | |
| | | | | |
| Sample X12 Transaction | | | | |
| | | | | |
| X12 Mapping | | | | |
| | | | | |
| Transaction Set Tables | | | | |
| | | | | |

GISB - Technical Subcommittee Change Log (post Version 1.3)

| Request # | Description | Subcom | Date | Approved by EC |
|--|-------------|--------|------|-------------------|
| G820PYRM - Payment Remittance (3.4.2) | | | | |
| Data Element Xref to X12 | | | | |
| | | | | |
| Sample X12 Transaction | | | | |
| | | | | |
| X12 Mapping | | | | |
| | | | | |
| Transaction Set Tables | | | | |
| | | | | |

GISB - Technical Subcommittee Change Log (post Version 1.3)

| Request # | Description | Subcom | Date | Approved by EC |
|--|---|--------|------|-------------------|
| G822STAC - Statement of Account (3.4.3) | | | | |
| Data Element Xref to X12 | | | | |
| | | | | |
| Sample X12 Transaction | | | | |
| cleanup | Detail ENT Segment (position 0050): Add segment note "For GISB, when sending multiple Service Requesters and/or Account Numbers for a given Billable Party (Payer), multiple ENT loops must be sent." | | | |
| X12 Mapping | | | | |
| | | | | |
| Transaction Set Tables | | | | |
| | | | | |

GISB - Technical Subcommittee Change Log (post Version 1.3)

| Request # | Description | Subcom | Date | Approved by EC |
|---|--------------------------|--------|------|-------------------|
| G811SRCA - Service Requester Level Charge/Allowance Invoice (3.4.4) [new document from R97031B - 9/97] | | | | |
| | Data Element Xref to X12 | | | |
| | Sample X12 Transaction | | | |
| | X12 Mapping | | | |
| | Transaction Set Tables | | | |