

**NAESB WGQ Technical Subcommittee
Draft Meeting Minutes Attachment
10/14/2002
R97058B Working Document**

Description of Change:
Nomination (1.4.1)
Data Element Xref to X12
Heading N1: For the data element Transportation Service Provider, modify the data element name to "Transportation Service Provider/Transportation Service Provider Proprietary Code"
Heading N1: For the data element Service Requester, modify the data element name to "Service Requester/Service Requester Proprietary Code"
Sub-detail N1: For the data element Upstream Identifier Code, modify the data element name to "Upstream Identifier Code/Upstream Identifier Proprietary Code"
Sub-detail N1: For the data element Downstream Identifier Code, modify the data element name to "Downstream Identifier Code/Downstream Identifier Proprietary Code"
X12 Mapping
Heading N1 segment (position 0500): N103: Add element note "Parties should mutually agree to use the Transportation Service Provider's proprietary entity code when the D-U-N-S® Number is not available."
Heading N1 segment (position 0500): N103: code value 1: Add code value note "For NAESB WGQ, this code value may only be used when sending the Transportation Service Provider or Service Requester."
Heading N1 segment (position 0500): N103: Mark the code value SV [Service Provider Number] as "used". Add code value note "For NAESB WGQ, this code value may only be used when sending the Transportation Service Provider Proprietary Code or Service Requester Proprietary Code."
Heading N1 segment (position 0500): N104: Replace data element list in the element note with "Transportation Service Provider/Transportation Service Provider Proprietary Code, Service Requester/Service Requester Proprietary Code"
Sub-detail N1 segment (position 1100): N103: Add element note "Parties should mutually agree to use the Transportation Service Provider's proprietary entity code when the D-U-N-S® Number is not available."
Sub-detail N1 segment (position 1100): N103: code value 1: Add code value note "For NAESB WGQ, this code value may only be used when sending the Upstream Identifier Code or Downstream Identifier Code."
Sub-detail N1 segment (position 1100): N103: Mark the code value SV [Service Provider Number] as "used". Add code value note "For NAESB WGQ, this code value may only be used when sending the Upstream Identifier Proprietary Code or Downstream Identifier Proprietary Code."
Sub-detail N1 segment (position 1100): N104: Replace data element list in the element note with "Upstream Identifier Code/Upstream Identifier Proprietary Code, Downstream Identifier Code/Downstream Identifier Proprietary Code"
Nomination Quick Response (1.4.2)
Data Element Xref to X12
Heading N1: For the data element Service Requester, modify the data element name to "Service Requester/Service Requester Proprietary Code"
Heading N1: For the data element Transportation Service Provider, modify the data element name to "Transportation Service Provider/Transportation Service Provider Proprietary Code"
X12 Mapping
Heading N1 segment (position 0500): N103: Add element note "Parties should mutually agree to use the Transportation Service Provider's proprietary entity code when the D-U-N-S® Number is not available."
Heading N1 segment (position 0500): N103: code value 1: Add code value note "For NAESB WGQ, this code value may only be used when sending the Service Requester or Transportation Service Provider."

Heading N1 segment (position 0500): N103: Mark the code value SV [Service Provider Number] as “used”. Add code value note “For NAESB WGQ, this code value may only be used when sending the Service Requester Proprietary Code or Transportation Service Provider Proprietary Code.”
Heading N1 segment (position 0500): N104: Replace data element list in the element note with “Service Requester/Service Requester Proprietary Code, Transportation Service Provider/Transportation Service Provider Proprietary Code”
Request for Confirmation
Data Element Xref to X12
Heading N1: For the data element Confirming Party, modify the data element name to “Confirming Party/Confirming Party Proprietary Code”
Heading N1: For the data element Confirmation Requester, modify the data element name to “Confirmation Requester/Confirmation Requester Proprietary Code”
Detail N1: For the data element Confirmation Service Identifier Code, modify the data element name to “Confirmation Service Identifier Code/Confirmation Service Identifier Proprietary Code”
Sub-detail N1: For the data element Upstream Identifier Code, modify the data element name to “Upstream Identifier Code/Upstream Identifier Proprietary Code”
Sub-detail N1: For the data element Downstream Identifier Code, modify the data element name to “Downstream Identifier Code/Downstream Identifier Proprietary Code”
Sub-detail N1: For the data element Service Requester, modify the data element name to “Service Requester/Service Requester Proprietary Code”
X12 Mapping
Heading N1 segment (position 0500): N103: Add element note “Parties should mutually agree to use the Transportation Service Provider’s proprietary entity code when the D-U-N-S® Number is not available.”
Heading N1 segment (position 0500): N103: code value 1: Add code value note “For NAESB WGQ, this code value may only be used when sending the Confirming Party or Confirmation Requester.”
Heading N1 segment (position 0500): N103: Mark the code value SV [Service Provider Number] as “used”. Add code value note “For NAESB WGQ, this code value may only be used when sending the Confirming Party Proprietary Code or Confirmation Requester Proprietary Code.”
Heading N1 segment (position 0500): N104: Replace data element list in the element note with “Confirming Party/Confirming Party Proprietary Code, Confirmation Requester/Confirmation Requester Proprietary Code”
Detail N1 segment (position 0600): N103: Add element note “Parties should mutually agree to use the Transportation Service Provider’s proprietary entity code when the D-U-N-S® Number is not available.”
Detail N1 segment (position 0600): N103: code value 1: Add code value note “For NAESB WGQ, this code value may only be used when sending the Confirmation Service Identifier Code.”
Detail N1 segment (position 0600): N103: Mark the code value SV [Service Provider Number] as “used”. Add code value note “For NAESB WGQ, this code value may only be used when sending the Confirmation Service Identifier Proprietary Code.”
Detail N1 segment (position 0600): N104: Replace data element list in the element note with “Confirmation Service Identifier Code/Confirmation Service Identifier Proprietary Code”
Sub-detail N1 segment (position 1100): N104: Replace data element list in the element note with “Upstream Identifier Code/Upstream Identifier Proprietary Code, Downstream Identifier Code/Downstream Identifier Proprietary Code, Service Requester/Service Requester Proprietary Code”
Transaction Set Tables
N1 Segments (Sub-detail) table: For the “N103” column, modify the column heading to “N103 (see n1)”.
N1 Segments (Sub-detail) table: For the “Downstream Identifier Code” row, modify the Element Name (N104) column to “Downstream Identifier Code/Downstream Identifier Proprietary Code”
N1 Segments (Sub-detail) table: For the “Downstream Identifier Code” row, modify the N103 column after the “1” code value to add a sub-row and the code value “SV”.
N1 Segments (Sub-detail) table: For the “Downstream Identifier Code” row, modify the N103 description column after the “D-U-N-S Number, Dun & Bradstreet” code value description to add a sub-row and the code value description “Transportation Service Provider’s proprietary code”
N1 Segments (Sub-detail) table: For the “Upstream Identifier Code” row, modify the Element Name (N104) column to “Upstream Identifier Code/Upstream Identifier Proprietary Code”

N1 Segments (Sub-detail) table: For the "Upstream Identifier Code" row, modify the N103 column after the "1" code value to add a sub-row and the code value "SV".
N1 Segments (Sub-detail) table: For the "Upstream Identifier Code" row, modify the N103 description column after the "D-U-N-S Number, Dun & Bradstreet" code value description to add a sub-row and the code value description "Transportation Service Provider's proprietary code".
N1 Segments (Sub-detail) table: For the "Service Requester" row, modify the Element Name (N104) column to "Service Requester/Service Requester Proprietary Code".
N1 Segments (Sub-detail) table: For the "Service Requester" row, modify the N103 column after the "1" code value to add a sub-row and the code value "SV".
N1 Segments (Sub-detail) table: For the "Service Requester" row, modify the N103 description column after the "D-U-N-S Number, Dun & Bradstreet" code value description to add a sub-row and the code value description "Transportation Service Provider's proprietary code".
N1 Segments (Sub-detail) table: Skip a blank row below the table and add a "Notes" section as follows: Notes: n1 Parties should mutually agree to use the Transportation Service Provider's proprietary entity code when the D-U-N-S® Number is not available.
Confirmation Response
Data Element Xref to X12
Heading N1: For the data element Confirming Party, modify the data element name to "Confirming Party/Confirming Party Proprietary Code"
Heading N1: For the data element Confirmation Requester, modify the data element name to "Confirmation Requester/Confirmation Requester Proprietary Code"
Detail N1: For the data element Confirmation Service Identifier Code, modify the data element name to "Confirmation Service Identifier Code/Confirmation Service Identifier Proprietary Code"
Sub-detail N1: For the data element Upstream Identifier Code, modify the data element name to "Upstream Identifier Code/Upstream Identifier Proprietary Code"
Sub-detail N1: For the data element Downstream Identifier Code, modify the data element name to "Downstream Identifier Code/Downstream Identifier Proprietary Code"
Sub-detail N1: For the data element Service Requester, modify the data element name to "Service Requester/Service Requester Proprietary Code"
X12 Mapping
Heading N1 segment (position 0500): N103: Add element note "Parties should mutually agree to use the Transportation Service Provider's proprietary entity code when the D-U-N-S® Number is not available."
Heading N1 segment (position 0500): N103: code value 1: Add code value note "For NAESB WGQ, this code value may only be used when sending the Confirming Party or Confirmation Requester."
Heading N1 segment (position 0500): N103: Mark the code value SV [Service Provider Number] as "used". Add code value note "For NAESB WGQ, this code value may only be used when sending the Confirming Party Proprietary Code or Confirmation Requester Proprietary Code."
Heading N1 segment (position 0500): N104: Replace data element list in the element note with "Confirming Party/Confirming Party Proprietary Code, Confirmation Requester/Confirmation Requester Proprietary Code"
Detail N1 segment (position 0600): N103: Add element note "Parties should mutually agree to use the Transportation Service Provider's proprietary entity code when the D-U-N-S® Number is not available."
Detail N1 segment (position 0600): N103: code value 1: Add code value note "For NAESB WGQ, this code value may only be used when sending the Confirmation Service Identifier Code."
Detail N1 segment (position 0600): N103: Mark the code value SV [Service Provider Number] as "used". Add code value note "For NAESB WGQ, this code value may only be used when sending the Confirmation Service Identifier Proprietary Code."
Detail N1 segment (position 0600): N104: Replace data element list in the element note with "Confirmation Service Identifier Code/Confirmation Service Identifier Proprietary Code"

Sub-detail N1 segment (position 1100): N104: Replace data element list in the element note with "Upstream Identifier Code/Upstream Identifier Proprietary Code, Downstream Identifier Code/Downstream Identifier Proprietary Code, Service Requester/Service Requester Proprietary Code"
Transaction Set Tables
N1 Segments (Sub-detail) table: For the "N103" column, modify the column heading to "N103 (see n1)".
N1 Segments (Sub-detail) table: For the "Downstream Identifier Code" row, modify the Element Name (N104) column to "Downstream Identifier Code/Downstream Identifier Proprietary Code"
N1 Segments (Sub-detail) table: For the "Downstream Identifier Code" row, modify the N103 column after the "1" code value to add a sub-row and the code value "SV".
N1 Segments (Sub-detail) table: For the "Downstream Identifier Code" row, modify the N103 description column after the "D-U-N-S Number, Dun & Bradstreet" code value description to add a sub-row and the code value description "Transportation Service Provider's proprietary code"
N1 Segments (Sub-detail) table: For the "Upstream Identifier Code" row, modify the Element Name (N104) column to "Upstream Identifier Code/Upstream Identifier Proprietary Code"
N1 Segments (Sub-detail) table: For the "Upstream Identifier Code" row, modify the N103 column after the "1" code value to add a sub-row and the code value "SV".
N1 Segments (Sub-detail) table: For the "Upstream Identifier Code" row, modify the N103 description column after the "D-U-N-S Number, Dun & Bradstreet" code value description to add a sub-row and the code value description "Transportation Service Provider's proprietary code".
N1 Segments (Sub-detail) table: For the "Service Requester" row, modify the Element Name (N104) column to "Service Requester/Service Requester Proprietary Code".
N1 Segments (Sub-detail) table: For the "Service Requester" row, modify the N103 column after the "1" code value to add a sub-row and the code value "SV".
N1 Segments (Sub-detail) table: For the "Service Requester" row, modify the N103 description column after the "D-U-N-S Number, Dun & Bradstreet" code value description to add a sub-row and the code value description "Transportation Service Provider's proprietary code".
N1 Segments (Sub-detail) table: Skip a blank row below the table and add a "Notes" section as follows: Notes: n1 Parties should mutually agree to use the Transportation Service Provider's proprietary entity code when the D-U-N-S® Number is not available.
Scheduled Quantity (1.4.5)
Data Element Xref to X12
Heading N1: For the data element Transportation Service Provider, modify the data element name to "Transportation Service Provider/Transportation Service Provider Proprietary Code"
Heading N1: For the data element Service Requester, modify the data element name to "Service Requester/Service Requester Proprietary Code"
Sub-detail N1: For the data element Upstream Identifier Code, modify the data element name to "Upstream Identifier Code/Upstream Identifier Proprietary Code"
Sub-detail N1: For the data element Downstream Identifier Code, modify the data element name to "Downstream Identifier Code/Downstream Identifier Proprietary Code"
X12 Mapping
Heading N1 segment (position 0500): N103: Add element note "Parties should mutually agree to use the Transportation Service Provider's proprietary entity code when the D-U-N-S® Number is not available."
Heading N1 segment (position 0500): N103: code value 1: Add code value note "For NAESB WGQ, this code value may only be used when sending the Transportation Service Provider or Service Requester."
Heading N1 segment (position 0500): N103: Mark the code value SV [Service Provider Number] as "used". Add code value note "For NAESB WGQ, this code value may only be used when sending the Transportation Service Provider Proprietary Code or Service Requester Proprietary Code."
Heading N1 segment (position 0500): N104: Replace data element list in the element note with "Transportation Service Provider/Transportation Service Provider Proprietary Code, Service Requester/Service Requester Proprietary Code"

Sub-detail N1 segment (position 1100): N103: Add element note "Parties should mutually agree to use the Transportation Service Provider's proprietary entity code when the D-U-N-S® Number is not available."
Sub-detail N1 segment (position 1100): N103: code value 1: Add code value note "For NAESB WGQ, this code value may only be used when sending the Upstream Identifier Code or Downstream Identifier Code."
Sub-detail N1 segment (position 1100): N103: Mark the code value SV [Service Provider Number] as "used". Add code value note "For NAESB WGQ, this code value may only be used when sending the Upstream Identifier Proprietary Code or Downstream Identifier Proprietary Code."
Sub-detail N1 segment (position 1100): N104: Replace data element list in the element note with "Upstream Identifier Code/Upstream Identifier Proprietary Code, Downstream Identifier Code/Downstream Identifier Proprietary Code"
Scheduled Quantity for Operator
Data Element Xref to X12
Heading N1: For the data element Statement Recipient ID, modify the data element name to "Statement Recipient ID/Statement Recipient ID Proprietary Code"
Heading N1: For the data element Preparer ID, modify the data element name to "Preparer ID/Preparer ID Proprietary Code"
Detail N1: For the data element Confirmation Service Identifier Code, modify the data element name to "Confirmation Service Identifier Code/Confirmation Service Identifier Proprietary Code"
Sub-detail N1: For the data element Upstream Identifier Code, modify the data element name to "Upstream Identifier Code/Upstream Identifier Proprietary Code"
Sub-detail N1: For the data element Downstream Identifier Code, modify the data element name to "Downstream Identifier Code/Downstream Identifier Proprietary Code"
Sub-detail N1: For the data element Service Requester, modify the data element name to "Service Requester/Service Requester Proprietary Code"
X12 Mapping
Heading N1 segment (position 0500): N103: Add element note "Parties should mutually agree to use the Transportation Service Provider's proprietary entity code when the D-U-N-S® Number is not available."
Heading N1 segment (position 0500): N103: code value 1: Add code value note "For NAESB WGQ, this code value may only be used when sending the Statement Recipient ID or Preparer ID."
Heading N1 segment (position 0500): N103: Mark the code value SV [Service Provider Number] as "used". Add code value note "For NAESB WGQ, this code value may only be used when sending the Statement Recipient ID Proprietary Code or Preparer ID Proprietary Code."
Heading N1 segment (position 0500): N104: Replace data element list in the element note with "Statement Recipient ID/Statement Recipient ID Proprietary Code, Preparer ID/Preparer ID Proprietary Code"
Detail N1 segment (position 0600): N103: Add element note "Parties should mutually agree to use the Transportation Service Provider's proprietary entity code when the D-U-N-S® Number is not available."
Detail N1 segment (position 0600): N103: code value 1: Add code value note "For NAESB WGQ, this code value may only be used when sending the Confirmation Service Identifier Code."
Detail N1 segment (position 0600): N103: Mark the code value SV [Service Provider Number] as "used". Add code value note "For NAESB WGQ, this code value may only be used when sending the Confirmation Service Identifier Proprietary Code."
Detail N1 segment (position 0600): N104: Replace data element list in the element note with "Confirmation Service Identifier Code/Confirmation Service Identifier Proprietary Code"
Sub-detail N1 segment (position 1100): N103: Add element note "Parties should mutually agree to use the Transportation Service Provider's proprietary entity code when the D-U-N-S® Number is not available."
Sub-detail N1 segment (position 1100): N103: code value 1: Add code value note "For NAESB WGQ, this code value may only be used when sending the Upstream Identifier Code, Downstream Identifier Code, or Service Requester".

Sub-detail N1 segment (position 1100): N103: Mark the code value SV [Service Provider Number] as “used”. Add code value note “For NAESB WGQ, this code value may only be used when sending the Upstream Identifier Proprietary Code, Downstream Identifier Proprietary Code, Service Requester Proprietary Code”.
Sub-detail N1 segment (position 1100): N104: Replace data element list in the element note with “Upstream Identifier Code/Upstream Identifier Proprietary Code, Downstream Identifier Code/Downstream Identifier Proprietary Code, Service Requester/Service Requester Proprietary Code”
Confirmation Response Quick Response
Data Element Xref to X12
Heading N1: For the data element Confirmation Requester, modify the data element name to “Confirmation Requester/Confirmation Requester Proprietary Code”
Heading N1: For the data element Confirming Party, modify the data element name to “Confirming Party/Confirming Party Proprietary Code”
Detail N1: For the data element Confirmation Service Identifier Code, modify the data element name to “Confirmation Service Identifier Code/Confirmation Service Identifier Proprietary Code”
X12 Mapping
Heading N1 segment (position 0500): N103: Add element note “Parties should mutually agree to use the Transportation Service Provider’s proprietary entity code when the D-U-N-S® Number is not available.”
Heading N1 segment (position 0500): N103: code value 1: Add code value note “For NAESB WGQ, this code value may only be used when sending the Confirmation Requester or Confirming Party.”
Heading N1 segment (position 0500): N103: Mark the code value SV [Service Provider Number] as “used”. Add code value note “For NAESB WGQ, this code value may only be used when sending the Confirmation Requester Proprietary Code or Confirming Party Proprietary Code.”
Heading N1 segment (position 0500): N104: Replace data element list in the element note with “Confirmation Requester/Confirmation Requester Proprietary Code, Confirming Party/Confirming Party Proprietary Code,”
Detail N1 segment (position 0500): N103: Add element note “Parties should mutually agree to use the Transportation Service Provider’s proprietary entity code when the D-U-N-S® Number is not available.”
Detail N1 segment (position 0500): N103: code value 1: Add code value note “For NAESB WGQ, this code value may only be used when sending the Confirmation Service Identifier Code.”
Detail N1 segment (position 0500): N103: Mark the code value SV [Service Provider Number] as “used”. Add code value note “For NAESB WGQ, this code value may only be used when sending the Confirmation Service Identifier Proprietary Code.”
Detail N1 segment (position 0500): N104: Replace data element list in the element note with “Confirmation Service Identifier Code/Confirmation Service Identifier Proprietary Code”

Pre-determined Allocation
Data Element Xref to X12
Heading N1: For the data element Statement Recipient ID, modify the data element name to “Statement Recipient ID/Statement Recipient ID Proprietary Code”
Heading N1: For the data element Preparer ID, modify the data element name to “Preparer ID/Preparer ID Proprietary Code”
Sub-detail N1: For the data element Service Requester ID, modify the data element name to “Service RequesterID /Service Requester Proprietary Code”
Sub-detail N1: For the data element Downstream Identifier Code, modify the data element name to “Downstream Identifier Code/Downstream Identifier Proprietary Code”
Sub-detail N1: For the data element Upstream Identifier Code, modify the data element name to “Upstream Identifier Code/Upstream Identifier Proprietary Code”
X12 Mapping
Heading N1 segment (position 300): N101: code value 40: Delete code value note “Statement Recipient ID”
Heading N1 segment (position 300): N101: code value P1: Delete code value note “Preparer ID”

Heading N1 segment (position 300): N103: Add element note “Parties should mutually agree to use the Transportation Service Provider’s proprietary entity code when the D-U-N-S® Number is not available.”
Heading N1 segment (position 300): N103: code value 1: Add code value note “For NAESB WGQ, this code value may only be used when sending the Statement Recipient ID or Preparer ID.”
Heading N1 segment (position 300): N103: Mark the code value SV [Service Provider Number] as “used”. Add code value note “For NAESB WGQ, this code value may only be used when sending the Statement Recipient ID Proprietary Code or Preparer ID Proprietary Code.”
Heading N1 segment (position 300): N104: Replace data element list in the element note with “Statement Recipient ID/Statement Recipient ID Proprietary Code, Preparer ID/Preparer ID Proprietary Code”
Sub-detail N1 segment (position 520): N104: Replace the data elements Service Requester ID, Downstream Identifier Code, Upstream Identifier Code in the data element list of the element note as follows: “Service Requester ID /Service Requester Proprietary Code, Downstream Identifier Code/Downstream Identifier Proprietary Code, Upstream Identifier Code/Upstream Identifier Proprietary Code,”
Transaction Set Tables
N1 Segments (Sub-detail) table: For the “Service Requester ID” row, modify the Element Name (N104) column to “Service Requester ID/Service Requester Proprietary Code”.
N1 Segments (Sub-detail) table: For the “Service Requester ID” row, modify the N103 column after the “1” code value to add a sub-row and the code value “SV”.
N1 Segments (Sub-detail) table: For the “Service Requester ID” row, modify the N103 description column as follows: Replace D-U-N-S Number, Dun & Bradstreet with “D-U-N-S Number, Dun & Bradstreet (see n2); add a sub-row and the code value description “Transportation Service Provider’s proprietary code (see n2)”.
N1 Segments (Sub-detail) table: For the “Downstream Identifier Code” row, modify the Element Name (N104) column to “Downstream Identifier Code/Downstream Identifier Proprietary Code”
N1 Segments (Sub-detail) table: For the “Downstream Identifier Code” row, modify the N103 column after the “1” code value to add a sub-row and the code value “SV”.
N1 Segments (Sub-detail) table: For the “Downstream Identifier Code” row, modify the N103 description column as follows: Replace D-U-N-S Number, Dun & Bradstreet with “D-U-N-S Number, Dun & Bradstreet (see n2); add a sub-row and the code value description “Transportation Service Provider’s proprietary code (see n2)”.
N1 Segments (Sub-detail) table: For the “Upstream Identifier Code” row, modify the Element Name (N104) column to “Upstream Identifier Code/Upstream Identifier Proprietary Code”
N1 Segments (Sub-detail) table: For the “Upstream Identifier Code” row, modify the N103 column after the “1” code value to add a sub-row and the code value “SV”.
N1 Segments (Sub-detail) table: For the “Upstream Identifier Code” row, modify the N103 description column as follows: Replace D-U-N-S Number, Dun & Bradstreet with “D-U-N-S Number, Dun & Bradstreet (see n2); add a sub-row and the code value description “Transportation Service Provider’s proprietary code (see n2)”.
N1 Segments (Sub-detail) table: Notes section (below the table): Skip a row and add the following note below the n1 note: “n2 Parties should mutually agree to use the Transportation Service Provider’s proprietary entity code when the D-U-N-S® Number is not available.”
Pre-determined Allocation Quick Response
Data Element Xref to X12
Heading N1: For the data element Statement Recipient ID, modify the data element name to “Statement Recipient ID/Statement Recipient ID Proprietary Code”
Heading N1: For the data element Preparer ID, modify the data element name to “Preparer ID/Preparer ID Proprietary Code”
X12 Mapping
Heading N1 segment (position 300): N101: code value 40: Delete code value note “Statement Recipient ID”
Heading N1 segment (position 300): N101: code value P1: Delete code value note “Preparer ID”

Heading N1 segment (position 300): N103: Add element note "Parties should mutually agree to use the Transportation Service Provider's proprietary entity code when the D-U-N-S® Number is not available."
Heading N1 segment (position 300): N103: code value 1: Add code value note "For NAESB WGQ, this code value may only be used when sending the Statement Recipient ID or Preparer ID."
Heading N1 segment (position 300): N103: Mark the code value SV [Service Provider Number] as "used". Add code value note "For NAESB WGQ, this code value may only be used when sending the Statement Recipient ID Proprietary Code or Preparer ID Proprietary Code."
Heading N1 segment (position 300): N104: Replace data element list in the element note with "Statement Recipient ID/Statement Recipient ID Proprietary Code, Preparer ID/Preparer ID Proprietary Code"
Allocation
Data Element Xref to X12
Heading N1: For the data element Statement Recipient ID, modify the data element name to "Statement Recipient ID/Statement Recipient ID Proprietary Code"
Heading N1: For the data element Preparer ID, modify the data element name to "Preparer ID/Preparer ID Proprietary Code"
Sub-detail N1: For the data element Upstream Identifier Code, modify the data element name to "Upstream Identifier Code/Upstream Identifier Proprietary Code"
Sub-detail N1: For the data element Downstream Identifier Code, modify the data element name to "Downstream Identifier Code/Downstream Identifier Proprietary Code"
Sub-detail N1: For the data element Service Requester ID, modify the data element name to "Service Requester ID/Service Requester Proprietary Code"
X12 Mapping
Heading N1 segment (position 300): N101: code value P1: Delete code value note "Preparer ID"
Heading N1 segment (position 300): N101: code value ZD: Delete code value note "Statement Recipient ID"
Heading N1 segment (position 300): N103: Add element note "Parties should mutually agree to use the Transportation Service Provider's proprietary entity code when the D-U-N-S® Number is not available."
Heading N1 segment (position 300): N103: code value 1: Add code value note "For NAESB WGQ, this code value may only be used when sending the Statement Recipient ID or Preparer ID."
Heading N1 segment (position 300): N103: Mark the code value SV [Service Provider Number] as "used". Add code value note "For NAESB WGQ, this code value may only be used when sending the Statement Recipient ID Proprietary Code or Preparer ID Proprietary Code."
Heading N1 segment (position 300): N104: Replace data element list in the element note with "Statement Recipient ID/Statement Recipient ID Proprietary Code, Preparer ID/Preparer ID Proprietary Code"
Sub-detail N1 segment (position 560): N104: Replace the data elements Service Requester ID, Downstream Identifier Code, Upstream Identifier Code in the data element list of the element note as follows: "Upstream Identifier Code/Upstream Identifier Proprietary Code, Downstream Identifier Code/Downstream Identifier Proprietary Code, Service Requester ID/Service Requester Proprietary Code,"
Transaction Set Tables
N1 Segments (Sub-detail) table: For the "Upstream Identifier Code" row, modify the Element Name (N104) column to "Upstream Identifier Code/Upstream Identifier Proprietary Code"
N1 Segments (Sub-detail) table: For the "Upstream Identifier Code" row, modify the N103 column after the "1" code value to add a sub-row and the code value "SV".
N1 Segments (Sub-detail) table: For the "Upstream Identifier Code" row, modify the N103 description column as follows: Replace D-U-N-S Number, Dun & Bradstreet with "D-U-N-S Number, Dun & Bradstreet (see n2); add a sub-row and the code value description "Transportation Service Provider's proprietary code (see n2)".
N1 Segments (Sub-detail) table: For the "Downstream Identifier Code" row, modify the Element Name (N104) column to "Downstream Identifier Code/Downstream Identifier Proprietary Code"
N1 Segments (Sub-detail) table: For the "Downstream Identifier Code" row, modify the N103 column after the "1" code value to add a sub-row and the code value "SV".

N1 Segments (Sub-detail) table: For the "Downstream Identifier Code" row, modify the N103 description column as follows: Replace D-U-N-S Number, Dun & Bradstreet with "D-U-N-S Number, Dun & Bradstreet (see n2); add a sub-row and the code value description "Transportation Service Provider's proprietary code (see n2)".
N1 Segments (Sub-detail) table: For the "Service Requester ID" row, modify the Element Name (N104) column to "Service Requester ID/Service Requester Proprietary Code".
N1 Segments (Sub-detail) table: For the "Service Requester ID" row, modify the N103 column after the "1" code value to add a sub-row and the code value "SV".
N1 Segments (Sub-detail) table: For the "Service Requester ID" row, modify the N103 description column as follows: Replace D-U-N-S Number, Dun & Bradstreet with "D-U-N-S Number, Dun & Bradstreet (see n2); add a sub-row and the code value description "Transportation Service Provider's proprietary code (see n2)".
N1 Segments (Sub-detail) table: Notes section (below the table): Skip a row and add the following note below the n1 note: "n2 Parties should mutually agree to use the Transportation Service Provider's proprietary entity code when the D-U-N-S® Number is not available."
Shipper Imbalance
Data Element Xref to X12
Heading N1: For the data element Statement Recipient ID, modify the data element name to "Statement Recipient ID/Statement Recipient ID Proprietary Code"
Heading N1: For the data element Preparer ID, modify the data element name to "Preparer ID/Preparer ID Proprietary Code"
Detail NM1: For the data element Service Requester ID, modify the data element to "Service Requester ID/Service Requester Proprietary Code".
Sub-detail NM1: For the data element Downstream Identifier Code, modify the data element to "Downstream Identifier Code/Downstream Identifier Proprietary Code".
Sub-detail NM1: For the data element Upstream Identifier Code, modify the data element to "Upstream Identifier Code/Upstream Identifier Proprietary Code".
X12 Mapping
Heading N1 segment (position 1000): N103: Add element note "Parties should mutually agree to use the Transportation Service Provider's proprietary entity code when the D-U-N-S® Number is not available."
Heading N1 segment (position 1000): N103: code value 1: Add code value note "For NAESB WGQ, this code value may only be used when sending the Statement Recipient ID or Preparer ID."
Heading N1 segment (position 1000): N103: Mark the code value SV [Service Provider Number] as "used". Add code value note "For NAESB WGQ, this code value may only be used when sending the Statement Recipient ID Proprietary Code or Preparer ID Proprietary Code."
Heading N1 segment (position 1000): N104: Replace data element list in the element note with "Statement Recipient ID/Statement Recipient ID Proprietary Code, Preparer ID/Preparer ID Proprietary Code"
Detail NM1 segment (position 3400): NM108: Add element note "Parties should mutually agree to use the Transportation Service Provider's proprietary entity code when the D-U-N-S® Number is not available."
Detail NM1 segment (position 3400): NM108: code value 1: Add code value note "For NAESB WGQ, this code value may only be used when sending the Service Requester ID."
Detail NM1 segment (position 3400): NM108: Mark the code value SV [Service Provider Number] as "used". Add code value note "For NAESB WGQ, this code value may only be used when sending the Service Requester Proprietary Code."
Detail NM1 segment (position 3400): NM109: Replace data element list in the element note with "Service Requester ID/Service Requester Proprietary Code."
Subdetail NM1 segment (position 8000): NM108: Add element note "Parties should mutually agree to use the Transportation Service Provider's proprietary entity code when the D-U-N-S® Number is not available."
Sub-detail NM1 segment (position 8000): NM108: code value 1: Add code value note "For NAESB WGQ, this code value may only be used when sending the Downstream Identifier Code or Upstream Identifier Code."

Sub-detail NM1 segment (position 8000): NM108: Mark the code value SV [Service Provider Number] as “used”. Add code value note “For NAESB WGQ, this code value may only be used when sending the Downstream Identifier Proprietary Code or Upstream Identifier Proprietary Code.”
Sub-detail NM1 segment (position 8000): NM109: Replace data element list in the element note with “Downstream Identifier Code/Downstream Identifier Proprietary Code, Upstream Identifier Code/Upstream Identifier Proprietary Code.”
Measurement Information
Data Element Xref to X12
Heading N1: For the data element Statement Recipient ID, modify the data element name to “Statement Recipient ID/Statement Recipient ID Proprietary Code”
Heading N1: For the data element Preparer ID, modify the data element name to “Preparer ID/Preparer ID Proprietary Code”
X12 Mapping
Heading N1 segment (position 080): N101: code value 40: Delete code value note “Statement Recipient ID”
Heading N1 segment (position 080): N101: code value P1: Delete code value note “Preparer ID”
Heading N1 segment (position 080): N103: Add element note “Parties should mutually agree to use the Transportation Service Provider’s proprietary entity code when the D-U-N-S® Number is not available.”
Heading N1 segment (position 080): N103: code value 1: Add code value note “For NAESB WGQ, this code value may only be used when sending the Statement Recipient ID or Preparer ID.”
Heading N1 segment (position 080): N103: Mark the code value SV [Service Provider Number] as “used”. Add code value note “For NAESB WGQ, this code value may only be used when sending the Statement Recipient ID Proprietary Code or Preparer ID Proprietary Code.”
Heading N1 segment (position 080): N104: Replace data element list in the element note with “Statement Recipient ID/Statement Recipient ID Proprietary Code, Preparer ID/Preparer ID Proprietary Code”
Measured Volume Audit Statement
Data Element Xref to X12
Heading N1: For the data element Downstream Party, modify the data element name to “Downstream Party/Downstream Party Proprietary Code”
Heading N1: For the data element Upstream Party, modify the data element name to “Upstream Party/Upstream Party Proprietary Code”
Heading N1: For the data element Meter Operator, modify the data element name to “Meter Operator/Meter Operator Proprietary Code”
X12 Mapping
Heading N1 segment (position 080): N104: Replace the data elements Downstream Party, Meter Operator, Upstream Party in the data element list of the element note as follows: “Downstream Party/Downstream Party Proprietary Code, Upstream Party/Upstream Party Proprietary Code, Meter Operator/Meter Operator Proprietary Code,”
Transaction Set Tables
N1 Segments (Heading) table: For the “Downstream Party” row, modify the Element Name (N104) column to “Downstream Party/Downstream Party Proprietary Code”
N1 Segments (Heading) table: For the “Downstream Party” row, modify the N103 column after the “1” code value to add a sub-row and the code value “SV”.
N1 Segments (Heading) table: For the “Meter Operator” row, modify the Element Name (N104) column to “Meter Operator/Meter Operator Proprietary Code”
N1 Segments (Heading) table: For the “Meter Operator” row, modify the N103 column after the “1” code value to add a sub-row and the code value “SV”.
N1 Segments (Heading) table: For the “Upstream Party” row, modify the Element Name (N104) column to “Upstream Party/Upstream Party Proprietary Code”
N1 Segments (Heading) table: For the “Upstream Party” row, modify the N103 column after the “1” code value to add a sub-row and the code value “SV”.

N1 Segments (Heading) table: After the N103 column, insert a new column named “N103 Description”. For the Downstream Party, Meter Operator, and Upstream Party rows, insert the following information into the column: for the “1” code value, insert “D-U-N-S Number, Dun & Bradstreet (see n1)” and for the “SV” code value, insert “Transportation Service Provider’s proprietary code (see n1)”
N1 Segments (Heading) table: Skip a blank row below the table and add a “Notes” section as follows: Notes: n1 Parties should mutually agree to use the Transportation Service Provider’s proprietary entity code when the D-U-N-S® Number is not available.
Request for Information
Data Element Xref to X12
Heading N1: For the data element Requester, modify the data element name to “Requester/Requester Proprietary Code”
Heading N1: For the data element Transportation Service Provider, modify the data element name to “Transportation Service Provider/Transportation Service Provider Proprietary Code”
Heading N1: For the data element Statement Recipient ID, modify the data element name to “Statement Recipient ID/Statement Recipient ID Proprietary Code”
Heading N1: For the data element Service Requester, modify the data element name to “Service Requester/Service Requester Proprietary Code”
X12 Mapping
Heading N1 segment (position 0400): N104: Replace data element list in the element note with “Requester/Requester Proprietary Code, Transportation Service Provider/Transportation Service Provider Proprietary Code, Statement Recipient ID/Statement Recipient ID Proprietary Code, Location/Location Proprietary Code, Service Requester/Service Requester Proprietary Code”
Transaction Set Tables
N1 Segments (Heading) table: For the “Requester” row, modify the Element Name (N104) column to “Requester/Requester Proprietary Code”
N1 Segments (Heading) table: For the “Requester” row, modify the N103 column after the “1” code value to add a sub-row and the code value “SV”.
N1 Segments (Heading) table: For the “Requester” row, modify the N103 description column as follows: Replace D-U-N-S Number, Dun & Bradstreet with “D-U-N-S Number, Dun & Bradstreet (see n2); add a sub-row and the code value description “Transportation Service Provider’s proprietary code (see n2)”.
N1 Segments (Heading) table: For the “Transportation Service Provider” row, modify the Element Name (N104) column to “Transportation Service Provider/Transportation Service Provider Proprietary Code”
N1 Segments (Heading) table: For the “Transportation Service Provider” row, modify the N103 column after the “1” code value to add a sub-row and the code value “SV”.
N1 Segments (Heading) table: For the “Transportation Service Provider” row, modify the N103 description column as follows: Replace D-U-N-S Number, Dun & Bradstreet with “D-U-N-S Number, Dun & Bradstreet (see n2); add a sub-row and the code value description “Transportation Service Provider’s proprietary code (see n2)”.
N1 Segments (Heading) table: For the “Statement Recipient ID” row, modify the Element Name (N104) column to “Statement Recipient ID/Statement Recipient ID Proprietary Code”.
N1 Segments (Heading) table: For the “Statement Recipient ID” row, modify the N103 column after the “1” code value to add a sub-row and the code value “SV”.
N1 Segments (Heading) table: For the “Statement Recipient ID” row, modify the N103 description column as follows: Replace D-U-N-S Number, Dun & Bradstreet with “D-U-N-S Number, Dun & Bradstreet (see n2); add a sub-row and the code value description “Transportation Service Provider’s proprietary code (see n2)”.
N1 Segments (Heading) table: For the “Service Requester” row, modify the Element Name (N104) column to “Service Requester/Service Requester Proprietary Code”.
N1 Segments (Heading) table: For the “Service Requester” row, modify the N103 column after the “1” code value to add a sub-row and the code value “SV”.

N1 Segments (Heading) table: For the “Service Requester” row, modify the N103 description column as follows: Replace D-U-N-S Number, Dun & Bradstreet with “D-U-N-S Number, Dun & Bradstreet (see n2); add a sub-row and the code value description “Transportation Service Provider’s proprietary code (see n2)”.
N1 Segments (Heading) table: Notes section (below the table): Skip a blank line and add the following note below the n1 note: “n2 Parties should mutually agree to use the Transportation Service Provider’s proprietary entity code when the D-U-N-S® Number is not available.”
Response to Request for Information
Data Element Xref to X12
Heading N1: For the data element Requester, modify the data element name to “Requester/Requester Proprietary Code”
Heading N1: For the data element Transportation Service Provider, modify the data element name to “Transportation Service Provider/Transportation Service Provider Proprietary Code”
X12 Mapping
Heading N1 segment (position 0400): N103: Add element note “Parties should mutually agree to use the Transportation Service Provider’s proprietary entity code when the D-U-N-S® Number is not available.”
Heading N1 segment (position 0400): N103: code value 1: Add code value note “For NAESB WGQ, this code value may only be used when sending the Requester or Transportation Service Provider.”
Heading N1 segment (position 0400): N103: Mark the code value SV [Service Provider Number] as “used”. Add code value note “For NAESB WGQ, this code value may only be used when sending the Requester Proprietary Code or Transportation Service Provider Proprietary Code.”
Heading N1 segment (position 400): N104: Replace data element list in the element note with “Requester/Requester Proprietary Code, Transportation Service Provider/Transportation Service Provider Proprietary Code”

Transportation/Sales Invoice
Data Element Xref to X12
Heading N1: For the data element Billable Party (Payer), modify the data element name to “Billable Party (Payer)/Billable Party (Payer) Proprietary Code”.
Heading N1: For the data element Payee, modify the data element name to “Payee/Payee Proprietary Code”.
Heading N1: For the data element Remit to Party, modify the data element name to “Remit to Party/Remit to Party Proprietary Code”.
Heading N1: For the data element Service Requester, modify the data element name to “Service Requester/Service Requester Proprietary Code”.
Sub-detail NM1: For the data element Replacement Party Identifier, modify the data element to “Replacement Party Identifier/Replacement Party Identifier Proprietary Code”.
Sub-detail NM1: For the data element Downstream Identifier Code, modify the data element to “Downstream Identifier Code/Downstream Identifier Proprietary Code”.
Sub-detail NM1: For the data element Upstream Identifier Code, modify the data element to “Upstream Identifier Code/Upstream Identifier Proprietary Code”.
X12 Mapping
Heading N1 segment (position 1000): N104: Replace data element list in the element note with “Billable Party (Payer)/Billable Party (Payer) Proprietary Code, Payee/Payee Proprietary Code, Remit to Party/Remit to Party Proprietary Code, Service Requester/Service Requester Proprietary Code”
Sub-detail NM1 segment (position 8300): NM109: Replace data element list in the element note with “Replacement Party Identifier/Replacement Party Identifier Proprietary Code, Downstream Identifier Code/Downstream Identifier Proprietary Code, Upstream Identifier Code/Upstream Identifier Proprietary Code”
Transaction Set Table
N1 Segments (Heading) table: For the “N103” column, modify the column heading to “N103 (see n1)”.
N1 Segments (Heading) table: For the “Billable Party (Payer)” row, modify the Element Name (N104) column to “Billable Party (Payer)/Billable Party (Payer) Proprietary Code”

N1 Segments (Heading) table: For the “Billable Party (Payer) ” row, modify the N103 column after the “1” code value to add a sub-row and the code value “SV”.
N1 Segments (Heading) table: For the “Payee” row, modify the Element Name (N104) column to “Payee/Payee Proprietary Code”
N1 Segments (Heading) table: For the “Payee” row, modify the N103 column after the “1” code value to add a sub-row and the code value “SV”.
N1 Segments (Heading) table: For the “Remit to Party” row, modify the Element Name (N104) column to “Remit to Party/Remit to Party Proprietary Code”
N1 Segments (Heading) table: For the “Remit to Party” row, modify the N103 column after the “1” code value to add a sub-row and the code value “SV”.
N1 Segments (Heading) table: For the “Service Requester” row, modify the Element Name (N104) column to “Service Requester/Service Requester Proprietary Code”.
N1 Segments (Heading) table: For the “Service Requester” row, modify the N103 column after the “1” code value to add a sub-row and the code value “SV”.
N1 Segments (Heading) table: After the N103 column, insert a new column named “N103 Description”. For each of the data element rows, insert the following information into the column: for the “1” code value, insert “D-U-N-S Number, Dun & Bradstreet” and for the “SV” code value, insert “Transportation Service Provider’s proprietary code”
N1 Segments (Heading) table: Skip a blank line below the table and add a “Notes” section as follows: Notes: n1 Parties should mutually agree to use the Transportation Service Provider’s proprietary entity code when the D-U-N-S® Number is not available.
NM1 Segments (Sub-detail – HL03 = ‘9’) table: For the “NM108” column, modify the column heading to “NM108 (see n1)”.
NM1 Segments (Sub-detail – HL03 = ‘9’) table: For the “Replacement Party Identifier” row, modify the Element Name (NM109) column to “Replacement Party Identifier/Replacement Party Identifier Proprietary Code”.
NM1 Segments (Sub-detail – HL03 = ‘9’) table: For the “Replacement Party Identifier ” row, modify the NM108 column after the “1” code value to add a sub-row and the code value “SV”.
NM1 Segments (Sub-detail – HL03 = ‘9’) table: For the “Replacement Party” row, modify the NM108 description column after the “D-U-N-S Number, Dun & Bradstreet” code value description to add a sub-row and the code value description “Transportation Service Provider’s proprietary code”.
NM1 Segments (Sub-detail – HL03 = ‘9’) table: For the “Downstream Identifier Code” row, modify the Element Name (NM109) column to “Downstream Identifier Code/Downstream Identifier Proprietary Code”
NM1 Segments (Sub-detail – HL03 = ‘9’) table:: For the “Downstream Identifier Code” row, modify the NM108 column after the “1” code value to add a sub-row and the code value “SV”.
NM1 Segments (Sub-detail – HL03 = ‘9’) table: For the “Downstream Identifier” row, modify the NM108 description column after the “D-U-N-S Number, Dun & Bradstreet” code value description to add a sub-row and the code value description “Transportation Service Provider’s proprietary code”.
NM1 Segments (Sub-detail – HL03 = ‘9’) table: For the “Upstream Identifier Code” row, modify the Element Name (NM109) column to “Upstream Identifier Code/Upstream Identifier Proprietary Code”
NM1 Segments (Sub-detail – HL03 = ‘9’) table:: For the “Upstream Identifier Code” row, modify the NM108 column after the “1” code value to add a sub-row and the code value “SV”.
NM1 Segments (Sub-detail – HL03 = ‘9’) table: For the “Upstream Identifier” row, modify the NM108 description column after the “D-U-N-S Number, Dun & Bradstreet” code value description to add a sub-row and the code value description “Transportation Service Provider’s proprietary code”.

NM Segments (Sub-detail – HL03 = ‘9’) table: Skip a blank line below the table and add a “Notes” section as follows:
Notes:
n1 Parties should mutually agree to use the Transportation Service Provider’s proprietary entity code when the D-U-N-S® Number is not available.
Payment Remittance
Data Element Xref to X12
Heading N1: For the data element Remitting Party, modify the data element name to “Remitting Party/Remitting Party Proprietary Code”.
Heading N1: For the data element Payee, modify the data element name to “Payee/Payee Proprietary Code”.
Heading N1: For the data element Remit to Party, modify the data element name to “Remit to Party/Remit to Party Proprietary Code”.
Detail ENT: For the data element Billable Party (Payer), modify the data element name to “Billable Party (Payer)/Billable Party (Payer) Proprietary Code”.
Detail ENT: For the data element Service Requester, modify the data element name to “Service Requester/Service Requester Proprietary Code”.
X12 Mapping
Heading N1 segment (position 0700): N104: Replace data element list in the element note with “Remitting Party/Remitting Party Proprietary Code, Payee/Payee Proprietary Code, Remit to Party/Remit to Party Proprietary”.
Detail ENT segment (position 0100): ENT03: Add element note “Parties should mutually agree to use the Transportation Service Provider’s proprietary entity code when the D-U-N-S® Number is not available.”
Detail ENT segment (position 0100): ENT03: code value 1: Add code value note “For NAESB WGQ, this code value may only be used when sending the “Billable Party (Payer).”
Detail ENT segment (position 0100): ENT03: Mark the code value SV [Service Provider Number] as “used”. Add code value note “For NAESB WGQ, this code value may only be used when sending the Billable Party (Payer) Proprietary Code.”
Detail ENT segment (position 0100): ENT04: Replace data element list in the element note with “Billable Party (Payer)/Billable Party (Payer) Proprietary Code”.
Detail ENT segment (position 0100): ENT06: Add element note “Parties should mutually agree to use the Transportation Service Provider’s proprietary entity code when the D-U-N-S® Number is not available.”
Detail ENT segment (position 0100): ENT06: code value 1: Add code value note “For NAESB WGQ, this code value may only be used when sending the Service Requester.”
Detail ENT segment (position 0100): ENT06: Mark the code value SV [Service Provider Number] as “used”. Add code value note “For NAESB WGQ, this code value may only be used when sending the Service Requester Proprietary Code.”
Detail ENT segment (position 0100): ENT07: Replace data element list in the element note with “Service Requester/Service Requester Proprietary Code”.
Transaction Set Tables
N1 Segments (Heading) table: For the “N103” column, modify the column heading to “N103 (see n1)”.
N1 Segments (Heading) table: For the “Remitting Party” row, modify the Element Name (N104) column to “Remitting Party/Remitting Party Proprietary Code”
N1 Segments (Heading) table: For the “Remitting Party” row, modify the N103 column after the “1” code value to add a sub-row and the code value “SV”.
N1 Segments (Heading) table: For the “Payee” row, modify the Element Name (N104) column to “Payee/Payee Proprietary Code”
N1 Segments (Heading) table: For the “Payee” row, modify the N103 column after the “1” code value to add a sub-row and the code value “SV”.

N1 Segments (Heading) table: For the "Remit to Party" row, modify the Element Name (N104) column to "Remit to Party/Remit to Party Proprietary Code"
N1 Segments (Heading) table: For the "Remit to Party" row, modify the N103 column after the "1" code value to add a sub-row and the code value "SV".
N1 Segments (Heading) table: After the N103 column, insert a new column named "N103 Description". For each of the data element rows, insert the following information into the column: for the "1" code value, insert "D-U-N-S Number, Dun & Bradstreet" and for the "SV" code value, insert "Transportation Service Provider's proprietary code"
N1 Segments (Heading) table: Skip a blank line below the Usage section (under the table) and add a "Notes" section as follows: Notes: n1 Parties should mutually agree to use the Transportation Service Provider's proprietary entity code when the D-U-N-S® Number is not available.
Statement of Account
Data Element Xref to X12
Heading N1: For the data element Remit to Party, modify the data element name to "Remit to Party/Remit to Party Proprietary Code".
Detail ENT: For the data element Billable Party (Payer), modify the data element name to "Billable Party (Payer)/Billable Party (Payer) Proprietary Code".
Detail ENT: For the data element Service Requester, modify the data element name to "Service Requester/Service Requester Proprietary Code".
X12 Mapping
Heading N1 segment (position 0400): N103: Add element note "Parties should mutually agree to use the Transportation Service Provider's proprietary entity code when the D-U-N-S® Number is not available."
Heading N1 segment (position 0400): N103: code value 1: Add code value note "For NAESB WGQ, this code value may only be used when sending the Remit to Party."
Heading N1 segment (position 0400): N103: Mark the code value SV [Service Provider Number] as "used". Add code value note "For NAESB WGQ, this code value may only be used when sending the Remit to Party Proprietary Code."
Heading N1 segment (position 0400): N104: Replace data element list in the element note with "Remit to Party/Remit to Party Proprietary Code".
Detail ENT segment (position 0050): ENT03: Add element note "Parties should mutually agree to use the Transportation Service Provider's proprietary entity code when the D-U-N-S® Number is not available."
Detail ENT segment (position 0050): ENT03: code value 1: Add code value note "For NAESB WGQ, this code value may only be used when sending the "Billable Party (Payer)."
Detail ENT segment (position 0050): ENT03: Mark the code value SV [Service Provider Number] as "used". Add code value note "For NAESB WGQ, this code value may only be used when sending the Billable Party (Payer) Proprietary Code."
Detail ENT segment (position 0050): ENT04: Replace data element list in the element note with "Billable Party (Payer)/Billable Party (Payer) Proprietary Code".
Detail ENT segment (position 0050): ENT06: Add element note "Parties should mutually agree to use the Transportation Service Provider's proprietary entity code when the D-U-N-S® Number is not available."
Detail ENT segment (position 0050): ENT06: code value 1: Add code value note "For NAESB WGQ, this code value may only be used when sending the Service Requester."
Detail ENT segment (position 0050): ENT06: Mark the code value SV [Service Provider Number] as "used". Add code value note "For NAESB WGQ, this code value may only be used when sending the Service Requester Proprietary Code."
Detail ENT segment (position 0050): ENT07: Replace data element list in the element note with "Service Requester/Service Requester Proprietary Code".
Service Requester Level Charge/Allowance Invoice

Data Element Xref to X12
Heading N1: For the data element Billable Party (Payer), modify the data element name to “Billable Party (Payer)/Billable Party (Payer) Proprietary Code”.
Heading N1: For the data element Payee, modify the data element name to “Payee/Payee Proprietary Code”.
Heading N1: For the data element Service Requester, modify the data element name to “Service Requester/Service Requester Proprietary Code”.
Heading N1: For the data element Remit to Party, modify the data element name to “Remit to Party/Remit to Party Proprietary Code”.
X12 Mapping
Heading N1 segment (position 1000): N104: Replace data element list in the element note with “Billable Party (Payer)/Billable Party (Payer) Proprietary Code, Payee/Payee Proprietary Code, Service Requester/Service Requester Proprietary Code, Remit to Party/Remit to Party Proprietary Code”.
Transaction Set Tables
N1 Segments (Heading) table: For the “N103” column, modify the column heading to “N103 (see n1)”.
N1 Segments (Heading) table: For the “Billable Party (Payer)” row, modify the Element Name (N104) column to “Billable Party (Payer)/Billable Party (Payer) Proprietary Code”
N1 Segments (Heading) table: For the “Billable Party (Payer)” row, modify the N103 column after the “1” code value to add a sub-row and the code value “SV”.
N1 Segments (Heading) table: For the “Payee” row, modify the Element Name (N104) column to “Payee/Payee Proprietary Code”
N1 Segments (Heading) table: For the “Payee” row, modify the N103 column after the “1” code value to add a sub-row and the code value “SV”.
N1 Segments (Heading) table: For the “Remit to Party” row, modify the Element Name (N104) column to “Remit to Party/Remit to Party Proprietary Code”
N1 Segments (Heading) table: For the “Remit to Party” row, modify the N103 column after the “1” code value to add a sub-row and the code value “SV”.
N1 Segments (Heading) table: For the “Service Requester” row, modify the Element Name (N104) column to “Service Requester/Service Requester Proprietary Code”.
N1 Segments (Heading) table: For the “Service Requester” row, modify the N103 column after the “1” code value to add a sub-row and the code value “SV”.
N1 Segments (Heading) table: After the N103 column, insert a new column named “N103 Description”. For each of the data element rows, insert the following information into the column: for the “1” code value, insert “D-U-N-S Number, Dun & Bradstreet” and for the “SV” code value, insert “Transportation Service Provider’s proprietary code”
N1 Segments (Heading) table: Skip a blank line below the table and add a “Notes” section as follows:
Notes:
n1 Parties should mutually agree to use the Transportation Service Provider’s proprietary entity code when the D-U-N-S® Number is not available.

Capacity Release
Offer Download
Data Element Xref to X12
Heading N1: For the data element Transportation Service Provider, modify the data element name to “Transportation Service Provider/Transportation Service Provider Proprietary Code”.
Heading N1: For the data element Releaser Company Code, modify the data element name to “Releaser Company Code/Releaser Company Proprietary Code”.
Heading N1: For the data element Bidder Company Code, modify the data element name to “Bidder Company Code/Bidder Company Proprietary Code”.
X12 Mapping

Heading N1 segment (position 310): N104: Replace data element list in the element note with "Transportation Service Provider/Transportation Service Provider Proprietary Code, Releaser Company Code/Releaser Company Proprietary Code, Bidder Company Code/Bidder Company Proprietary Code".
Transaction Set Tables
N1 Segments (Heading) table: For the "N103" column, modify the column heading to "N103 (see n1)".
N1 Segments (Heading) table: For the "Transportation Service Provider" row, modify the Element Name column to "Transportation Service Provider/Transportation Service Provider Proprietary Code"
N1 Segments (Heading) table: For the "Transportation Service Provider" row, modify the N103 column after the "1" code value to add a sub-row and the code value "SV".
N1 Segments (Heading) table: For the "Transportation Service Provider" row, modify the N103 Description column after the "D-U-N-S Number, Dun & Bradstreet " description to add a sub-row and the code value description "Transportation Service Provider's proprietary code".
N1 Segments (Heading) table: For the "Releaser Company Code" row, modify the Element Name column to "Releaser Company Code/Releaser Company Proprietary Code"
N1 Segments (Heading) table: For the "Releaser Company Code" row in the N103 column, modify the "ZZ" code value to "SV".
N1 Segments (Heading) table: For the "Releaser Company Code" row in the N103 Description column, delete "(see n1)".
N1 Segments (Heading) table: For the "Bidder Company Code" row, modify the Element Name column to "Bidder Company Code/Bidder Company Proprietary Code"
N1 Segments (Heading) table: For the "Bidder Company Code" row in the N103 column, modify the "ZZ" code value to "SV".
N1 Segments (Heading) table: For the "Bidder Company Code" row in the N103 Description column, delete "(see n1)".
N1 Segments (Heading) table Notes section (below the table): Replace the note text for note n1 as follows: "Parties should mutually agree to use the Transportation Service Provider's proprietary entity code when the D-U-N-S® Number is not available."
Bid Download
Data Element Xref to X12
Heading N1: For the data element Transportation Service Provider, modify the data element name to "Transportation Service Provider/Transportation Service Provider Proprietary Code".
Heading N1: For the data element Releaser Company Code, modify the data element name to "Releaser Company Code/Releaser Company Proprietary Code".
X12 Mapping
Heading N1 segment (position 310): N104: Replace data element list in the element note with "Transportation Service Provider/Transportation Service Provider Proprietary Code, Releaser Company Code/Releaser Company Proprietary Code".
Transaction Set Tables
N1 Segments (Heading) table: For the "N103" column, modify the column heading to "N103 (see n1)".
N1 Segments (Heading) table: For the "Transportation Service Provider" row, modify the Element Name column to "Transportation Service Provider/Transportation Service Provider Proprietary Code"
N1 Segments (Heading) table: For the "Transportation Service Provider" row, modify the N103 column after the "1" code value to add a sub-row and the code value "SV".
N1 Segments (Heading) table: For the "Transportation Service Provider" row, modify the N103 Description column after the "D-U-N-S Number, Dun & Bradstreet " description to add a sub-row and the code value description "Transportation Service Provider's proprietary code".
N1 Segments (Heading) table: For the "Releaser Company Code" row, modify the Element Name column to "Releaser Company Code/Releaser Company Proprietary Code"
N1 Segments (Heading) table: For the "Releaser Company Code" row in the N103 column, modify the "ZZ" code value to "SV".
N1 Segments (Heading) table: For the "Releaser Company Code" row in the N103 Description column, delete "(see n1)".

N1 Segments (Heading) table Notes section (below the table): Replace the note text for note n1 as follows: "Parties should mutually agree to use the Transportation Service Provider's proprietary entity code when the D-U-N-S® Number is not available."
Award Download
Data Element Xref to X12
Heading N1: For the data element Transportation Service Provider, modify the data element name to "Transportation Service Provider/Transportation Service Provider Proprietary Code".
Heading N1: For the data element Bidder Company Code, modify the data element name to "Bidder Company Code/Bidder Company Proprietary Code".
Heading N1: For the data element Releaser Company Code, modify the data element name to "Releaser Company Code/Releaser Company Proprietary Code".
X12 Mapping
Heading N1 segment (position 310): N104: Replace data element list in the element note with "Transportation Service Provider/Transportation Service Provider Proprietary Code, Bidder Company Code/Bidder Company Proprietary Code, Releaser Company Code/Releaser Company Proprietary Code".
Transaction Set Tables
N1 Segments (Heading) table: For the "N103" column, modify the column heading to "N103 (see n1)".
N1 Segments (Heading) table: For the "Bidder Company Code" row, modify the Element Name column to "Bidder Company Code/Bidder Company Proprietary Code"
N1 Segments (Heading) table: For the "Bidder Company Code" row in the N103 column, modify the "ZZ" code value to "SV".
N1 Segments (Heading) table: For the "Bidder Company Code" row in the N103 Description column, delete "(see n1)".
N1 Segments (Heading) table: For the "Transportation Service Provider" row, modify the Element Name column to "Transportation Service Provider/Transportation Service Provider Proprietary Code"
N1 Segments (Heading) table: For the "Transportation Service Provider" row, modify the N103 column after the "1" code value to add a sub-row and the code value "SV".
N1 Segments (Heading) table: For the "Transportation Service Provider" row, modify the N103 Description column after the "D-U-N-S Number, Dun & Bradstreet" description to add a sub-row and the code value description "Transportation Service Provider's proprietary code".
N1 Segments (Heading) table: For the "Releaser Company Code" row, modify the Element Name column to "Releaser Company Code/Releaser Company Proprietary Code"
N1 Segments (Heading) table: For the "Releaser Company Code" row in the N103 column, modify the "ZZ" code value to "SV".
N1 Segments (Heading) table: For the "Releaser Company Code" row in the N103 Description column, delete "(see n1)".
N1 Segments (Heading) table Notes section (below the table): Replace the note text for note n1 as follows: "Parties should mutually agree to use the Transportation Service Provider's proprietary entity code when the D-U-N-S® Number is not available."
Replacement Capacity
Data Element Xref to X12
Heading N1: For the data element Transportation Service Provider, modify the data element name to "Transportation Service Provider/Transportation Service Provider Proprietary Code".
X12 Mapping
Heading N1 segment (position 150): N103: Add element note "Parties should mutually agree to use the Transportation Service Provider's proprietary entity code when the D-U-N-S® Number is not available."
Heading N1 segment (position 150): N103: code value 1: Add code value note "For NAESB WGQ, this code value may only be used when sending the Transportation Service Provider."
Heading N1 segment (position 150): N103: Mark the code value SV [Service Provider Number] as "used". Add code value note "For NAESB WGQ, this code value may only be used when sending the Transportation Service Provider Proprietary Code."
Heading N1 segment (position 150): N104: Replace data element list in the element note with "Transportation Service Provider/Transportation Service Provider Proprietary Code".

Withdrawal Download
Data Element Xref to X12
Heading N1: For the data element Transportation Service Provider, modify the data element name to "Transportation Service Provider/Transportation Service Provider Proprietary Code".
X12 Mapping
Heading N1 segment (position 310): N103: Add element note "Parties should mutually agree to use the Transportation Service Provider's proprietary entity code when the D-U-N-S® Number is not available."
Heading N1 segment (position 310): N103: code value 1: Add code value note "For NAESB WGQ, this code value may only be used when sending the Transportation Service Provider."
Heading N1 segment (position 310): N103: Mark the code value SV [Service Provider Number] as "used". Add code value note "For NAESB WGQ, this code value may only be used when sending the Transportation Service Provider Proprietary Code."
Heading N1 segment (position 310): N104: Replace data element list in the element note with "Transportation Service Provider/Transportation Service Provider Proprietary Code".
Withdrawal Upload
Data Element Xref to X12
Heading N1: For the data element Transportation Service Provider, modify the data element name to "Transportation Service Provider/Transportation Service Provider Proprietary Code".
Heading N1: For the data element Withdrawing Company Code, modify the data element name to "Withdrawing Company Code/Withdrawing Company Provider Proprietary Code".
X12 Mapping
Heading N1 segment (position 310): N103: Add element note "Parties should mutually agree to use the Transportation Service Provider's proprietary entity code when the D-U-N-S® Number is not available."
Heading N1 segment (position 310): N103: code value 1: Add code value note "For NAESB WGQ, this code value may only be used when sending the Transportation Service Provider and Withdrawing Company Code."
Heading N1 segment (position 310): N103: Mark the code value SV [Service Provider Number] as "used". Add code value note "For NAESB WGQ, this code value may only be used when sending the Transportation Service Provider Proprietary Code and Withdrawing Company Proprietary Code."
Heading N1 segment (position 310): N104: Replace data element list in the element note with "Transportation Service Provider/Transportation Service Provider Proprietary Code, Withdrawing Company Code/Withdrawing Company Proprietary Code".
Offer Upload
Data Element Xref to X12
Heading N1: For the data element Transportation Service Provider, modify the data element name to "Transportation Service Provider/Transportation Service Provider Proprietary Code".
Heading N1: For the data element Releaser Company Code, modify the data element name to "Releaser Company Code/Releaser Company Proprietary Code".
Heading N1: For the data element Bidder Company Code, modify the data element name to "Bidder Company Code/Bidder Company Proprietary Code".
Heading N1: For the data element Return Addressee Company Code, modify the data element name to "Return Addressee Company Code/Return Addressee Company Proprietary Code".
X12 Mapping
Heading N1 segment (position 310): N103: Add element note "Parties should mutually agree to use the Transportation Service Provider's proprietary entity code when the D-U-N-S® Number is not available."
Heading N1 segment (position 310): N103: code value 1: Add code value note "For NAESB WGQ, this code value may only be used when sending the Transportation Service Provider, Releaser Company Code, Bidder Company Code, Return Addressee Company Code."
Heading N1 segment (position 310): N103: Mark the code value SV [Service Provider Number] as "used". Add code value note "For NAESB WGQ, this code value may only be used when sending the Transportation Service Provider Proprietary Code, Releaser Company Proprietary Code, Bidder Company Proprietary Code, Return Addressee Company Proprietary Code."

Heading N1 segment (position 310): N104: Replace data element list in the element note with "Transportation Service Provider/Transportation Service Provider Proprietary Code, Releaser Company Code/Releaser Company Proprietary Code, Bidder Company Code/Bidder Company Proprietary Code, Return Addressee Company Code/Return Addressee Company Proprietary Code".
Offer Upload Quick Response
Data Element Xref to X12
Heading N1: For the data element Transportation Service Provider, modify the data element name to "Transportation Service Provider/Transportation Service Provider Proprietary Code".
X12 Mapping
Heading N1 segment (position 310): N103: Add element note "Parties should mutually agree to use the Transportation Service Provider's proprietary entity code when the D-U-N-S® Number is not available."
Heading N1 segment (position 310): N103: code value 1: Add code value note "For NAESB WGQ, this code value may only be used when sending the Transportation Service Provider."
Heading N1 segment (position 310): N103: Mark the code value SV [Service Provider Number] as "used". Add code value note "For NAESB WGQ, this code value may only be used when sending the Transportation Service Provider Proprietary Code."
Heading N1 segment (position 310): N104: Replace data element list in the element note with "Transportation Service Provider/Transportation Service Provider Proprietary Code"
Offer Upload Notification
Data Element Xref to X12
Heading N1: For the data element Transportation Service Provider, modify the data element name to "Transportation Service Provider/Transportation Service Provider Proprietary Code".
Heading N1: For the data element Releaser Company Code, modify the data element name to "Releaser Company Code/Releaser Company Proprietary Code".
Heading N1: For the data element Bidder Company Code, modify the data element name to "Bidder Company Code/Bidder Company Proprietary Code".
Heading N1: For the data element Return Addressee Company Code, modify the data element name to "Return Adresse Company Code/Return Addressee Company Proprietary Code".
X12 Mapping
Heading N1 segment (position 310): N103: Add element note "Parties should mutually agree to use the Transportation Service Provider's proprietary entity code when the D-U-N-S® Number is not available."
Heading N1 segment (position 310): N103: code value 1: Add code value note "For NAESB WGQ, this code value may only be used when sending the Transportation Service Provider, Releaser Company Code, Bidder Company Code, Return Addressee Company Code."
Heading N1 segment (position 310): N103: Mark the code value SV [Service Provider Number] as "used". Add code value note "For NAESB WGQ, this code value may only be used when sending the Transportation Service Provider Proprietary Code, Releaser Company Proprietary Code, Bidder Company Proprietary Code, Return Addressee Company Proprietary Code."
Heading N1 segment (position 310): N104: Replace data element list in the element note with "Transportation Service Provider/Transportation Service Provider Proprietary Code, Releaser Company Code/Releaser Company Proprietary Code, Bidder Company Code/Bidder Company Proprietary Code, Return Addressee Company Code/Return Addressee Company Proprietary Code".
Offer Upload Bidder Confirmation
Data Element Xref to X12
Heading N1: For the data element Transportation Service Provider, modify the data element name to "Transportation Service Provider/Transportation Service Provider Proprietary Code".
Heading N1: For the data element Return Addressee Company Code, modify the data element name to "Return Adresse Company Code/Return Addressee Company Proprietary Code".
Heading N1: For the data element Bidder Company Code, modify the data element name to "Bidder Company Code/Bidder Company Proprietary Code".
X12 Mapping
Heading N1 segment (position 310): N103: Add element note "Parties should mutually agree to use the Transportation Service Provider's proprietary entity code when the D-U-N-S® Number is not available."

Heading N1 segment (position 310): N103: code value 1: Add code value note “For NAESB WGQ, this code value may only be used when sending the Transportation Service Provider, Return Addressee Company Code, Bidder Company Code.”
Heading N1 segment (position 310): N103: Mark the code value SV [Service Provider Number] as “used”. Add code value note “For NAESB WGQ, this code value may only be used when sending the Transportation Service Provider Proprietary Code, Return Addressee Company Proprietary Code, Bidder Company Proprietary Code.”
Heading N1 segment (position 310): N104: Replace data element list in the element note with “Transportation Service Provider/Transportation Service Provider Proprietary Code, Return Addressee Company Code/Return Addressee Company Proprietary Code, Bidder Company Code/Bidder Company Proprietary Code”.
Offer Upload Bidder Confirmation Quick Respose
Data Element Xref to X12
Heading N1: For the data element Transportation Service Provider, modify the data element name to “Transportation Service Provider/Transportation Service Provider Proprietary Code”.
Heading N1: For the data element Bidder Company Code, modify the data element name to “Bidder Company Code/Bidder Company Proprietary Code”.
X12 Mapping
Heading N1 segment (position 030): N103: Add element note “Parties should mutually agree to use the Transportation Service Provider’s proprietary entity code when the D-U-N-S® Number is not available.”
Heading N1 segment (position 030): N103: code value 1: Add code value note “For NAESB WGQ, this code value may only be used when sending the Transportation Service Provider, Bidder Company Code.”
Heading N1 segment (position 030): N103: Mark the code value SV [Service Provider Number] as “used”. Add code value note “For NAESB WGQ, this code value may only be used when sending the Transportation Service Provider Proprietary Code, Bidder Company Proprietary Code.”
Heading N1 segment (position 030): N104: Replace data element list in the element note with “Transportation Service Provider/Transportation Service Provider Proprietary Code, Bidder Company Code/Bidder Company Proprietary Code”.
Offer Upload Final Disposition
Data Element Xref to X12
Heading N1: For the data element Transportation Service Provider, modify the data element name to “Transportation Service Provider/Transportation Service Provider Proprietary Code”.
Detail N1: For the data element Bidder Company Code, modify the data element name to “Bidder Company Code/Bidder Company Proprietary Code”.
X12 Mapping
Heading N1 segment (position 030): N103: Add element note “Parties should mutually agree to use the Transportation Service Provider’s proprietary entity code when the D-U-N-S® Number is not available.”
Heading N1 segment (position 030): N103: code value 1: Add code value note “For NAESB WGQ, this code value may only be used when sending the Transportation Service Provider.”
Heading N1 segment (position 030): N103: Mark the code value SV [Service Provider Number] as “used”. Add code value note “For NAESB WGQ, this code value may only be used when sending the Transportation Service Provider Proprietary Code.”
Heading N1 segment (position 030): N104: Replace data element list in the element note with “Transportation Service Provider/Transportation Service Provider Proprietary Code”.
Detail N1 segment (position 120): N103: Add element note “Parties should mutually agree to use the Transportation Service Provider’s proprietary entity code when the D-U-N-S® Number is not available.”
Detail N1 segment (position 120): N103: code value 1: Add code value note “For NAESB WGQ, this code value may only be used when sending the Bidder Company Code.”
Detail N1 segment (position 120): N103: Mark the code value SV [Service Provider Number] as “used”. Add code value note “For NAESB WGQ, this code value may only be used when sending the Bidder Company Provider Proprietary Code.”
Heading N1 segment (position 030): N104: Replace data element list in the element note with “Bidder Company Code/Bidder Company Proprietary Code”.

Response to Upload of Request for Download of Posted Datasets
Data Element Xref to X12
Heading N1: For the data element Transportation Service Provider, modify the data element name to "Transportation Service Provider/Transportation Service Provider Proprietary Code".
Heading N1: For the data element Requester Company Code, modify the data element name to "Requester Company Code/Requester Company Proprietary Code".
X12 Mapping
Heading N1 segment (position 080): N103: Add element note "Parties should mutually agree to use the Transportation Service Provider's proprietary entity code when the D-U-N-S® Number is not available."
Heading N1 segment (position 080): N103: code value 1: Add code value note "For NAESB WGQ, this code value may only be used when sending the Transportation Service Provider and Requester Company Code."
Heading N1 segment (position 080): N103: Mark the code value SV [Service Provider Number] as "used". Add code value note "For NAESB WGQ, this code value may only be used when sending the Transportation Service Provider Proprietary Code and Requester Company Proprietary Code."
Heading N1 segment (position 080): N104: Replace data element list in the element note with "Transportation Service Provider/Transportation Service Provider Proprietary Code, Requester Company Code/Requester Company Proprietary Code".
System-Wide Notices
Data Element Xref to X12
Heading N1: For the data element Transportation Service Provider, modify the data element name to "Transportation Service Provider/Transportation Service Provider Proprietary Code".
X12 Mapping
Heading N1 segment (position 040): N103: Add element note "Parties should mutually agree to use the Transportation Service Provider's proprietary entity code when the D-U-N-S® Number is not available."
Heading N1 segment (position 040): N103: code value 1: Add code value note "For NAESB WGQ, this code value may only be used when sending the Transportation Service Provider."
Heading N1 segment (position 040): N103: Mark the code value SV [Service Provider Number] as "used". Add code value note "For NAESB WGQ, this code value may only be used when sending the Transportation Service Provider Proprietary Code."
Heading N1 segment (position 040): N104: Replace data element list in the element note with "Transportation Service Provider/Transportation Service Provider Proprietary Code".
Note/Special Instruction
Data Element Xref to X12
Heading N1: For the data element Transportation Service Provider, modify the data element name to "Transportation Service Provider/Transportation Service Provider Proprietary Code".
Heading N1: For the data element Releaser Company Code, modify the data element name to "Releaser Company Code/Releaser Company Proprietary Code".
Heading N1: For the data element Bidder Company Code, modify the data element name to "Bidder Company Code/Bidder Company Proprietary Code".
X12 Mapping
Heading N1 segment (position 040): N103: Mark code value "1" as not used.
Heading N1 segment (position 040): N103: Add the following element note: "Refer to "N1 Segments (Heading)" table for usage and values."
Heading N1 segment (position 040): N104: Replace data element list in the element note with "Transportation Service Provider/Transportation Service Provider Proprietary Code, Releaser Company Code/Releaser Company Proprietary Code, Bidder Company Code/Bidder Company Proprietary Code".
Transaction Set Table
N1 Segments (Heading) table: For the "Element Name" column, modify the column heading to "Element Name (N104)".
N1 Segments (Heading) table: For the "Transportation Service Provider" row, modify the Element Name (N104) column to "Transportation Service Provider/Transportation Service Provider Proprietary Code"
N1 Segments (Heading) table: For the "Releaser Company Code" row, modify the Element Name (N104) column to "Releaser Company Code/Releaser Company Proprietary Code"

N1 Segments (Heading) table: For the “Bidder Company Code” row, modify the Element Name (N104) column to “Bidder Company Code/Bidder Company Proprietary Code”
N1 Segments (Heading) table: After the N101 column, insert a new column named “N103 (see n1)”. For each of the data element rows, insert the following information into the column: “1” and on the next sub-row, “SV”
N1 Segments (Heading) table: After the N103 column, insert a new column named “N103 Description”. For each of the data element rows, insert the following information into the column: for the “1” code value, insert “D-U-N-S Number, Dun & Bradstreet” and for the “SV” code value, insert “Transportation Service Provider’s proprietary code”
N1 Segments (Heading) table: Delete the N104 column.
N1 Segments (Heading) table: Skip a blank row below the Usage section (under the table) and add a “Notes” section as follows: Notes: n1 Parties should mutually agree to use the Transportation Service Provider’s proprietary entity code when the D-U-N-S® Number is not available.
Bid Upload
Data Element Xref to X12
Heading N1: For the data element Transportation Service Provider, modify the data element name to “Transportation Service Provider/Transportation Service Provider Proprietary Code”.
Heading N1: For the data element Releaser Company Code, modify the data element name to “Releaser Company Code/Releaser Company Proprietary Code”.
Heading N1: For the data element Bidder Company Code, modify the data element name to “Bidder Company Code/Bidder Company Proprietary Code”.
Heading N1: For the data element Return Addressee Company Code, modify the data element name to “Return Addressee Company Code/Return Addressee Company Proprietary Code”.
X12 Mapping
Heading N1 segment (position 310): N103: Add element note “Parties should mutually agree to use the Transportation Service Provider’s proprietary entity code when the D-U-N-S® Number is not available.”
Heading N1 segment (position 310): N103: code value 1: Add code value note “For NAESB WGQ, this code value may only be used when sending the Transportation Service Provider, Releaser Company Code, Bidder Company Code, Return Addressee Company Code.”
Heading N1 segment (position 310): N103: Mark the code value SV [Service Provider Number] as “used”. Add code value note “For NAESB WGQ, this code value may only be used when sending the Transportation Service Provider Proprietary Code, Releaser Company Proprietary Code, Bidder Company Proprietary Code, Return Addressee Company Proprietary Code.”
Heading N1 segment (position 310): N104: Replace data element list in the element note with “Transportation Service Provider/Transportation Service Provider Proprietary Code, Releaser Company Code/Releaser Company Proprietary Code, Bidder Company Code/Bidder Company Proprietary Code, Return Addressee Company Code/Return Addressee Company Proprietary Code”.
Bid Upload Quick Response
Data Element Xref to X12
Heading N1: For the data element Transportation Service Provider, modify the data element name to “Transportation Service Provider/Transportation Service Provider Proprietary Code”.
X12 Mapping
Heading N1 segment (position 310): N103: Add element note “Parties should mutually agree to use the Transportation Service Provider’s proprietary entity code when the D-U-N-S® Number is not available.”
Heading N1 segment (position 310): N103: code value 1: Add code value note “For NAESB WGQ, this code value may only be used when sending the Transportation Service Provider.”
Heading N1 segment (position 310): N103: Mark the code value SV [Service Provider Number] as “used”. Add code value note “For NAESB WGQ, this code value may only be used when sending the Transportation Service Provider Proprietary Code.”

Heading N1 segment (position 310): N104: Replace data element list in the element note with "Transportation Service Provider/Transportation Service Provider Proprietary Code"

The subcommittee reviewed the Nominations, Flowing Gas, and Invoicing suggested implementation. We will review the Capacity Release implementation on 10/22/2002. The section below belongs to one of the Capacity Release implementation guides. It will be placed with the correct data set during the review.

Heading N1: For the data element Requester Company Code, modify the data element name to "Requester Company Code/Requester Company Proprietary Code".
X12 Mapping
Heading N1 segment (position 080): N103: Add element note "Parties should mutually agree to use the Transportation Service Provider's proprietary entity code when the D-U-N-S® Number is not available."
Heading N1 segment (position 080): N103: code value 1: Add code value note "For NAESB WGQ, this code value may only be used when sending the Transportation Service Provider and Requester Company Code."
Heading N1 segment (position 080): N103: Mark the code value SV [Service Provider Number] as "used". Add code value note "For NAESB WGQ, this code value may only be used when sending the Transportation Service Provider Proprietary Code and Requester Company Proprietary Code."
Heading N1 segment (position 080): N104: Replace data element list in the element note with "Transportation Service Provider/Transportation Service Provider Proprietary Code, Requester Company Code/Requester Company Proprietary Code".