

**NAESB WGQ Technical Subcommittee
Final Meeting Minutes Attachment
R99024 Working Document
12/09/2002**

Capacity Release
Offer Download
Data Element Xref to X12
<i>Heading N1: For the data element Releaser Company Code/Releaser Company Proprietary Code, modify the data element name to "Releaser/Releaser Proprietary Code".</i>
<i>Heading N1: For the data element Releaser Company Name, modify the data element name to "Releaser Name".</i>
<i>Heading N1: For the data element Bidder Company Code/Bidder Company Proprietary Code, modify the data element name to "Bidder/Bidder Proprietary Code".</i>
<i>Heading N1: For the data element Bidder Company Name, modify the data element name to "Bidder Name".</i>
<i>Sub-detail N1: Delete all entries for the N1 segment: M Segment Indicator M/C Gas Transaction Point (1 or 2) Code C/C Gas Transaction Point (1 or 2) Proprietary Code SO Gas Transaction Point (1 or 2) Description</i>
<i>Sub-detail N4: Delete entry for the N4 segment: SO Gas Transaction Point (1 or 2) Zone</i>
<i>Sub-detail REF: Delete entry for the REF segment: So Gas Transaction Point (1 or 2) OBA Indicator</i>
<i>Sub-detail N1: For the N1 label, add the following entries: M Location Purpose SO Location Name M Location/Location Proprietary Code</i>
<i>Sub-detail N4: For the N4 label, add the following entry: SO Location Zone</i>
<i>Sub-detail REF: For the REF label, add the following entry: SO Location OBA Indicator</i>
X12 Mapping
<i>Heading N1 segment (position 310): N102: Replace data element list in the element note with "Bidder Name, Releaser Name".</i>
<i>Heading N1 segment (position 310): N104: Replace data element list in the element note with "Transportation Service Provider/Transportation Service Provider Proprietary Code, Releaser/Releaser Proprietary Code, Bidder/Bidder Proprietary Code".</i>
<i>Sub-detail N1 segment (position 340): N101: Add data element note "Location Purpose".</i>
<i>Sub-detail N1 segment (position 340): N101: Code Value G1: Delete code value.</i>
<i>Sub-detail N1 segment (position 340): N101: Code Value G2: Delete code value.</i>
<i>Sub-detail N1 segment (position 340): N101: Code Value M2: Replace code value note with "Receipt Location".</i>
<i>Sub-detail N1 segment (position 340): N101: Code Value MQ: Replace code value note with "Delivery Location".</i>
<i>Sub-detail N1 segment (position 340): N101: Code Value S8: Rename code value to "Pipeline segment defined by 2 locations (or second of 2 locations)".</i>
<i>Sub-detail N1 segment (position 340): N101: Code Value S9: Rename code value to "Pipeline segment defined by 1 location (or first of 2 locations)".</i>
<i>Sub-detail N1 segment (position 340): N101: Code Value S8: Delete code value note "Segment Indicator".</i>

<i>Sub-detail N1 segment (position 340): N101: Code Value S9: Delete code value note "Segment Indicator".</i>
<i>Sub-detail N1 segment (position 340): N102: Replace data element list in the element note with "Location Name".</i>
<i>Sub-detail N1 segment (position 340): N103: Code Value 29: Replace code value note with "For NAESB WGQ, this code value may only be used when sending the Location in the N104."</i>
<i>Sub-detail N1 segment (position 340): N103: Code Value ZY: Replace code value note with "For NAESB WGQ, this code value may only be used when sending the Location Proprietary Code in the N104."</i>
<i>Sub-detail N1 segment (position 340): N104: Replace data element list in the element note with "Location/Location Proprietary Code".</i>
<i>Sub-detail N4 segment (position 370): N406: Replace data element list in the element note with "Location Zone".</i>
<i>Sub-detail REF segment (position 380): REF02: Replace data element list in the element note with "Location OBA Indicator".</i>
Transaction Set Tables
<i>N1 Segments (Heading) table: For the "Releaser Company Code/Releaser Company Proprietary Code" row, modify the Element Name column to "Releaser/Releaser Proprietary Code"</i>
<i>N1 Segments (Heading) table: For the "Bidder Company Code/Bidder Company Proprietary Code" row, modify the Element Name column to "Bidder/Bidder Proprietary Code"</i>
<i>PO1 235/234 Pairs (Detail) table: For the "Discount Indicator" row, modify the Description for Elem 234 = "1" code value to "The rates associated with the capacity being released include rates discounted by the transportation service provider which could result in additional charges to the replacement shipper if other than the locations used to describe this capacity are utilized by the replacement shipper."</i>
<i>PO1 235/234 Pairs (Detail) table: For the "Discount Indicator" row, modify the Description for Elem 234 = "3" code value to "The rates associated with the capacity being released include rates discounted by the transportation service provider which could result in additional charges to the releasing shipper if other than the location used to describe this capacity are utilized by the replacement shipper."</i>
<i>PO1 235/234 Pairs (Detail) table: For the "Discount Indicator" row, modify the Description for Elem 234 = "4" code value to "The rates associated with the capacity being released include rates discounted by the transportation service provider. However, the releasing shipper has not specified who would be responsible for any additional charges if other than the locations used to describe this capacity are utilized by the replacement shipper."</i>
Bid Download
Data Element Xref to X12
<i>Heading N1: For the data element Releaser Company Code/Releaser Company Proprietary Code, modify the data element name to "Releaser/Releaser Proprietary Code".</i>
<i>Heading N1: For the data element Releaser Company Name, modify the data element name to "Releaser Name".</i>
<i>Sub-detail N1: Delete all entries for the N1 segment: SO Gas Transaction Point (1 or 2) Description M/C Gas Transaction Point (1 or 2) Code C/C Gas Transaction Point (1 or 2) Proprietary Code M Segment Indicator</i>
<i>Sub-detail N4: Delete entry for the N4 segment: SO Gas Transaction Point (1 or 2) Zone</i>
<i>Sub-detail N1: For the N1 label, add the following entries: M Location Purpose SO Location Name M Location/Location Proprietary Code</i>
<i>Sub-detail N4: For the N4 label, add the following entry: SO Location Zone</i>
X12 Mapping

<i>Heading N1 segment (position 310): N102: Replace data element list in the element note with “Releaser Name”.</i>
<i>Heading N1 segment (position 310): N104: Replace data element list in the element note with “Transportation Service Provider/Transportation Service Provider Proprietary Code, Releaser/Releaser Proprietary Code”.</i>
<i>Sub-detail N1 segment (position 420): N101: Add data element note “Location Purpose”.</i>
<i>Sub-detail N1 segment (position 340): N101: Code Value G1: Delete code value.</i>
<i>Sub-detail N1 segment (position 340): N101: Code Value G2: Delete code value.</i>
<i>Sub-detail N1 segment (position 340): N101: Code Value M2: Replace code value note with “Receipt Location”.</i>
<i>Sub-detail N1 segment (position 340): N101: Code Value MQ: Replace code value note with “Delivery Location”.</i>
<i>Sub-detail N1 segment (position 340): N101: Code Value S8: Rename code value to “Pipeline segment defined by 2 locations (or second of 2 locations)”.</i>
<i>Sub-detail N1 segment (position 340): N101: Code Value S9: Rename code value to “Pipeline segment defined by 1 location (or first of 2 locations)”.</i>
<i>Sub-detail N1 segment (position 420): N101: Code Value S8: Delete code value note “Segment Indicator”.</i>
<i>Sub-detail N1 segment (position 420): N101: Code Value S9: Delete code value note “Segment Indicator”.</i>
<i>Sub-detail N1 segment (position 420): N102: Replace data element list in the element note with “Location Name”.</i>
<i>Sub-detail N1 segment (position 420): N103: Code Value 29: Replace code value note with “For NAESB WGQ, this code value may only be used when sending the Location.”</i>
<i>Sub-detail N1 segment (position 420): N103: Code Value ZY: Replace code value note with “For NAESB WGQ, this code value may only be used when sending the Location Proprietary Code in the N104.”</i>
<i>Sub-detail N1 segment (position 420): N104: Replace data element list in the element note with “Location/Location Proprietary Code in the N104”.</i>
<i>Sub-detail N4 segment (position 450): N406: Replace data element list in the element note with “Location Zone”.</i>
Transaction Set Tables
<i>N1 Segments (Heading) table: For the “Releaser Company Code/Releaser Company Proprietary Code” row, modify the Element Name column to “Releaser/Releaser Proprietary Code”</i>
Award Download
Data Element Xref to X12
<i>Heading N1: For the data element Bidder Company Code/Bidder Company Proprietary Code, modify the data element name to “Bidder/Bidder Proprietary Code”.</i>
<i>Heading N1: For the data element Bidder Company Name, modify the data element name to “Bidder Name”.</i>
<i>Heading N1: For the data element Releaser Company Code/Releaser Company Proprietary Code, modify the data element name to “Releaser/Releaser Proprietary Code”.</i>
<i>Heading N1: For the data element Releaser Company Name, modify the data element name to “Releaser Name”.</i>
<i>Sub-detail N1: Delete all entries for the N1 segment:</i> M Segment Indicator M/C Gas Transaction Point (1 or 2) Code C/C Gas Transaction Point (1 or 2) Proprietary Code SO Gas Transaction Point (1 or 2) Description
<i>Sub-detail N4: Delete entry for the N4 segment:</i> SO Gas Transaction Point (1 or 2) Zone

<p>Sub-detail N1: For the N1 label, add the following entries:</p> <ul style="list-style-type: none"> M Location Purpose SO Location Name M Location/Location Proprietary Code
<p>Sub-detail N4: For the N4 label, add the following entry:</p> <ul style="list-style-type: none"> SO Location Zone
<p>X12 Mapping</p>
<p>Heading N1 segment (position 310): N102: Replace data element list in the element note with "Bidder Name, Releaser Name".</p>
<p>Heading N1 segment (position 310): N104: Replace data element list in the element note with "Transportation Service Provider/Transportation Service Provider Proprietary Code, Releaser/Releaser Proprietary Code, Bidder/Bidder Proprietary Code".</p>
<p>Sub-detail N1 segment (position 420): N101: Add data element note "Location Purpose".</p>
<p>Sub-detail N1 segment (position 420): N101: Code Value G1: Delete code value.</p>
<p>Sub-detail N1 segment (position 420): N101: Code Value G2: Delete code value.</p>
<p>Sub-detail N1 segment (position 420): N101: Code Value M2: Replace code value note with "Receipt Location".</p>
<p>Sub-detail N1 segment (position 420): N101: Code Value MQ: Replace code value note with "Delivery Location".</p>
<p>Sub-detail N1 segment (position 420): N101: Code Value S8: Rename code value to "Pipeline segment defined by 2 locations (or second of 2 locations)".</p>
<p>Sub-detail N1 segment (position 420): N101: Code Value S9: Rename code value to "Pipeline segment defined by 1 location (or first of 2 locations)".</p>
<p>Sub-detail N1 segment (position 420): N101: Code Value S8: Delete code value note "Segment Indicator".</p>
<p>Sub-detail N1 segment (position 420): N101: Code Value S9: Delete code value note "Segment Indicator".</p>
<p>Sub-detail N1 segment (position 420): N102: Replace data element list in the element note with "Location Name".</p>
<p>Sub-detail N1 segment (position 420): N103: Code Value 29: Replace code value note with "For NAESB WGQ, this code value may only be used when sending the Location in the N104."</p>
<p>Sub-detail N1 segment (position 420): N103: Code Value ZY: Replace code value note with "For NAESB WGQ, this code value may only be used when sending the Location Proprietary Code in the N104."</p>
<p>Sub-detail N1 segment (position 420): N104: Replace data element list in the element note with "Location/Location Proprietary Code".</p>
<p>Sub-detail N4 segment (position 450): N406: Replace data element list in the element note with "Location Zone".</p>
<p>Transaction Set Tables</p>
<p>N1 Segments (Heading) table: For the "Releaser Company Code/Releaser Company Proprietary Code" row, modify the Element Name column to "Releaser/Releaser Proprietary Code"</p>
<p>N1 Segments (Heading) table: For the "Bidder Company Code/Bidder Company Proprietary Code" row, modify the Element Name column to "Bidder/Bidder Proprietary Code"</p>
<p>Replacement Capacity</p>
<p>Data Element Xref to X12</p>
<p>Sub-detail N1: Delete all entries for the N1 segment:</p> <ul style="list-style-type: none"> M Segment Indicator M/C Gas Transaction Point (1 or 2) Code C/C Gas Transaction Point (1 or 2) Proprietary Code SO Gas Transaction Point (1 or 2) Description
<p>Sub-detail N4: Delete all entries for the N4 segment:</p> <ul style="list-style-type: none"> SO Gas Transaction Point (1 or 2) State SO Gas Transaction Point (1 or 2) Zone

Sub-detail REF: Delete entry for the REF segment: SO Gas Transaction Point (1 or 2) OBA Indicator
Sub-detail N1: For the N1 label, add the following entries: M Location Purpose SO Location Name M Location/Location Proprietary Code
Sub-detail N4: For the N4 label, add the following entries: SO Location State SO Location Zone
Sub-detail REF: For the REF label, add the following entry: SO Location OBA Indicator
X12 Mapping
Sub-detail N1 segment (position 230): N101: Add data element note "Location Purpose".
Sub-detail N1 segment (position 230): N101: Code Value G1: Delete code value.
Sub-detail N1 segment (position 230): N101: Code Value G2: Delete code value.
Sub-detail N1 segment (position 230): N101: Code Value M2: Replace code value note with "Receipt Location".
Sub-detail N1 segment (position 230): N101: Code Value MQ: Replace code value note with "Delivery Location".
Sub-detail N1 segment (position 230): N101: Code Value S8: Rename code value to "Pipeline segment defined by 2 locations (or second of 2 locations)".
Sub-detail N1 segment (position 230): N101: Code Value S9: Rename code value to "Pipeline segment defined by 1 location (or first of 2 locations)".
Sub-detail N1 segment (position 230): N101: Code Value S8: Delete code value note "Segment Indicator".
Sub-detail N1 segment (position 230): N101: Code Value S9: Delete code value note "Segment Indicator".
Sub-detail N1 segment (position 230): N102: Replace data element list in the element note with "Location Name".
Sub-detail N1 segment (position 230): N103: Code Value 29: Replace code value note with "For NAESB WGQ, this code value may only be used when sending the Location in the N104."
Sub-detail N1 segment (position 230): N103: Code Value ZY: Replace code value note with "For NAESB WGQ, this code value may only be used when sending the Location Proprietary Code in the N104."
Sub-detail N1 segment (position 230): N104: Replace data element list in the element note with "Location/Location Proprietary Code".
Sub-detail N4 segment (position 260): N402: Replace data element list in the element note with "Location State".
Sub-detail N4 segment (position 260): N406: Replace data element list in the element note with "Location Zone".
Sub-detail REF segment (position 270): REF02: Replace data element list in the element note with "Location OBA Indicator".
Offer Upload
Data Element Xref to X12
Heading N1: For the data element Releaser Company Code/Releaser Company Proprietary Code, modify the data element name to "Releaser/Releaser Proprietary Code".
Heading N1: For the data element Bidder Company Code/Bidder Company Proprietary Code, modify the data element name to "Bidder/Bidder Proprietary Code".
Heading N1: For the data element Return Addressee Company Code/Return Addressee Company Proprietary Code, modify the data element name to "Return Addressee/Return Addressee Proprietary Code".

<p><i>Sub-detail N1: Delete all entries for the N1 segment:</i></p> <ul style="list-style-type: none"> <i>M Segment Indicator</i> <i>M/C Gas Transaction Point (1 or 2) Code</i> <i>C/C Gas Transaction Point (1 or 2) Proprietary Code</i> <i>MA Gas Transaction Point (1 or 2) Description</i>
<p><i>Sub-detail N4: Delete the entry for the N4 segment:</i></p> <ul style="list-style-type: none"> <i>BC Gas Transaction Point 1 Zone</i>
<p><i>Sub-detail N1: For the N1 label, add the following entries:</i></p> <ul style="list-style-type: none"> <i>M Location Purpose</i> <i>MA Location Name</i> <i>M Location/Location Proprietary Code</i>
<p><i>Sub-detail N4: For the N4 label, add the following entries:</i></p> <ul style="list-style-type: none"> <i>BC Location Zone</i>
<p>X12 Mapping</p>
<p><i>Heading N1 segment (position 310): N101: Code Value SE: Replace code value note with "Releaser".</i></p>
<p><i>Heading N1 segment (position 310): N104: Replace data element list in the element note with "Transportation Service Provider/Transportation Service Provider Proprietary Code, Releaser/Releaser Proprietary Code, Bidder/Bidder Proprietary Code, Return Addressee/Return Addressee Proprietary Code".</i></p>
<p><i>Sub-detail N1 segment (position 340): N101: Add data element note "Location Purpose".</i></p>
<p><i>Sub-detail N1 segment (position 340): N101: Code Value G1: Delete code value.</i></p>
<p><i>Sub-detail N1 segment (position 340): N101: Code Value G2: Delete code value.</i></p>
<p><i>Sub-detail N1 segment (position 340): N101: Code Value M2: Replace code value note with "Receipt Location".</i></p>
<p><i>Sub-detail N1 segment (position 340): N101: Code Value MQ: Replace code value note with "Delivery Location".</i></p>
<p><i>Sub-detail N1 segment (position 340): N101: Code Value S8: Rename code value to "Pipeline segment defined by 2 locations (or second of 2 locations)".</i></p>
<p><i>Sub-detail N1 segment (position 340): N101: Code Value S9: Rename code value to "Pipeline segment defined by 1 location (or first of 2 locations)".</i></p>
<p><i>Sub-detail N1 segment (position 340): N101: Code Value S8: Delete code value note "Segment Indicator".</i></p>
<p><i>Sub-detail N1 segment (position 340): N101: Code Value S9: Delete code value note "Segment Indicator".</i></p>
<p><i>Sub-detail N1 segment (position 340): N102: Replace data element list in the element note with "Location Name".</i></p>
<p><i>Sub-detail N1 segment (position 340): N103: Code Value 29: Replace code value note with "For NAESB WGQ, this code value may only be used when sending the Location in the N104."</i></p>
<p><i>Sub-detail N1 segment (position 340): N103: Code Value ZY: Replace code value note with "For NAESB WGQ, this code value may only be used when sending the Location Proprietary Code in the N104."</i></p>
<p><i>Sub-detail N1 segment (position 340): N104: Replace data element list in the element note with "Location/Location Proprietary Code".</i></p>
<p><i>Sub-detail N4 segment (position 370): N406: Replace data element list in the element note with "Location Zone".</i></p>
<p>Transaction Set Tables</p>
<p>PO1 235/234 Pairs (Detail) table: For the "Discount Indicator" row, modify the Description for Elem 234 = "1" code value to "The rates associated with the capacity being released include rates discounted by the transportation service provider which could result in additional charges to the replacement shipper if other than the locations used to describe this capacity are utilized by the replacement shipper."</p>
<p>PO1 235/234 Pairs (Detail) table: For the "Discount Indicator" row, modify the Description for Elem 234 = "3" code value to "The rates associated with the capacity being released include rates discounted by the transportation service provider which could result in additional charges to the releasing shipper if other than the location used to describe this capacity are utilized by the replacement shipper."</p>

Offer Upload Quick Response
Data Element Xref to X12
Sub-detail N1: Delete all entries for the N1 segment: C Segment Indicator C/C Gas Transaction Point (1 or 2) Code C/C Gas Transaction Point (1 or 2) Proprietary Code
Sub-detail N1: For the N1 label, add the following entries: C Location Purpose C/C Location/Location Proprietary Code
X12 Mapping
Sub-detail N1 segment (position 420): N101: Add data element note "Location Purpose".
Sub-detail N1 segment (position 420): N101: Code Value G1: Delete code value.
Sub-detail N1 segment (position 420): N101: Code Value G2: Delete code value.
Sub-detail N1 segment (position 420): N101: Code Value M2: Replace code value note with "Receipt Location".
Sub-detail N1 segment (position 420): N101: Code Value MQ: Replace code value note with "Delivery Location".
Sub-detail N1 segment (position 420): N101: Code Value S8: Rename code value to "Pipeline segment defined by 2 locations (or second of 2 locations)".
Sub-detail N1 segment (position 420): N101: Code Value S9: Rename code value to "Pipeline segment defined by 1 location (or first of 2 locations)".
Sub-detail N1 segment (position 420): N101: Code Value S8: Delete code value note "Segment Indicator".
Sub-detail N1 segment (position 420): N101: Code Value S9: Delete code value note "Segment Indicator".
Sub-detail N1 segment (position 420): N103: Code Value 29: Replace code value note with "For NAESB WGQ, this code value may only be used when sending the Location in N104."
Sub-detail N1 segment (position 420): N103: Code Value ZY: Replace code value note with "For NAESB WGQ, this code value may only be used when sending the Location Proprietary Code in N104."
Sub-detail N1 segment (position 420): N104: Replace data element list in the element note with "Location/Location Proprietary Code".
Offer Upload Notification
Data Element Xref to X12
Heading N1: For the data element Releaser Company Code/Releaser Company Proprietary Code, modify the data element name to "Releaser/Releaser Proprietary Code".
Heading N1: For the data element Bidder Company Code/Bidder Company Proprietary Code, modify the data element name to "Bidder/Bidder Proprietary Code".
Heading N1: For the data element Return Addressee Company Code/Return Addressee Company Proprietary Code, modify the data element name to "Return Addressee/Return Addressee Proprietary Code".
Sub-detail N1: Delete all entries for the N1 segment: M Segment Indicator M/C Gas Transaction Point (1 or 2) Code C/C Gas Transaction Point (1 or 2) Proprietary Code MA Gas Transaction Point (1 or 2) Description
Sub-detail N4: Delete the entry for the N4 segment: C Gas Transaction Point 1 Zone
Sub-detail N1: For the N1 label, add the following entries: M Location Purpose SO Location Name M Location/Location Proprietary Code
Sub-detail N4: For the N4 label, add the following entries: SO Location Zone
X12 Mapping

<i>Heading N1 segment (position 310): N104: Replace data element list in the element note with "Transportation Service Provider/Transportation Service Provider Proprietary Code, Releaser/Releaser Proprietary Code, Bidder/Bidder Proprietary Code, Return Addressee/Return Addressee Proprietary Code".</i>
<i>Sub-detail N1 segment (position 340): N101: Add data element note "Location Purpose".</i>
<i>Sub-detail N1 segment (position 340): N101: Code Value G1: Delete code value.</i>
<i>Sub-detail N1 segment (position 340): N101: Code Value G2: Delete code value.</i>
<i>Sub-detail N1 segment (position 340): N101: Code Value M2: Replace code value note with "Receipt Location".</i>
<i>Sub-detail N1 segment (position 340): N101: Code Value MQ: Replace code value note with "Delivery Location".</i>
<i>Sub-detail N1 segment (position 340): N101: Code Value S8: Rename code value to "Pipeline segment defined by 2 locations (or second of 2 locations)".</i>
<i>Sub-detail N1 segment (position 340): N101: Code Value S9: Rename code value to "Pipeline segment defined by 1 location (or first of 2 locations)".</i>
<i>Sub-detail N1 segment (position 340): N101: Code Value S8: Delete code value note "Segment Indicator".</i>
<i>Sub-detail N1 segment (position 340): N101: Code Value S9: Delete code value note "Segment Indicator".</i>
<i>Sub-detail N1 segment (position 340): N102: Replace data element list in the element note with "Location Name". Skip a blank line and add the text "For NAESB WGQ, this data element is sender's option."</i>
<i>Sub-detail N1 segment (position 340): N103: Code Value 29: Replace code value note with "For NAESB WGQ, this code value may only be used when sending the Location in the N104."</i>
<i>Sub-detail N1 segment (position 340): N103: Code Value ZY: Replace code value note with "For NAESB WGQ, this code value may only be used when sending the Location Proprietary Code in the N104."</i>
<i>Sub-detail N1 segment (position 340): N104: Replace data element list in the element note with "Location/Location Proprietary Code".</i>
<i>Sub-detail N4 segment (position 370): N406: Replace data element list in the element note with "Location Zone".</i>
Transaction Set Tables
PO1 235/234 Pairs (Detail) table: For the "Discount Indicator" row, modify the Description for Elem 234 = "1" code value to "The rates associated with the capacity being released include rates discounted by the transportation service provider which could result in additional charges to the replacement shipper if other than the locations used to describe this capacity are utilized by the replacement shipper."
PO1 235/234 Pairs (Detail) table: For the "Discount Indicator" row, modify the Description for Elem 234 = "3" code value to "The rates associated with the capacity being released include rates discounted by the transportation service provider which could result in additional charges to the releasing shipper if other than the location used to describe this capacity are utilized by the replacement shipper."
PO1 235/234 Pairs (Detail) table: For the "Discount Indicator" row, modify the Description for Elem 234 = "4" code value to "The rates associated with the capacity being released include rates discounted by the transportation service provider. However, the releasing shipper has not specified who would be responsible for any additional charges if other than the locations used to describe this capacity are utilized by the replacement shipper."
Offer Upload Bidder Confirmation
Data Element Xref to X12
<i>Heading N1: For the data element Return Addressee Company Code/Return Addressee Company Proprietary Code, modify the data element name to "Return Addressee/Return Addressee Proprietary Code".</i>
<i>Heading N1: For the data element Bidder Company Code/Bidder Company Proprietary Code, modify the data element name to "Bidder/Bidder Proprietary Code".</i>
X12 Mapping

Heading N1 segment (position 310): N104: Replace data element list in the element note with "Transportation Service Provider/Transportation Service Provider Proprietary Code, Return Addressee/Return Addressee Proprietary Code, Bidder/Bidder Proprietary Code".
Offer Upload Bidder Confirmation Quick Respose
Data Element Xref to X12
Heading N1: For the data element Bidder Company Code/Bidder Company Proprietary Code, modify the data element name to "Bidder/Bidder Proprietary Code".
X12 Mapping
Heading N1 segment (position 030): N104: Replace data element list in the element note with "Transportation Service Provider/Transportation Service Provider Proprietary Code, Bidder/Bidder Proprietary Code".
Offer Upload Final Disposition
Data Element Xref to X12
Detail N1: For the data element Bidder Company Code/Bidder Company Proprietary Code, modify the data element name to "Bidder/Bidder Proprietary Code".
X12 Mapping
Detail N1 segment (position 120): N104: Replace data element list in the element note with "Bidder/Bidder Proprietary Code".
Operationally Available and Unsubscribed Capacity
Data Element Xref to X12
Sub-detail N1: Delete all entries for the N1 segment: M/C Gas Transaction Point (1 or 2) Code C/C Gas Transaction Point (1 or 2) Proprietary Code SO Gas Transaction Point (1 or 2) Description M Segment Indicator
Sub-detail N4: Delete entry for the N4 segment: SO Gas Transaction Point (1 or 2) Zone
Sub-detail N1: For the N1 label, add the following entries: M Location Purpose SO Location Name M Location/Location Proprietary Code
Sub-detail N4: For the N4 label, add the following entry: SO Location Zone
X12 Mapping
Sub-detail N1 segment (position 340): N101: Add data element note "Location Purpose".
Sub-detail N1 segment (position 340): N101: Code Value G1: Delete code value.
Sub-detail N1 segment (position 340): N101: Code Value G2: Delete code value.
Sub-detail N1 segment (position 340): N101: Code Value M2: Replace code value note with "Receipt Location".
Sub-detail N1 segment (position 340): N101: Code Value MQ: Replace code value note with "Delivery Location".
Sub-detail N1 segment (position 340): N101: Code Value S8: Rename code value to "Pipeline segment defined by 2 locations (or second of 2 locations)".
Sub-detail N1 segment (position 340): N101: Code Value S9: Rename code value to "Pipeline segment defined by 1 location (or first of 2 locations)".
Sub-detail N1 segment (position 340): N101: Code Value S8: Delete code value note "Segment Indicator".
Sub-detail N1 segment (position 340): N101: Code Value S9: Delete code value note "Segment Indicator".
Sub-detail N1 segment (position 340): N102: Replace data element list in the element note with "Location Name".
Sub-detail N1 segment (position 340): N103: Code Value 29: Replace code value note with "For NAESB WGQ, this code value may only be used when sending the Location in the N104."

<i>Sub-detail N1 segment (position 340): N103: Code Value ZY: Replace code value note with “For NAESB WGQ, this code value may only be used when sending the Location Proprietary Code in the N104.”</i>
<i>Sub-detail N1 segment (position 340): N104: Replace data element list in the element note with “Location/Location Proprietary Code”.</i>
<i>Sub-detail N4 segment (position 370): N406: Replace data element list in the element note with “Location Zone”.</i>
Note/Special Instruction
Data Element Xref to X12
<i>Heading N1: For the data element Releaser Company Code/Releaser Company Proprietary Code, modify the data element name to “Releaser/Releaser Proprietary Code”.</i>
<i>Heading N1: For the data element Bidder Company Code/Bidder Company Proprietary Code, modify the data element name to “Bidder/Bidder Proprietary Code”.</i>
<i>Sub-detail N1: Delete all entries for the N1 segment: SO/C Gas Transaction Point (1 or 2) Code SO/C Gas Transaction Point (1 or 2) Proprietary Code SO Gas Transaction Point (1 or 2) Description C Segment Indicator</i>
<i>Sub-detail N1: For the N1 label, add the following entries: C Location Purpose SO Location Name SO Location/Location Proprietary Code</i>
X12 Mapping
<i>Heading N1 segment (position 040): N104: Replace data element list in the element note with “Transportation Service Provider/Transportation Service Provider Proprietary Code, Releaser/Releaser Proprietary Code, Bidder/Bidder Proprietary Code”.</i>
<i>Detail N1 segment (position 020): N101: Add data element note “Location Purpose”.</i>
<i>Sub-detail N1 segment (position 020): N101: Code Value G1: Delete code value.</i>
<i>Sub-detail N1 segment (position 020): N101: Code Value G2: Delete code value.</i>
<i>Sub-detail N1 segment (position 020): N101: Code Value M2: Replace code value note with “Receipt Location”.</i>
<i>Sub-detail N1 segment (position 020): N101: Code Value MQ: Replace code value note with “Delivery Location”.</i>
<i>Sub-detail N1 segment (position 020): N101: Code Value S8: Rename code value to “Pipeline segment defined by 2 locations (or second of 2 locations)”.</i>
<i>Sub-detail N1 segment (position 020): N101: Code Value S9: Rename code value to “Pipeline segment defined by 1 location (or first of 2 locations)”.</i>
<i>Detail N1 segment (position 020): N101: Code Value S8: Delete code value note “Segment Indicator”.</i>
<i>Detail N1 segment (position 020): N101: Code Value S9: Delete code value note “Segment Indicator”.</i>
<i>Detail N1 segment (position 020): N102: Replace data element list in the element note with “Location Name”.</i>
<i>Detail N1 segment (position 020): N103: Code Value 29: Replace code value note with “For NAESB WGQ, this code value may only be used when sending the Location in the N104.”</i>
<i>Detail N1 segment (position 020): N103: Code Value ZY: Replace code value note with “For NAESB WGQ, this code value may only be used when sending the Location Proprietary Code in the N104.”</i>
<i>Detail N1 segment (position 020): N104: Replace data element list in the element note with “Location/Location Proprietary Code”.</i>
Transaction Set Tables
<i>N1 Segments (Heading) table: For the “Releaser Company Code/Releaser Company Proprietary Code” row, modify the Element Name column to “Releaser/Releaser Proprietary Code”</i>
<i>N1 Segments (Heading) table: For the “Bidder Company Code/Bidder Company Proprietary Code” row, modify the Element Name column to “Bidder/Bidder Proprietary Code”</i>
Bid Upload
Data Element Xref to X12

<i>Heading N1: For the data element Releaser Company Code/Releaser Company Proprietary Code, modify the data element name to "Releaser/Releaser Proprietary Code".</i>
<i>Heading N1: For the data element Bidder Company Code/Bidder Company Proprietary Code, modify the data element name to "Bidder/Bidder Proprietary Code".</i>
<i>Heading N1: For the data element Return Addressee Company Code/Return Addressee Company Proprietary Code, modify the data element name to "Return Addressee/Return Addressee Proprietary Code".</i>
<i>Sub-detail N1: Delete all entries for the N1 segment: M/C Gas Transaction Point (1 or 2) Code C/C Gas Transaction Point (1 or 2) Proprietary Code MA Gas Transaction Point (1 or 2) Description M Segment Indicator</i>
<i>Sub-detail N1: For the N1 label, add the following entries: M Location Purpose MA Location Name M Location/Location Proprietary Code</i>
X12 Mapping
<i>Heading N1 segment (position 310): N101: Code Value 40: Replace code value note with "Return Addressee"</i>
<i>Heading N1 segment (position 310): N101: Code Value KD: Replace code value note with "Bidder"</i>
<i>Heading N1 segment (position 310): N101: Code Value SE: Replace code value note with "Releaser"</i>
<i>Heading N1 segment (position 310): N104: Replace data element list in the element note with "Transportation Service Provider/Transportation Service Provider Proprietary Code, Releaser/Releaser Proprietary Code, Bidder/Bidder Proprietary Code, Return Addressee/Return Addressee Proprietary Code".</i>
<i>Sub-detail N1 segment (position 420): N101: Add data element note "Location Purpose".</i>
<i>Sub-detail N1 segment (position 420): N101: Code Value G1: Delete code value.</i>
<i>Sub-detail N1 segment (position 420): N101: Code Value G2: Delete code value.</i>
<i>Sub-detail N1 segment (position 420): N101: Code Value M2: Replace code value note with "Receipt Location".</i>
<i>Sub-detail N1 segment (position 420): N101: Code Value MQ: Replace code value note with "Delivery Location".</i>
<i>Sub-detail N1 segment (position 420): N101: Code Value S8: Rename code value to "Pipeline segment defined by 2 locations (or second of 2 locations)".</i>
<i>Sub-detail N1 segment (position 420): N101: Code Value S9: Rename code value to "Pipeline segment defined by 1 location (or first of 2 locations)".</i>
<i>Sub-detail N1 segment (position 420): N101: Code Value S8: Delete code value note "Segment Indicator".</i>
<i>Sub-detail N1 segment (position 420): N101: Code Value S9: Delete code value note "Segment Indicator".</i>
<i>Sub-detail N1 segment (position 420): N102: Replace data element list in the element note with "Location Name".</i>
<i>Sub-detail N1 segment (position 420): N103: Code Value 29: Replace code value note with "For NAESB WGQ, this code value may only be used when sending the Location in N104."</i>
<i>Sub-detail N1 segment (position 420): N103: Code Value ZY: Replace code value note with "For NAESB WGQ, this code value may only be used when sending the Location Proprietary Code in N104."</i>
<i>Sub-detail N1 segment (position 420): N104: Replace data element list in the element note with "Location/Location Proprietary Code".</i>
Bid Upload Quick Response
Data Element Xref to X12
<i>Sub-detail N1: Delete all entries for the N1 segment: C/C Gas Transaction Point (1 or 2) Code C/C Gas Transaction Point (1 or 2) Proprietary Code C Segment Indicator</i>

<p><i>Sub-detail N1: For the N1 label, add the following entries:</i></p> <ul style="list-style-type: none"> <i>C Location Purpose</i> <i>C Location/Location Proprietary Code</i>
X12 Mapping
<i>Sub-detail N1 segment (position 420): N101: Add data element note "Location Purpose".</i>
<i>Sub-detail N1 segment (position 420): N101: Code Value G1: Delete code value.</i>
<i>Sub-detail N1 segment (position 420): N101: Code Value G2: Delete code value.</i>
<i>Sub-detail N1 segment (position 420): N101: Code Value M2: Replace code value note with "Receipt Location".</i>
<i>Sub-detail N1 segment (position 420): N101: Code Value MQ: Replace code value note with "Delivery Location".</i>
<i>Sub-detail N1 segment (position 420): N101: Code Value S8: Rename code value to "Pipeline segment defined by 2 locations (or second of 2 locations)".</i>
<i>Sub-detail N1 segment (position 420): N101: Code Value S9: Rename code value to "Pipeline segment defined by 1 location (or first of 2 locations)".</i>
<i>Sub-detail N1 segment (position 420): N101: Code Value S8: Delete code value note "Segment Indicator".</i>
<i>Sub-detail N1 segment (position 420): N101: Code Value S9: Delete code value note "Segment Indicator".</i>
<i>Sub-detail N1 segment (position 420): N103: Code Value 29: Replace code value note with "For NAESB WGQ, this code value may only be used when sending the Location in N104."</i>
<i>Sub-detail N1 segment (position 420): N103: Code Value ZY: Replace code value note with "For NAESB WGQ, this code value may only be used when sending the Location Proprietary Code in N104."</i>
<i>Sub-detail N1 segment (position 420): N104: Replace data element list in the element note with "Location/Location Proprietary Code".</i>