

**NAESB WGQ Technical Subcommittee  
Draft Meeting Minutes Attachment  
11/12/2002  
R99024 Working Document**

<b>Capacity Release</b>
<b>Offer Download</b>
<b>Data Element Xref to X12</b>
<i>Heading N1: For the data element Releaser Company Code/Releaser Company Proprietary Code, modify the data element name to "Releaser/Releaser Proprietary Code".</i>
<i>Heading N1: For the data element Releaser Company Name, modify the data element name to "Releaser Name".</i>
<i>Heading N1: For the data element Bidder Company Code/Bidder Company Proprietary Code, modify the data element name to "Bidder/Bidder Proprietary Code".</i>
<i>Heading N1: For the data element Bidder Company Name, modify the data element name to "Bidder Name".</i>
<i>Sub-detail N1: Delete all entries for the N1 segment:</i> M Segment Indicator M/C Gas Transaction Point (1 or 2) Code C/C Gas Transaction Point (1 or 2) Proprietary Code SO Gas Transaction Point (1 or 2) Description
<i>Sub-detail N4: Delete entry for the N4 segment:</i> SO Gas Transaction Point (1 or 2) Zone
<i>Sub-detail REF: Delete entry for the REF segment:</i> So Gas Transaction Point (1 or 2) OBA Indicator
<i>Sub-detail N1: For the N1 label, add the following entries:</i> M Location Purpose SO Location Name M Location/Location Proprietary Code
<i>Sub-detail N4: For the N4 label, add the following entry:</i> SO Location Zone
<i>Sub-detail REF: For the REF label, add the following entry:</i> SO Location OBA Indicator
<b>X12 Mapping</b>
<i>Heading N1 segment (position 310): N102: Replace data element list in the element note with "Bidder Name, Releaser Name".</i>
<i>Heading N1 segment (position 310): N104: Replace data element list in the element note with "Transportation Service Provider/Transportation Service Provider Proprietary Code, Releaser/Releaser Proprietary Code, Bidder/Bidder Proprietary Code".</i>
<i>Sub-detail N1 segment (position 340): N101: Add data note "Location Purpose"</i>
<i>Sub-detail N1 segment (position 340): N101: Code Value S8: Delete "Segment Indicator" text.</i>
<i>Sub-detail N1 segment (position 340): N101: Code Value S9: Delete "Segment Indicator" text.</i>
<i>Sub-detail N1 segment (position 340): N102: Replace element with "Location Name".</i>
<i>Sub-detail N1 segment (position 340): N103: Code Value 29: Replace code value note with "For NAESB WGQ, this code value may only be used when sending the Location."</i>
<i>Sub-detail N1 segment (position 340): N103: Code Value ZY: Replace code value note with "For NAESB WGQ, this code value may only be used when sending the Location Proprietary Code."</i>
<i>Sub-detail N1 segment (position 340): N104: Replace data element list in the element note with "Location/Location Proprietary Code".</i>
<i>Sub-detail N4 segment (position 370): N406: Replace data element list in the element note with "Location Zone".</i>

<i>Sub-detail REF segment (position 380): REF02: Replace data element list in the element note with "Location OBA Indicator".</i>
<b>Transaction Set Tables</b>
N1 Segments (Heading) table: For the "N103" column, modify the column heading to "N103 (see n1)".
N1 Segments (Heading) table: For the "Transportation Service Provider" row, modify the Element Name column to "Transportation Service Provider/Transportation Service Provider Proprietary Code"
N1 Segments (Heading) table: For the "Transportation Service Provider" row, modify the N103 column after the "1" code value to add a sub-row and the code value "SV".
N1 Segments (Heading) table: For the "Transportation Service Provider" row, modify the N103 Description column after the "D-U-N-S Number, Dun & Bradstreet " description to add a sub-row and the code value description "Transportation Service Provider's proprietary code".
N1 Segments (Heading) table: For the "Releaser Company Code" row, modify the Element Name column to "Releaser Company Code/Releaser Company Proprietary Code"
N1 Segments (Heading) table: For the "Releaser Company Code" row in the N103 column, modify the "ZZ" code value to "SV".
N1 Segments (Heading) table: For the "Releaser Company Code" row in the N103 Description column, delete "(see n1)".
N1 Segments (Heading) table: For the "Bidder Company Code" row, modify the Element Name column to "Bidder Company Code/Bidder Company Proprietary Code"
N1 Segments (Heading) table: For the "Bidder Company Code" row in the N103 column, modify the "ZZ" code value to "SV".
N1 Segments (Heading) table: For the "Bidder Company Code" row in the N103 Description column, delete "(see n1)".
N1 Segments (Heading) table Notes section (below the table): Replace the note text for note n1 as follows: "Parties should mutually agree to use the Transportation Service Provider's proprietary entity code when the D-U-N-S® Number is not available."
<b>Bid Download</b>
<b>Data Element Xref to X12</b>
<i>Heading N1: For the data element Releaser Company Code/Releaser Company Proprietary Code, modify the data element name to "Releaser/Releaser Proprietary Code".</i>
<i>Heading N1: For the data element Releaser Company Name, modify the data element name to "Releaser Name".</i>
<i>Sub-detail N1: Delete all entries for the N1 segment: SO Gas Transaction Point (1 or 2) Description M/C Gas Transaction Point (1 or 2) Code C/C Gas Transaction Point (1 or 2) Proprietary Code M Segment Indicator</i>
<i>Sub-detail N4: Delete entry for the N4 segment: SO Gas Transaction Point (1 or 2) Zone</i>
<i>Sub-detail N1: For the N1 label, add the following entries: M Location Purpose SO Location Name M Location/Location Proprietary Code</i>
<i>Sub-detail N4: For the N4 label, add the following entry: SO Location Zone</i>
<b>X12 Mapping</b>
Heading N1 segment (position 310): N104: Replace data element list in the element note with "Transportation Service Provider/Transportation Service Provider Proprietary Code, Releaser Company Code/Releaser Company Proprietary Code".
<b>Transaction Set Tables</b>
N1 Segments (Heading) table: For the "N103" column, modify the column heading to "N103 (see n1)".
N1 Segments (Heading) table: For the "Transportation Service Provider" row, modify the Element Name column to "Transportation Service Provider/Transportation Service Provider Proprietary Code"

N1 Segments (Heading) table: For the "Transportation Service Provider" row, modify the N103 column after the "1" code value to add a sub-row and the code value "SV".
N1 Segments (Heading) table: For the "Transportation Service Provider" row, modify the N103 Description column after the "D-U-N-S Number, Dun & Bradstreet " description to add a sub-row and the code value description "Transportation Service Provider's proprietary code".
N1 Segments (Heading) table: For the "Releaser Company Code" row, modify the Element Name column to "Releaser Company Code/Releaser Company Proprietary Code"
N1 Segments (Heading) table: For the "Releaser Company Code" row in the N103 column, modify the "ZZ" code value to "SV".
N1 Segments (Heading) table: For the "Releaser Company Code" row in the N103 Description column, delete "(see n1)".
N1 Segments (Heading) table Notes section (below the table): Replace the note text for note n1 as follows: "Parties should mutually agree to use the Transportation Service Provider's proprietary entity code when the D-U-N-S® Number is not available."
<b>Award Download</b>
<b>Data Element Xref to X12</b>
<i>Heading N1: For the data element Bidder Company Code/Bidder Company Proprietary Code, modify the data element name to "Bidder/Bidder Proprietary Code".</i>
<i>Heading N1: For the data element Bidder Company Name, modify the data element name to "Bidder Name".</i>
<i>Heading N1: For the data element Releaser Company Code/Releaser Company Proprietary Code, modify the data element name to "Releaser/Releaser Proprietary Code".</i>
<i>Heading N1: For the data element Releaser Company Name, modify the data element name to "Releaser Name".</i>
<i>Sub-detail N1: Delete all entries for the N1 segment:</i> M Segment Indicator M/C Gas Transaction Point (1 or 2) Code C/C Gas Transaction Point (1 or 2) Proprietary Code SO Gas Transaction Point (1 or 2) Description
<i>Sub-detail N4: Delete entry for the N4 segment:</i> SO Gas Transaction Point (1 or 2) Zone
<i>Sub-detail N1: For the N1 label, add the following entries:</i> M Location Purpose SO Location Name M Location/Location Proprietary Code
<i>Sub-detail N4: For the N4 label, add the following entry:</i> SO Location Zone
<b>X12 Mapping</b>
Heading N1 segment (position 310): N104: Replace data element list in the element note with "Transportation Service Provider/Transportation Service Provider Proprietary Code, Bidder Company Code/Bidder Company Proprietary Code, Releaser Company Code/Releaser Company Proprietary Code".
<b>Transaction Set Tables</b>
N1 Segments (Heading) table: For the "N103" column, modify the column heading to "N103 (see n1)".
N1 Segments (Heading) table: For the "Bidder Company Code" row, modify the Element Name column to "Bidder Company Code/Bidder Company Proprietary Code"
N1 Segments (Heading) table: For the "Bidder Company Code" row in the N103 column, modify the "ZZ" code value to "SV".
N1 Segments (Heading) table: For the "Bidder Company Code" row in the N103 Description column, delete "(see n1)".
N1 Segments (Heading) table: For the "Transportation Service Provider" row, modify the Element Name column to "Transportation Service Provider/Transportation Service Provider Proprietary Code"
N1 Segments (Heading) table: For the "Transportation Service Provider" row, modify the N103 column after the "1" code value to add a sub-row and the code value "SV".

N1 Segments (Heading) table: For the "Transportation Service Provider" row, modify the N103 Description column after the "D-U-N-S Number, Dun & Bradstreet " description to add a sub-row and the code value description "Transportation Service Provider's proprietary code".
N1 Segments (Heading) table: For the "Releaser Company Code" row, modify the Element Name column to "Releaser Company Code/Releaser Company Proprietary Code"
N1 Segments (Heading) table: For the "Releaser Company Code" row in the N103 column, modify the "ZZ" code value to "SV".
N1 Segments (Heading) table: For the "Releaser Company Code" row in the N103 Description column, delete "(see n1)".
N1 Segments (Heading) table Notes section (below the table): Replace the note text for note n1 as follows: "Parties should mutually agree to use the Transportation Service Provider's proprietary entity code when the D-U-N-S® Number is not available."
<b>Replacement Capacity</b>
<b>Data Element Xref to X12</b>
<i>Sub-detail N1: Delete all entries for the N1 segment:</i> M Segment Indicator M/C Gas Transaction Point (1 or 2) Code C/C Gas Transaction Point (1 or 2) Proprietary Code SO Gas Transaction Point (1 or 2) Description
<i>Sub-detail N4: Delete all entries for the N4 segment:</i> SO Gas Transaction Point (1 or 2) State SO Gas Transaction Point (1 or 2) Zone
<i>Sub-detail REF: Delete entry for the REF segment:</i> SO Gas Transaction Point (1 or 2) OBA Indicator
<i>Sub-detail N1: For the N1 label, add the following entries:</i> M Location Purpose SO Location Name M Location/Location Proprietary Code
<i>Sub-detail N4: For the N4 label, add the following entries:</i> SO Location State SO Location Zone
<i>Sub-detail REF: For the REF label, add the following entry:</i> SO Location OBA Indicator
<b>X12 Mapping</b>
Heading N1 segment (position 150): N103: Add element note "Parties should mutually agree to use the Transportation Service Provider's proprietary entity code when the D-U-N-S® Number is not available."
Heading N1 segment (position 150): N103: code value 1: Add code value note "For NAESB WGQ, this code value may only be used when sending the Transportation Service Provider."
Heading N1 segment (position 150): N103: Mark the code value SV [Service Provider Number] as "used". Add code value note "For NAESB WGQ, this code value may only be used when sending the Transportation Service Provider Proprietary Code."
Heading N1 segment (position 150): N104: Replace data element list in the element note with "Transportation Service Provider/Transportation Service Provider Proprietary Code".
<b>Offer Upload</b>
<b>Data Element Xref to X12</b>
<i>Heading N1: For the data element Releaser Company Code/Releaser Company Proprietary Code, modify the data element name to "Releaser/Releaser Proprietary Code".</i>
<i>Heading N1: For the data element Bidder Company Code/Bidder Company Proprietary Code, modify the data element name to "Bidder/Bidder Proprietary Code".</i>
<i>Heading N1: For the data element Return Addressee Company Code/Return Addressee Company Proprietary Code, modify the data element name to "Return Addressee/Return Addressee Proprietary Code".</i>

<p><i>Sub-detail N1: Delete all entries for the N1 segment:</i></p> <ul style="list-style-type: none"> <li><i>M Segment Indicator</i></li> <li><i>M/C Gas Transaction Point (1 or 2) Code</i></li> <li><i>C/C Gas Transaction Point (1 or 2) Proprietary Code</i></li> <li><i>MA Gas Transaction Point (1 or 2) Description</i></li> </ul>
<p><i>Sub-detail N4: Delete the entry for the N4 segment:</i></p> <ul style="list-style-type: none"> <li><i>BC Gas Transaction Point 1 Zone</i></li> </ul>
<p><i>Sub-deta N1: For the N1 label, add the following entries:</i></p> <ul style="list-style-type: none"> <li><i>M Location Purpose</i></li> <li><i>MA Location Name</i></li> <li><i>M Location/Location Proprietary Code</i></li> </ul>
<p><i>Sub-detail N4: For the N4 label, add the following entries:</i></p> <ul style="list-style-type: none"> <li><i>BC Location Zone</i></li> </ul>
<p><b>X12 Mapping</b></p>
<p>Heading N1 segment (position 310): N103: Add element note "Parties should mutually agree to use the Transportation Service Provider's proprietary entity code when the D-U-N-S® Number is not available."</p>
<p>Heading N1 segment (position 310): N103: code value 1: Add code value note "For NAESB WGQ, this code value may only be used when sending the Transportation Service Provider, Releaser Company Code, Bidder Company Code, and Return Addressee Company Code."</p>
<p>Heading N1 segment (position 310): N103: Mark the code value SV [Service Provider Number] as "used". Add code value note "For NAESB WGQ, this code value may only be used when sending the Transportation Service Provider Proprietary Code, Releaser Company Proprietary Code, Bidder Company Proprietary Code, and Return Addressee Company Proprietary Code."</p>
<p>Heading N1 segment (position 310): N104: Replace data element list in the element note with "Transportation Service Provider/Transportation Service Provider Proprietary Code, Releaser Company Code/Releaser Company Proprietary Code, Bidder Company Code/Bidder Company Proprietary Code, Return Addressee Company Code/Return Addressee Company Proprietary Code".</p>
<p><b>Offer Upload Quick Response</b></p>
<p><b>Data Element Xref to X12</b></p>
<p><b>X12 Mapping</b></p>
<p><i>Sub-detail N1: Delete all entries for the N1 segment:</i></p> <ul style="list-style-type: none"> <li><i>C Segment Indicator</i></li> <li><i>C/C Gas Transaction Point (1 or 2) Code</i></li> <li><i>C/C Gas Transaction Point (1 or 2) Proprietary Code</i></li> </ul>
<p><i>Sub-deta N1: For the N1 label, add the following entries:</i></p> <ul style="list-style-type: none"> <li><i>C Location Purpose</i></li> <li><i>C/C Location/Location Proprietary Code</i></li> </ul>
<p><b>Offer Upload Notification</b></p>
<p><b>Data Element Xref to X12</b></p>
<p><i>Heading N1: For the data element Releaser Company Code/Releaser Company Proprietary Code, modify the data element name to "Releaser/Releaser Proprietary Code".</i></p>
<p><i>Heading N1: For the data element Bidder Company Code/Bidder Company Proprietary Code, modify the data element name to "Bidder/Bidder Proprietary Code".</i></p>
<p><i>Heading N1: For the data element Return Addressee Company Code/Return Addressee Company Proprietary Code, modify the data element name to "Return Addressee/Return Addressee Proprietary Code".</i></p>
<p><i>Sub-deta N1: Delete all entries for the N1 segment:</i></p> <ul style="list-style-type: none"> <li><i>M Segment Indicator</i></li> <li><i>M/C Gas Transaction Point (1 or 2) Code</i></li> <li><i>C/C Gas Transaction Point (1 or 2) Proprietary Code</i></li> <li><i>MA Gas Transaction Point (1 or 2) Description</i></li> </ul>
<p><i>Sub-detail N4: Delete the entry for the N4 segment:</i></p> <ul style="list-style-type: none"> <li><i>C Gas Transaction Point 1 Zone</i></li> </ul>

<p><i>Sub-detail N1: For the N1 label, add the following entries:</i></p> <p>M Location Purpose</p> <p>SO Location Name</p> <p>M Location/Location Proprietary Code</p>
<p><i>Sub-detail N4: For the N4 label, add the following entries:</i></p> <p>SO Location Zone</p>
<p><b>X12 Mapping</b></p>
<p>Heading N1 segment (position 310): N103: Add element note "Parties should mutually agree to use the Transportation Service Provider's proprietary entity code when the D-U-N-S® Number is not available."</p>
<p>Heading N1 segment (position 310): N103: code value 1: Add code value note "For NAESB WGQ, this code value may only be used when sending the Transportation Service Provider, Releaser Company Code, Bidder Company Code, and Return Addressee Company Code."</p>
<p>Heading N1 segment (position 310): N103: Mark the code value SV [Service Provider Number] as "used". Add code value note "For NAESB WGQ, this code value may only be used when sending the Transportation Service Provider Proprietary Code, Releaser Company Proprietary Code, Bidder Company Proprietary Code, and Return Addressee Company Proprietary Code."</p>
<p>Heading N1 segment (position 310): N104: Replace data element list in the element note with "Transportation Service Provider/Transportation Service Provider Proprietary Code, Releaser Company Code/Releaser Company Proprietary Code, Bidder Company Code/Bidder Company Proprietary Code, Return Addressee Company Code/Return Addressee Company Proprietary Code".</p>
<p><b>Offer Upload Bidder Confirmation</b></p>
<p><b>Data Element Xref to X12</b></p>
<p><i>Heading N1: For the data element Return Addressee Company Code/Return Addressee Company Proprietary Code, modify the data element name to "Return Addressee/Return Addressee Proprietary Code".</i></p>
<p><i>Heading N1: For the data element Bidder Company Code/Bidder Company Proprietary Code, modify the data element name to "Bidder/Bidder Proprietary Code".</i></p>
<p><b>X12 Mapping</b></p>
<p>Heading N1 segment (position 310): N103: Add element note "Parties should mutually agree to use the Transportation Service Provider's proprietary entity code when the D-U-N-S® Number is not available."</p>
<p>Heading N1 segment (position 310): N103: code value 1: Add code value note "For NAESB WGQ, this code value may only be used when sending the Transportation Service Provider, Return Addressee Company Code, and Bidder Company Code."</p>
<p>Heading N1 segment (position 310): N103: Mark the code value SV [Service Provider Number] as "used". Add code value note "For NAESB WGQ, this code value may only be used when sending the Transportation Service Provider Proprietary Code, Return Addressee Company Proprietary Code, and Bidder Company Proprietary Code."</p>
<p>Heading N1 segment (position 310): N104: Replace data element list in the element note with "Transportation Service Provider/Transportation Service Provider Proprietary Code, Return Addressee Company Code/Return Addressee Company Proprietary Code, Bidder Company Code/Bidder Company Proprietary Code".</p>
<p><b>Offer Upload Bidder Confirmation Quick Response</b></p>
<p><b>Data Element Xref to X12</b></p>
<p><i>Heading N1: For the data element Bidder Company Code/Bidder Company Proprietary Code, modify the data element name to "Bidder/Bidder Proprietary Code".</i></p>
<p><b>X12 Mapping</b></p>
<p>Heading N1 segment (position 030): N103: Add element note "Parties should mutually agree to use the Transportation Service Provider's proprietary entity code when the D-U-N-S® Number is not available."</p>
<p>Heading N1 segment (position 030): N103: code value 1: Add code value note "For NAESB WGQ, this code value may only be used when sending the Transportation Service Provider and Bidder Company Code."</p>
<p>Heading N1 segment (position 030): N103: Mark the code value SV [Service Provider Number] as "used". Add code value note "For NAESB WGQ, this code value may only be used when sending the Transportation Service Provider Proprietary Code and Bidder Company Proprietary Code."</p>

Heading N1 segment (position 030): N104: Replace data element list in the element note with "Transportation Service Provider/Transportation Service Provider Proprietary Code, Bidder Company Code/Bidder Company Proprietary Code".
<b>Offer Upload Final Disposition</b>
<b>Data Element Xref to X12</b>
<i>Detail N1: For the data element Bidder Company Code/Bidder Company Proprietary Code, modify the data element name to "Bidder/Bidder Proprietary Code".</i>
<b>X12 Mapping</b>
Heading N1 segment (position 030): N103: Add element note "Parties should mutually agree to use the Transportation Service Provider's proprietary entity code when the D-U-N-S® Number is not available."
Heading N1 segment (position 030): N103: code value 1: Add code value note "For NAESB WGQ, this code value may only be used when sending the Transportation Service Provider."
Heading N1 segment (position 030): N103: Mark the code value SV [Service Provider Number] as "used". Add code value note "For NAESB WGQ, this code value may only be used when sending the Transportation Service Provider Proprietary Code."
Heading N1 segment (position 030): N104: Replace data element list in the element note with "Transportation Service Provider/Transportation Service Provider Proprietary Code".
Detail N1 segment (position 120): N103: Add element note "Parties should mutually agree to use the Transportation Service Provider's proprietary entity code when the D-U-N-S® Number is not available."
Detail N1 segment (position 120): N103: code value 1: Add code value note "For NAESB WGQ, this code value may only be used when sending the Bidder Company Code."
Detail N1 segment (position 120): N103: Mark the code value SV [Service Provider Number] as "used". Add code value note "For NAESB WGQ, this code value may only be used when sending the Bidder Company Proprietary Code."
Heading N1 segment (position 030): N104: Replace data element list in the element note with "Bidder Company Code/Bidder Company Proprietary Code".
<b>Operationally Available and Unsubscribed Capacity</b>
<b>Data Element Xref to X12</b>
<i>Sub-detail N1: Delete all entries for the N1 segment: M/C Gas Transaction Point (1 or 2) Code C/C Gas Transaction Point (1 or 2) Proprietary Code SO Gas Transaction Point (1 or 2) Description M Segment Indicator</i>
<i>Sub-detail N4: Delete entry for the N4 segment: SO Gas Transaction Point (1 or 2) Zone</i>
<i>Sub-detail N1: For the N1 label, add the following entries: M Location Purpose SO Location Name M Location/Location Proprietary Code</i>
<i>Sub-detail N4: For the N4 label, add the following entry: SO Location Zone</i>
<b>X12 Mapping</b>
Heading N1 segment (position 310): N103: Add element note "Parties should mutually agree to use the Transportation Service Provider's proprietary entity code when the D-U-N-S® Number is not available."
Heading N1 segment (position 310): N103: code value 1: Add code value note "For NAESB WGQ, this code value may only be used when sending the Transportation Service Provider."
Heading N1 segment (position 310): N103: Mark the code value SV [Service Provider Number] as "used". Add code value note "For NAESB WGQ, this code value may only be used when sending the Transportation Service Provider Proprietary Code."
Heading N1 segment (position 310): N104: Replace data element list in the element note with "Transportation Service Provider/Transportation Service Provider Proprietary Code".
<b>Note/Special Instruction</b>
<b>Data Element Xref to X12</b>

<i>Heading N1: For the data element Releaser Company Code/Releaser Company Proprietary Code, modify the data element name to "Releaser/Releaser Proprietary Code".</i>
<i>Heading N1: For the data element Bidder Company Code/Bidder Company Proprietary Code, modify the data element name to "Bidder/Bidder Proprietary Code".</i>
<p><i>Sub-detail N1: Delete all entries for the N1 segment:</i></p> <ul style="list-style-type: none"> <li><i>SO/C Gas Transaction Point (1 or 2) Code</i></li> <li><i>SO/C Gas Transaction Point (1 or 2) Proprietary Code</i></li> <li><i>SO Gas Transaction Point (1 or 2) Description</i></li> <li><i>C Segment Indicator</i></li> </ul>
<p><i>Sub-detail N1: For the N1 label, add the following entries:</i></p> <ul style="list-style-type: none"> <li><i>C Location Purpose</i></li> <li><i>SO Location Name</i></li> <li><i>SO Location/Location Proprietary Code</i></li> </ul>
<b>X12 Mapping</b>
Heading N1 segment (position 040): N103: Mark code value "1" as not used.
Heading N1 segment (position 040): N103: Add the following element note: "Refer to "N1 Segments (Heading)" table for usage and values."
Heading N1 segment (position 040): N104: Replace data element list in the element note with "Transportation Service Provider/Transportation Service Provider Proprietary Code, Releaser Company Code/Releaser Company Proprietary Code, Bidder Company Code/Bidder Company Proprietary Code".
<b>Transaction Set Table</b>
N1 Segments (Heading) table: For the "Element Name" column, modify the column heading to "Element Name (N104)".
N1 Segments (Heading) table: For the "Transportation Service Provider" row, modify the Element Name (N104) column to "Transportation Service Provider/Transportation Service Provider Proprietary Code"
N1 Segments (Heading) table: For the "Releaser Company Code" row, modify the Element Name (N104) column to "Releaser Company Code/Releaser Company Proprietary Code"
N1 Segments (Heading) table: For the "Bidder Company Code" row, modify the Element Name (N104) column to "Bidder Company Code/Bidder Company Proprietary Code"
N1 Segments (Heading) table: After the N101 column, insert a new column named "N103 (see n1)". For each of the data element rows, insert the following information into the column: "1" and on the next sub-row, "SV"
N1 Segments (Heading) table: After the N103 column, insert a new column named "N103 Description". For each of the data element rows, insert the following information into the column: for the "1" code value, insert "D-U-N-S Number, Dun & Bradstreet" and for the "SV" code value, insert "Transportation Service Provider's proprietary code"
N1 Segments (Heading) table: Delete the N104 column.
N1 Segments (Heading) table: Skip a blank line below the Usage section (under the table) and add a "Notes" section as follows:
<b>Notes:</b>
n1 Parties should mutually agree to use the Transportation Service Provider's proprietary entity code when the D-U-N-S® Number is not available.
<b>Bid Upload</b>
<b>Data Element Xref to X12</b>
<i>Heading N1: For the data element Releaser Company Code/Releaser Company Proprietary Code, modify the data element name to "Releaser/Releaser Proprietary Code".</i>
<i>Heading N1: For the data element Bidder Company Code/Bidder Company Proprietary Code, modify the data element name to "Bidder/Bidder Proprietary Code".</i>
<i>Heading N1: For the data element Return Addressee Company Code/Return Addressee Company Proprietary Code, modify the data element name to "Return Addressee/Return Addressee Proprietary Code".</i>

<p><i>Sub-detail N1: Delete all entries for the N1 segment:</i>  M/C Gas Transaction Point (1 or 2) Code  C/C Gas Transaction Point (1 or 2) Proprietary Code  MA Gas Transaction Point (1 or 2) Description  M Segment Indicator</p>
<p><i>Sub-deta N1: For the N1 label, add the following entries:</i>  M Location Purpose  MA Location Name  M Location/Location Proprietary Code</p>
<p><b>X12 Mapping</b></p>
<p>Heading N1 segment (position 310): N103: Add element note "Parties should mutually agree to use the Transportation Service Provider's proprietary entity code when the D-U-N-S® Number is not available."</p>
<p>Heading N1 segment (position 310): N103: code value 1: Add code value note "For NAESB WGQ, this code value may only be used when sending the Transportation Service Provider, Releaser Company Code, Bidder Company Code, and Return Addressee Company Code."</p>
<p>Heading N1 segment (position 310): N103: Mark the code value SV [Service Provider Number] as "used". Add code value note "For NAESB WGQ, this code value may only be used when sending the Transportation Service Provider Proprietary Code, Releaser Company Proprietary Code, Bidder Company Proprietary Code, and Return Addressee Company Proprietary Code."</p>
<p>Heading N1 segment (position 310): N104: Replace data element list in the element note with "Transportation Service Provider/Transportation Service Provider Proprietary Code, Releaser Company Code/Releaser Company Proprietary Code, Bidder Company Code/Bidder Company Proprietary Code, Return Addressee Company Code/Return Addressee Company Proprietary Code".</p>
<p><b>Bid Upload Quick Response</b></p>
<p><b>Data Element Xref to X12</b></p>
<p><i>Sub-detail N1: Delete all entries for the N1 segment:</i>  C/C Gas Transaction Point (1 or 2) Code  C/C Gas Transaction Point (1 or 2) Proprietary Code  C Segment Indicator</p>
<p><i>Sub-deta N1: For the N1 label, add the following entries:</i>  C Location Purpose  C Location/Location Proprietary Code</p>
<p><b>X12 Mapping</b></p>
<p>Heading N1 segment (position 310): N103: Add element note "Parties should mutually agree to use the Transportation Service Provider's proprietary entity code when the D-U-N-S® Number is not available."</p>
<p>Heading N1 segment (position 310): N103: code value 1: Add code value note "For NAESB WGQ, this code value may only be used when sending the Transportation Service Provider."</p>
<p>Heading N1 segment (position 310): N103: Mark the code value SV [Service Provider Number] as "used". Add code value note "For NAESB WGQ, this code value may only be used when sending the Transportation Service Provider Proprietary Code."</p>
<p>Heading N1 segment (position 310): N104: Replace data element list in the element note with "Transportation Service Provider/Transportation Service Provider Proprietary Code"</p>